

Shock Physics Papers 2018

- Abeywardhana, J.A.M.M., Germann, T.C. & Ravelo, R., 2018. Strain rate dependence of deformation twinning in tantalum. AIP Conf. Proc. 1979, 050001
- Abrate, S., 2018. Coatings for mitigating the effects of underwater shock waves on structures. In: Blast Mitigation Strategies in Marine Composite and Sandwich Structures, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 321-335
- Abu-Farsakh, H., Al-Qasir, I. & Qteish, A., 2018. Fundamental properties and phase stability of B1 and B2 phases of MgO over a wide range of pressures and temperatures: A first-principles study. Comput. Mater. Sci. 154, 159-168
- Adamenko, N.A. & Agafonova, G.V., 2018. The effect of explosive treatment on the structure and thermomechanical properties of filled PTFE. Int. Polym. Sci. Technol. 45, 39-42
- Afshari, M., Antonelli, L., Barbato, F., Folpini, G., Jakubowska, K., Krouskey, E., Renner, O., Smid, M. & Batani, D., 2018. Semi-analytical approaches to study hot electrons in the shock ignition regime. Phys. Plasmas 25, 122702
- Agasty, A., Nolde, M., Krebs, H., Mücke, O., Theil, B. & Nächer, D., 2018. Numerical simulations and field validation tests for shock waves propagation. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 425-430
- Aglitskiy, Y., Velikovich, A.L., Karasik, M., Schmitt, A.J., Serlin, V., Weaver, J.L., Oh, J., Obenschain, S.P. & Cochrane, K.R., 2018. Absolute Hugoniot measurements for CH foams in the 2-9 Mbar range. Phys. Plasmas 25, 042705
- Agrawal, V. & Bhattacharya, K., 2018. Impact induced depolarization of ferroelectric materials. J. Mech. Phys. Solids 115, 142-166
- Alekseev, I.V., Kosareva, A.A., Kustova, E.V. & Nagnibeda, E.A., 2018. Various continuum approaches for studying shock wave structure in carbon dioxide. AIP Conf. Proc. 1959, 060001
- Ali, S.J., Celliers, P.M., Haan, S., Boehly, T.R., Whiting, N., Baxamusa, S.H., Reynolds, H., Johnson, M.A., Hughes, J.D., Watson, B., Huang, H., Biener, J., Engelhorn, K., Smalyuk, V.A. & Landen, O.L., 2018. Probing the seeding of hydrodynamic instabilities from nonuniformities in ablator materials using 2D velocimetry. Phys. Plasmas 25, 092708
- Aliverdiev, A.A., Batani, D., Benocci, R., Dezulian, R., Amirova, A.A., Ragimkhanov, G.B., Krouskey, E., Ullschmied, J., Skala, J., Dudzak, R. & Jakubowska, K., 2018. About laser shocks dynamics for complex focal spots and structured targets. J. Phys. Conf. Ser. 946, 012013

- Amadou, N., de Resseguier, T., Dragon, A. & Brambrink, E., 2018. Coupling between plasticity and phase transition in shock- and ramp-compressed single-crystal iron. *Phys. Rev. B* 98, 024104
- Ameri, A.A.H., Escobedo-Diaz, J.P., Quadir, M.Z., Brown, A., Ashraf, M., Hutchison, W. & Hazell, P., 2018. The effect of loading direction on the dynamic damage in lean duplex stainless steel 2101. *AIP Conf. Proc.* 1979, 070002
- Ameri, A.A.H., Brown, A.D., Quadir, Z., Hazell, P.J., Logos, C. & Escobedo-Diaz, J.P., 2018. Investigating the dynamic tensile response of lean Duplex stainless steel and the effects of radial waves using the recovered plate-impact experiment. *EPJ Web Conferences* 183, 03012
- Ananev, S.Y., Yankovsky, B.D. & Dolgoborodov, A.Y., 2018. The combustion of Al-CuO powder mixture under shock wave initiation of the reaction. *J. Phys. Conf. Ser.* 946, 012054
- Anderson, W.W., 2018. Properties of the dead zone due to the gas cushion effect in PBX 9502. *AIP Conf. Proc.* 1979, 150001
- Anderson, P.E., 2018. How and when metals react in high performance explosives. *AIP Conf. Proc.* 1979, 150002
- Andrianov, V.P., Bazarov, Y.B., Gubachev, A.V., Dulin, O.N., Elgaenkov, A.E., Kamenev, V.G., Kuzin, V.M., Litvinova, M.S., Lobastov, S.A., Turkin, V.N. & Shubin, A.S., 2018. Rotating mirror digital streak camera for investigation of fast processes. *Combust. Explos. Shock Waves* 54, 618-623
- Andriyash, A.V., Astashkin, M.V., Baranov, V.K., Golubinskii, A.G., Irinichev, D.A., Khatunkin, V.Y., Kondratev, A.N., Kuratov, S.E., Mazanov, V.A., Rogozkin, D.B. & Stepushkin, S.N., 2018. Application of photon Doppler velocimetry for characterization of ejecta from shock-loaded samples. *J. Appl. Phys.* 123, 243102
- Angstman, N.B., Frank, H.G. & Schmitz, C., 2018. Hypothermia ameliorates blast-related lifespan reduction of *C. elegans*. *Scientific Reports* 8, doi: 10.1038/s41598-018-28910-z
- Anisimov, A.G. & Mali, V.I., 2018. Specific features of sheet acceleration under conditions of magnetic pulse welding. *Combust. Explos. Shock Waves* 54, 113-118
- Antipov, M.V., Yurtov, I.V., Utenkov, A.A., Blinov, A.V., Sadunov, V.D., Trishchenko, T.V., Ogorodnikov, V.A., Mikhailov, A.L., Glushikhin, V.V. & Vishnevetskii, E.D., 2018. Piezoelectric method for measuring the parameters of shock-induced ejecta. *Combust. Explos. Shock Waves* 54, 599-605
- Appleby-Thomas, G.J., Fitzmaurice, B., Hameed, A., Painter, J., Gibson, M., Wood, D.C., Hazael, R. & Hazell, P.J., 2018. On differences in the equation-of-state for a selection of seven representative mammalian tissue analogue materials. *J. Mech. Behav. Biomed. Mater.* 77, 586-593

- Aristova, E.Y., Aushev, A.A., Baranov, V.K., Belov, I.A., Balkov, S.A., Voronin, A.Y., Voronich, I.N., Garanin, R.V., Garanin, S.G., Gainullin, K.G., Golubinskii, A.G., Gorodnichev, A.V., Denisova, V.A., Derkach, V.N., Drozhzhin, V.S., Elicheva, I.A., Zhidkov, N.V., Ilkaev, R.I., Krayukhin, A.A., Leonov, A.G., Litvin, D.N., Makarov, K.N., Martynenko, A.S., Malinov, V.I., Misko, V.V., Rogachev, V.G., Rukavishnikov, A.N., Salatov, E.A., Skorochkin, Y.V., Smorchkov, G.Y., Stadnik, A.L., Starodubtsev, V.A., Starodubtsev, P.V., Sungatullin, R.R., Suslov, N.A., Sysoeva, T.I., Khatunkin, V.Y., Tsoi, E.S., Shubin, O.N. & Yufa, V.N., 2018. Laser simulations of the destructive impact of nuclear explosions on hazardous asteroids. *J. Exper. Theor. Phys.* 126, 132-145
- Armstrong, C., Rae, P., Tasker, D., Heatwole, E. & Broilo, B., 2018. Inexpensive method of qualifying piezoresistive thin-film pressure gauge. *AIP Conf. Proc.* 1979, 160001
- Ashitkov, S.I., Komarov, P.S., Struleva, E.V. & Agranat, M.B., 2018. Titanium resistance to deformation near the theoretical strength limit. *High Temp.* 56, 873-877
- Ashitkov, S.I., Komarov, P.S. & Struleva, E.V., 2018. Mechanical properties of titanium diboride films under the impact of picosecond shock loads. *High Temp.* 56, 938-940
- Aslam, T., Gustavsen, R., Whitworth, N., Menikoff, R., Tarver, C., Handley, C. & Bartram, B., 2018. Shock, release and reshock of PBX 9502: Experiments and modeling. *AIP Conf. Proc.* 1979, 100001
- Aslam, T.D., 2018. Shock temperature dependent rate law for PBXs. *J. Appl. Phys.* 123, 145901
- Atroshenko, S.A., Zubareva, A.N., Morozov, V.A., Savenkov, G.G. & Utkin, A.V., 2018. Specific features of the response of cerium to pulsed actions. *Phys. Solid State* 60, 238-243
- Aubert, B., Hebert, D., Rullier, J.-L., Lescoute, E., Videau, L. & Berthe, L., 2018. 2D characterization of the pressure generated by an intense laser pulse on an aluminum target. *AIP Conf. Proc.* 1979, 160002
- Aubert, B., Hebert, D., Rullier, J.-L., Chevalier, J.-M., Berthe, L., Brambrink, E., Lescoute, E., Videau, L., Franzkowiak, J.-E., Jodar, B., Loison, D. & Nivard, M., 2018. Numerical simulations of laser-driven cratering experiments into porous graphite. *EPJ Web Conferences* 183, 01060
- Austin, R.A., 2018. Elastic precursor wave decay in shock-compressed aluminum over a wide range of temperature. *J. Appl. Phys.* 123, 035103
- Avdellidou, C., Delbo, M. & Fienga, A., 2018. Exogenous origin of hydration on asteroid (16) Psyche: The role of hydrated asteroid families. *Mon. Not. R. Astron. Soc.* 475, 3419-3428

- Azmi, N.A., Hilmi, A.H., Yusof, M.A. & Ismail, A., 2018. Characteristics of iron powder when pressed using explosive pressing method. IOP Conf. Ser.: Mater. Sci. Engng 429, 012095
- Badyukov, D.D., Bezaeva, N.S., Rochette, P., Gattacceca, J., Feinberg, J.M., Kars, M., Egli, R., Raitala, J. & Kuzina, D.M., 2018. Experimental shock metamorphism of terrestrial basalts: Agglutinate-like particle formation, petrology, and magnetism. Meteor. Planet. Sci. 53, 131-150
- Badziak, J., Kucharik, M. & Liska, R., 2018. Generation of sub-gigabar-pressure shocks by a hyper-velocity impact in the collider driven by laser-induced cavity pressure. J. Phys. Conf. Ser. 959, 012012
- Baek, D., Kim, B. & Yoh, J.J., 2018. Modeling the effects of aluminum and ammonium perchlorate addition on the detonation of the high explosives HMX and RDX. J. Appl. Phys. 124, 215905
- Bai, Z. & Fan, Y., 2018. Abnormal strain rate sensitivity driven by a unit dislocation-obstacle interaction in bcc iron. Phys. Rev. Letts 120, 125504
- Baker, K.L., Thomas, C.A., Casey, D.T., Khan, S., Spears, B.K., Nora, R., Woods, T., Milovich, J.L., Berger, R.L., Strozzi, D., Clark, D., Hohenberger, M., Hurricane, O.A., Callahan, D.A., Landen, O.L., Bachmann, B., Benedetti, R., Bionta, R., Celliers, P.M., Fittinghoff, D., Goyon, C., Grim, G., Hatarik, R., Izumi, N., Johnson, M.G., Kyrala, G., Ma, T., Millot, M., Nagel, S.R., Pak, A., Patel, P.K., Turnbull, D., Volegov, P.L. & Yeaman, C., 2018. High-performance indirect-drive cryogenic implosions at high adiabat on the National Ignition Facility. Phys. Rev. Letts 121, 135001
- Balaganskii, I.A., Merzhievskii, L.A., Ulyanitskii, V.Y., Bataev, I.A., Bataev, A.A., Matrosov, A.D., Stadnichenko, I.A., Batraev, I.S. & Vinogradov, A.V., 2018. Generation of hypervelocity particle flows by explosive compression of ceramic tubes. Combust. Explos. Shock Waves 54, 119-124
- Balagansky, I.A., Vinogradov, A.V., Merzhievsky, L.A., Matrosov, A.D. & Stadnichenko, I.A., 2018. Effect of shell material on the detonation of an explosive charge. Combust. Explos. Shock Waves 54, 502-510
- Balandina, A.N., Burnashov, V.A., Voronin, A.V., Kalinkin, S.Y., Mikhailov, A.L., Podurets, A.M., Simakov, V.G., Tereshkina, I.A., Tkachenko, M.I., Trunin, I.R. & Shestakov, E.E., 2018. Microstructure of shocked preheated bismuth and detection of melting at pressures of 1.6–2.4 GPa. Combust. Explos. Shock Waves 54, 535-542
- Barbaglia, M.O. & Prieto, G.R., 2018. Electrical behavior of exploding copper wire in ambient air. Phys. Plasmas 25, 072108

- Bardy, S., Aubert, B., Bergara, T., Berthe, L., Ducouso, M., Ecault, R., Hébert, D., Lescoute, E., Malaise, F., Rouchasse, Y. & Videau, L., 2018. Experimental implementation of shock waves propagation using multi-materials stacks: Application to bonded assemblies evaluation by laser adhesion test. AIP Conf. Proc. 1979, 070003
- Barnes, C.W., Fernández, J.C., Hartsfield, T.M., Sandberg, R.L., Sheffield, R.L., Tapia, J.P. & Wang, Z., 2018. Technology risk mitigation research and development for the matter-radiation interactions in extremes (MaRIE) project. AIP Conf. Proc. 1979, 160003
- Barton, N.R., Rhee, M. & Brown, J.L., 2018. Modeling the constitutive response of tantalum across experimental platforms. AIP Conf. Proc. 1979, 070004
- Bartyczak, S., Edgerton, L. & Mock, W., 2018. Response of polymers to low amplitude blast waves. AIP Conf. Proc. 1979, 090001
- Bassett, W.P., Johnson, B.P. & Dlott, D.D., 2018. Laser driven flyers for investigations of shock initiation of explosives. AIP Conf. Proc. 1979, 150003
- Bataev, I.A., Lazurenko, D.V., Malyutina, Y.N., Nikulina, A.A., Bataev, A.A., Mats, O.E. & Kuchumova, I.D., 2018. Ultrahigh cooling rates at the interface of explosively welded materials and their effect on the formation of the structure of mixing zones. *Combust. Explos. Shock Waves* 54, 238-245
- Batra, R.C., 2018. Damage and failure of blast-loaded fiber-reinforced composite laminates considering material and geometric nonlinearities. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 227-245
- Batsanov, S.S., 2018. *Shock and Materials*. Berlin, Springer
- Batsanov, S.S., 2018. Effect of explosion in materials. In: *Shock and Materials*, publ. Berlin, Springer, pp. 1-152
- Batsanov, S.S., 2018. Detonation transformation in materials. In: *Shock and Materials*, publ. Berlin, Springer, pp. 153-195
- Batsanov, S.S., 2018. Laser-induced shock compression. In: *Shock and Materials*, publ. Berlin, Springer, pp. 197-201
- Batsanov, S.S., 2018. Impulse mechanical action. In: *Shock and Materials*, publ. Berlin, Springer, pp. 203-220
- Batsanov, S.S., 2018. Electric discharge in materials. In: *Shock and Materials*, publ. Berlin, Springer, pp. 221-238
- Beason, M.T., Pauls, J.M., Gunduz, I.E., Rouvimov, S., Manukyan, K.V., Matous, K., Son, S.F. & Mukasyan, A., 2018. Shock-induced reaction synthesis of cubic boron nitride. *Appl. Phys. Letts* 112, 171903
- Behzadinasab, M., Vogler, T.J. & Foster, J.T., 2018. Modeling perturbed shock wave decay in granular materials with intragranular fracture. AIP Conf. Proc. 1979, 070005

- Behzadinasab, M., Vogler, T.J., Peterson, A.M., Rahman, R. & Foster, J.T., 2018. Peridynamics modeling of a shock wave perturbation decay experiment in granular materials with intra-granular fracture. *J. Dyn. Behav. Mater.* 4, 529-542
- Bell, D.J., Routley, N.R., Whiteman, G. & Keightley, P.T., 2018. The development of a smaller Asay foil diagnostic. *AIP Conf. Proc.* 1979, 080001
- Bellitto, W.J., Melnik, M.I., Sherlock, M.H., Chang, J.C., O'Connor, J.H. & Mackey, J.A., 2018. The microstructure characteristics of RDX and their effect on the detonation velocity. *AIP Conf. Proc.* 1979, 100002
- Bellitto, W.J., Melnik, M.I., Sherlock, M.H., Chang, J.C., O'Connor, J.H. & Mackey, J.A., 2018. Microstructure effects on the detonation velocity of a heterogeneous high explosive. *J. Energ. Mater.* 36, 485-492
- Belov, G.V., Dyachkov, S.A., Levashov, P.R., Lomonosov, I.V., Minakov, D.V., Morozov, I.V., Sineva, M.S. & Smirnov, V.N., 2018. The IVTANTHERMO online database for thermodynamic properties of individual substances with web interface. *J. Phys. Conf. Ser.* 946, 012120
- Belyaev, D., Aleksandrov, A., Zuyev, Y., Kozlov, E., Svyatov, I. & Levi, C., 2018. Structure of uranium-zirconium-molybdenum alloy shell after explosive loading. *EPJ Web Conferences* 183, 03025
- Benedetti, L.R., Eggert, J.H., Kilkenny, J.D., Bradley, D.K., Bell, P.M., Palmer, N.E., Petre, R.B., Heidl, B.F., Rygg, J.R., Boehly, T.R., Collins, G.W. & Sorce, C., 2018. Conceptual design for time-resolved X-ray diffraction in a single laser-driven compression experiment. *AIP Conf. Proc.* 1979, 160004
- Bhowmick, M., Nissen, E.J., Matveev, S.M. & Dlott, D.D., 2018. Studies in shocked nitromethane through high dynamic range spectroscopy. *AIP Conf. Proc.* 1979, 100004
- Bhowmick, M., Nissen, E.J. & Dlott, D.D., 2018. Detonation on a tabletop: Nitromethane with high time and space resolution. *J. Appl. Phys.* 124, 075901
- Bhowmick, M., Basset, W.P., Matveev, S., Salvati, L. & Dlott, D.D., 2018. Optical windows as materials for high-speed shock wave detectors. *AIP Advances* 8, 125123
- Bidault, X. & Pineau, N., 2018. Impact of surface energy on the shock properties of granular explosives. *J. Chem. Phys.* 148, 034704
- Bidault, X. & Pineau, N., 2018. Granularity impact on hotspot formation and local chemistry in shocked nanostructured RDX. *J. Chem. Phys.* 148, 224703
- Bidault, X. & Pineau, N., 2018. Dynamic formation of nanodiamond precursors from the decomposition of carbon suboxide (C_3O_2) under extreme conditions: A ReaxFF study. *J. Chem. Phys.* 149, 114309
- Biss, M., Murphy, M. & Lieber, M., 2018. Qualification of a multi-diagnostic detonator-output characterization procedure utilizing PMMA witness blocks. *AIP Conf. Proc.* 1979, 160005

- Bjorgaard, J.A., Hammerberg, J. & Sheppard, D., 2018. Density functional theory study of cerium deuterides. AIP Conf. Proc. 1979, 080002
- Black, M., Kishore, S., LeBlanc, J., Lockhart, P. & Shukla, A., 2018. Non-destructive imaging and residual strength of composite materials after exposure to blast loading. J. Dyn. Behav. Mater. 4, 408-424
- Bogdanov, J., Bajic, Z., Mladenovic, V., Brzic, S. & Dimitrijevic, I., 2018. Influence of charge diameter on detonation velocity for single and double base propellants. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 470-475
- Bogdanova, Y.A., Gubin, S.A. & Maklashova, I.V., 2018. Evaluation of thermodynamic properties of metals by a perturbation theory by example of aluminum. J. Phys. Conf. Ser. 946, 012091
- Bokor, B., Toth, M. & Sharma, A., 2018. Fasteners in steel fiber reinforced concrete subjected to increased loading rates. Fibers 6, doi: 10.3390/fib6040093
- Bondarchuk, S.V. & Yefimenko, N.A., 2018. An algorithm for evaluation of potential hazards in research and development of new energetic materials in terms of their detonation and ballistic profiles. Propell. Explos. Pyrotech. 43, 818-824
- Bordzilovskii, S.A., Karakhanov, S.M. & Khishchenko, K.V., 2018. Thermal radiation from water behind the reflected shock wave. Combust. Explos. Shock Waves 54, 712-719
- Boriskov, G.V., Bykov, A.I., Egorov, N.I., Dolotenko, M.I., Pavlov, V.N., Strelkov, I.S., Timareva, V.I. & Belov, S.I., 2018. Experimental study of compressibility of a VNM-3-2 alloy under megabar pressures. Combust. Explos. Shock Waves 54, 527-534
- Borodin, E.N., Gruzdkov, A.A., Mayer, A.E. & Selyutina, N.S., 2018. Physical nature of strain rate sensitivity of metals and alloys at high strain rates. J. Phys. Conf. Ser. 991, 012012
- Boronski, D., Kotyk, M., Mackowiak, P. & Soltysiak, R., 2018. Fatigue crack growth analysis in aluminum/titanium layered material in ambient and cryogenic conditions. Procedia Engng 213, 589-597
- Boronski, D., Kotyk, M. & Mackowiak, P., 2018. Crack initiation and growth analysis in explosively welded AA2519-AA1050-Ti6Al4V layered material in ambient and cryogenic conditions. Proc. Inst. Mech. Engrs Part C: J. Mech. Engng Sci. 232, 1470-1480
- Botov, E.V., Ikonnikov, V.N., Kanakov, V.A., Kornev, N.S., Mineev, K.V., Nazarov, A.V., Sedov, A.A., Shalygin, A.A. & Mitin, E.S., 2018. Measurement of kinematic and thermal characteristics of high-speed gas-dynamic processes by means of microwave sounding. Combust. Explos. Shock Waves 54, 614-617

- Bourne, N.K., Jones, D., Fensin, S., Trujillo, C., Martinez, D. & Gray III, G.T., 2018. On the dynamic tensile strength of an fcc metal. AIP Conf. Proc. 1979, 070007
- Bowden, M., 2018. A volumetric approach to shock initiation of HNS and PETN. AIP Conf. Proc. 1979, 150004
- Bradley, P.A., Loomis, E.N., Merritt, E.C., Guzik, J.A., Denne, P.H. & Clark, T.T., 2018. Experimental validation of thermodynamic mixture rules at extreme pressures and densities. Phys. Plasmas 25, 012710
- Bragov, A.M., Igumnov, L.A., Konstantinov, A.Y. & Lomunov, A.K., 2018. Investigation of the mechanical properties of organoplastic under shock wave loading conditions. J. Phys. Conf. Ser. 991, 012013
- Braithwaite, C.H., Perry, J.I. & Taylor, N.E., 2018. Shock and release behaviour of silica based granular materials. AIP Conf. Proc. 1979, 110002
- Branch, B. & Jensen, B.J., 2018. Dynamic X-ray diffraction to study the shock-induced α - ϵ phase transition in iron. AIP Conf. Proc. 1979, 040001
- Branicio, P.S., Zhang, J., Rino, J.P., Nakano, A., Kalia, R.K. & Vashishta, P., 2018. Plane shock loading on mono- and nano-crystalline silicon carbide. Appl. Phys. Letts 112, 111909
- Branicio, P.S., Zhang, J.Y., Rino, J.P., Nakano, A., Kalia, R.K. & Vashishta, P., 2018. Shock-induced microstructural response of mono- and nanocrystalline SiC ceramics. J. Appl. Phys. 123, 145902
- Breda, C., Kerampran, S., Sturtzer, M.-O., Arrigoni, M. & Legendre, J.-F., 2018. Analysis of planar and spherical shock-wave mitigation by wet aqueous foams. In: Shock Wave Interactions, edited by Kontis, K., Berlin, Springer, pp. 279-297
- Brown, A.D., Ameri, A.H., Gregg, A., Austin, D.C., Escobedo, J.P., Hazell, P.J., East, D. & Quadir, M.Z., 2018. Dynamic mechanical response of additive manufactured Ti6Al4V. AIP Conf. Proc. 1979, 070008
- Brown, K.E., Myers, T.W., Snyder, C. & Clarke, S.A., 2018. Laser initiation of iron-based photoactive explosives. AIP Conf. Proc. 1979, 100008
- Bryant, A.W., Scripka, D., Alamgir, F.M. & Thadhani, N.N., 2018. Laser shock compression induced crystallization of Ce₃Al metallic glass. J. Appl. Phys. 124, 035904
- Buravova, S.N. & Petrov, E.V., 2018. Acceleration of mass transfer under dynamic loading. Russ. J. Phys. Chem. B 12, 120-128
- Burns, M.J., Gibson, L.L., Jones, J.D., Goodbody, A.E., Dattelbaum, D.M. & Gustavsen, R.L., 2018. One dimensional shock initiation of hot isostatically pressed Composition B. AIP Conf. Proc. 1979, 150007
- Burritt, R.R. & Francois, E.G., 2018. Particle size effects on the thin pulse initiation of diaminoazoxyfurazan. AIP Conf. Proc. 1979, 100009

- Buttler, W.T., Renner, D., Morris, C., Manzanares, R., Anderson, E.K., Goett III, J.J., Heidemann, J., Kalas, R.M., Llobet, A., Martinez, J.L., Medina Jr., P.V., Payton, J.R., Saunders, A., Schmidt, D.W., Tainter, A.M., Tupa, D., Vincent, S.W. & Vogan-McNeil, W., 2018. Cavitation bubble interacting with a Richtmyer-Meshkov unstable sheet and spike. *AIP Conf. Proc.* 1979, 080003
- Buzyurkin, A.E., Kraus, E.I. & Lukyanov, Y.L., 2018. Explosive compaction of aluminum oxide modified by multiwall carbon nanotubes. *J. Phys. Conf. Ser.* 991, 012015
- Callaghan, K. & Becker, R., 2018. Examination of ductile spall failure through direct numerical simulation. *AIP Conf. Proc.* 1979, 070010
- Canadinc, D., Uzer, B., Elmadagli, M. & Guner, F., 2018. Nanotwin formation in high-manganese austenitic steels under explosive shock loading. *Metall. Mater. Trans. A* 49, 1026-1030
- Cao, D., Boehly, T.R., Gregor, M.C., Polsin, D.N., Davis, A.K., Radha, P.B., Regan, S.P. & Goncharov, V.N., 2018. Theoretical quantification of shock-timing sensitivities for direct-drive inertial confinement fusion implosions on OMEGA. *Phys. Plasmas* 25, 052705
- Cao, X.X., Chen, J.X., Yu, Y. & Wu, Q., 2018. An equation of state for abnormal expansion of shocked porous materials. *J. Appl. Phys.* 124, 215903
- Cao, X.Y., Xu, Q., Chen, J.Y. & Li, J., 2018. Damage prediction for an AP1000 nuclear island subjected to a contact explosion. *Struct. Engng Int.* 28, 526-534
- Carvalho, G.H.S.F.L., Galvao, I., Mendes, R., Leal, R.M. & Loureiro, A., 2018. Influence of base material properties on copper and aluminium-copper explosive welds. *Sci. Technol. Welding Joining* 23, 501-507
- Carvalho, G.H.S.F.L., Galvao, I., Mendes, R., Leal, R.M. & Loureiro, A., 2018. Formation of intermetallic structures at the interface of steel-to-aluminium explosive welds. *Mater. Charact.* 142, 432-442
- Carvalho, G.H.S.F.L., Galvao, I., Mendes, R., Leal, R.M. & Loureiro, A., 2018. Explosive welding of aluminium to stainless steel. *J. Mater. Process. Technol.* 262, 340-349
- Cavosie, A.J., Timms, N.E., Erickson, T.M. & Koeberl, C., 2018. New clues from Earth's most elusive impact crater: Evidence of reidite in Australasian tektites from Thailand. *Geology* 46, 203-206
- Cavosie, A.J., Timms, N.E., Ferrière, L. & Rochette, P., 2018. FRIGN zircon: The only terrestrial mineral diagnostic of high-pressure and high-temperature shock deformation. *Geology* 46, 891-894
- Celliers, P.M., Millot, M., Brygoo, S., McWilliams, R.S., Fratanduono, D.E., Rygg, J.R., Goncharov, A.F., Loubeyre, P., Eggert, J.H., Peterson, J.L., Meezan, N.B., Le Pape, S., Collins, G.W., Jeanloz, R. & Hemley, R.J., 2018. Insulator-metal transition in dense fluid deuterium. *Science* 361, 677-682

- Cerreta, E.K., Addressio, F.L., Bronkhorst, C.A., Jones, D.R., Lookman, T., Martinez, D.T., Morrow, B.M., Rigg, P.A. & Trujillo, C.P., 2018. Path dependency of phase transformations. *AIP Conf. Proc.* 1979, 060001
- Chanda, A. & Graeter, R., 2018. Human skin-like composite materials for blast-induced injury mitigation. *J. Compos. Sci.* 2, doi: 10.3390/jcs2030044
- Chen, X., Li, X., Yan, H., Wang, X. & Chen, S., 2018. Underwater explosive compaction-sintering of tungsten-copper coating on a copper surface. *High Press. Res.* 38, 41-52
- Chen, J., Tschopp, M.A. & Dongare, A.M., 2018. Role of nanoscale copper/tantalum interfaces on the shock compression and spall failure of nanocrystalline copper/tantalum systems at the atomic scales. *J. Mater. Sci.* 53, 5745-5765
- Chen, H., Barnhart, M.V., Chen, Y.Y. & Huang, G.L., 2018. Elastic metamaterials for blast wave impact mitigation. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 357-375
- Chen, F.F., Wang, W., Wang, K., Ho, P.F., Li, H., Huang, X. & Chen, W.J., 2018. Influence of post-weld heat treatment on microstructure and adhesion of titanium/copper composite. *Mater. Sci. Technol.* 34, 1441-1446
- Chen, Z.Q., Wang, D.Y., Cao, X.Q., Yang, W.W. & Wang, W.X., 2018. Influence of multi-pass rolling and subsequent annealing on the interface microstructure and mechanical properties of the explosive welding magnesium/aluminum composite plates. *Mater. Sci. Engng A* 723, 97-108
- Chen, X., Sun, W., Li, X.J., Wang, X.H., Yan, H.H. & Li, K.B., 2018. Experimental and numerical studies on tungsten-copper functionally graded materials produced by explosive compaction-welding sintering. *Fusion Engng Design* 137, 349-357
- Cheng, B., Kwan, T.J.T., Yi, S.A., Landen, O.L., Wang, Y.M., Cerjan, C.J., Batha, S.H. & Wysocki, F.J., 2018. Effects of asymmetry and hot-spot shape on ignition capsules. *Phys. Rev. E* 98, 023203
- Chiacchiera, S., Davesne, D. & Urban, M., 2018. Shock waves in colliding Fermi gases at finite temperature. *Phys. Rev. A* 98, 053622
- Chinke, S.L., Sandhu, I.S., Saroha, D.R. & Alegaonkar, P.S., 2018. Graphene-like nanoflakes for shock absorption applications. *ACS Appl. Nano Mater.* 1, 6027-6037
- Chiquete, C., Short, M., Meyer, C.D. & Quirk, J.J., 2018. Calibration of the pseudo-reaction-zone model for detonation wave propagation. *Combust. Theory Modelling* 22, 744-776
- Choi, J., Yoo, S., Song, S., Park, J.S. & Kang, K., 2018. Molecular dynamics study of Hugoniot relation in shocked nickel single crystal. *J. Mech. Sci. Technol.* 32, 3273-3281

- Chong, T., Wang, G.J., Tan, F.L. & Zhao, J.H., 2018. Phase transformation kinetics of zirconium under ramp wave loading with different windows (in Chinese). *Acta Phys. Sinica* 67, 070204
- Chong, T., Tang, Z.P., Tan, F.L., Wang, G.J. & Zhao, J.H., 2018. Phase transition and dynamics of iron under ramp wave compression. *Acta Mech. Sinica* 34, 902-909
- Christensen, J.M., Banishev, A. & Dlott, D.D., 2018. Shock compression spectroscopy of quantum dots. *AIP Conf. Proc.* 1979, 130002
- Chu, G., Xi, T., Yu, M., Fan, W., Zhao, Y., Shui, M., He, W., Zhang, T., Zhang, B., Wu, Y., Zhou, W., Cao, L., Xin, J. & Gu, Y., 2018. High-energy X-ray radiography of laser shock loaded metal dynamic fragmentation using high-intensity short-pulse laser. *Rev. Sci. Instrum.* 89, 115106
- Chudakov, E.A., Fedorov, A.V., Finyushin, S.A., Kalashnikov, D.A. & Shmelev, I.V., 2018. Determining the velocity and specific weight of a particle flow discharged from surfaces of metals under a shock-wave load. *Combust. Explos. Shock Waves* 54, 593-598
- Chung, K., Kwon, H., Park, J.S. & Song, S., 2018. Numerical simulation on high speed impact behavior of aluminum-tungsten and aluminum-nickel mixture. *J. Mech. Sci. Technol.* 32, 4629-4636
- Church, P., Mepsted, G., Thompson, P., Braithwaite, C., Taylor, N., Perkinson, M., Wishart, A. & Vijendran, S., 2018. Development of a methodology for component testing under impact loading for space. *AIP Conf. Proc.* 1979, 170001
- Cipriani, M., Guskov, S.Y., De Angelis, R., Consoli, F., Rupasov, A.A., Andreoli, P., Cristofari, G. & Di Giorgio, G., 2018. Laser-driven hydrothermal wave speed in low-Z foam of overcritical density. *Phys. Plasmas* 25, 092704
- Clayton, J.D., 2018. Shock compression of metal single crystals modeled via Finsler-geometric continuum theory. *AIP Conf. Proc.* 1979, 180001
- Clayton, J.D. & Lloyd, J.T., 2018. Analysis of nonlinear elastic aspects of precursor attenuation in shock-compressed metallic crystals. *J. Phys. Commun.* 2, 045032
- Clifton, R.J., 2018. On percolation, jamming, and shock waves in solids. *AIP Conf. Proc.* 1979, 070011
- Coleman, J.E., Morris, H.E., Jakulewicz, M.S., Andrews, H.L. & Briggs, M.E., 2018. Hydrodynamic disassembly and expansion of electron-beam-heated warm dense copper. *Phys. Rev. E* 98, 043201
- Corigliano, P., Crupi, V., Guglielmino, E. & Sili, A.M., 2018. Full-field analysis of aluminum/iron explosive welded joints for shipbuilding applications. *Marine Struct.* 57, 207-218
- Corigliano, P., Crupi, V. & Guglielmino, E., 2018. Nonlinear finite element simulation of explosive welded joints of dissimilar metals for shipbuilding applications. *Ocean Engineering* 160, 346-353

- Cotton, M. & Maw, J., 2018. High strain rate compaction of porous materials: Experiments and modelling. EPJ Web Conferences 183, 02016
- Crochet, M., 2018. A continuum mixture model for steady detonation using a multiphase-based closure. AIP Conf. Proc. 1979, 180002
- Cui, C.Y., Cui, X.G., Li, X.D., Luo, K.Y., Lu, J.Z., Ren, X.D., Zhou, J.Z., Fang, C., Farkouh, R. & Lu, Y.F., 2018. Plastic-deformation-driven SiC nanoparticle implantation in an aluminum surface by laser shock wave: Mechanical properties, microstructure characteristics, and synergistic strengthening mechanisms. Int. J. Plast. 102, 83-100
- Cummock, N.R., Mares, J.J.O., Gunduz, I.E. & Son, S.F., 2018. Relating a small-scale shock sensitivity experiment to large-scale failure diameter in an aluminized ammonium nitrate non-ideal explosive. Combust. Flame 194, 271-277
- Danel, J.-F., Kazandjian, L. & Piron, R., 2018. Equation of state of carbon in the warm dense matter regime from density-functional theory molecular dynamics. Phys. Rev. E 98, 043204
- Dattelbaum, D.M., 2018. In situ insights into shock-driven reactive flow. AIP Conf. Proc. 1979, 020001
- Davis, J.S., Drake, R.P., Fraenkel, M., Frank, Y., Keiter, P.A., Klein, S.R., Raicher, E., Shvarts, D. & Trantham, M.R., 2018. Soft X-ray emission from laser-irradiated gold foils. Phys. Plasmas 25, 073304
- de Brauer, A. & Udaykumar, H.S., 2018. Influence of bulk and interfacial properties on shock compression of metal powders. 1: Interaction of a pair of particles. J. Appl. Phys. 124, 134903
- de Brauer, A. & Udaykumar, H.S., 2018. Influence of bulk and interfacial properties on shock compression of metal powders. 2: Compaction of clusters of particles. J. Appl. Phys. 124, 134904
- de Rességuier, T., Roland, C., Prudhomme, G., Brambrink, E., Franzkowiak, J.-E., Loison, D., Lescoute, E., Sollier, A. & Berthe, L., 2018. Picosecond radiography combined with other techniques to investigate microjetting from laser shock-loaded grooves. AIP Conf. Proc. 1979, 080011
- de Rességuier, T., Prudhomme, G., Roland, C., Brambrink, E., Loison, D., Jodar, B., Lescoute, E. & Sollier, A., 2018. Picosecond X-ray radiography of microjets expanding from laser shock-loaded grooves. J. Appl. Phys. 124, 065106
- de Souza, T.A.J. & Pereira, T.C., 2018. Caenorhabditis elegans tolerates hyperaccelerations up to 400,000g. Astrobiology 18, doi: 10.1089/ast.2017.1802
- DeHaven, M.R., Vandersall, K.S., Strickland, S.L., Fried, L.E. & Tarver, C.M., 2018. Double shock experiments performed at -55°C on LX-17 with reactive flow modeling to understand the reacted equation of state. AIP Conf. Proc. 1979, 150012

- Demaske, B.J., Wen, P., Phillpot, S.R. & Spearot, D.E., 2018. Atomic-level deformation of $\text{Cu}_x\text{Zr}_{100-x}$ metallic glasses under shock loading. *J. Appl. Phys.* 123, 215101
- Deng, C., Liu, J., Xue, X.G., Long, X.P. & Zhang, C.Y., 2018. Coupling effect of shock, heat, and defect on the decay of energetic materials: A case of reactive molecular dynamics simulations on RDX. *J. Phys. Chem. C* 122, 27875-27884
- Derrick, J.G., Rutherford, M.E., Davison, T.M., Chapman, D.J., Eakins, D.E. & Collins, G.S., 2018. Interrogating heterogeneous compaction of analogue materials at the mesoscale through numerical modeling and experiments. *AIP Conf. Proc.* 1979, 110004
- Derrick, J.G., LaJeunesse, J.W., Davison, T.M., Borg, J.P. & Collins, G.S., 2018. Mesoscale simulations of shock compaction of a granular ceramic: Effects of mesostructure and mixed-cell strength treatment. *Model. Simul. Mater. Sci. Engng* 26, 035009
- Dewey, J.M., 2018. The Rankine-Hugoniot equations: Their extensions and inversions related to blast waves. In: *Blast Effects: Physical Properties of Shock Waves*, edited by Sochet, I., New York, Springer, pp. 17-35
- Dias, F. & Ghidaglia, J.-M., 2018. Slamming: Recent progress in the evaluation of impact pressures. *Ann. Rev. Fluid Mech.* 50, 243-273
- Djordjevic, N., Vignjevic, R., Kiely, L., Case, S., De Vuyst, T., Campbell, J. & Hughes, K., 2018. Modelling of shock waves in fcc and bcc metals using a combined continuum and dislocation kinetic approach. *Int. J. Plast.* 105, 211-224
- Dobromyslov, A.V. & Taluts, N.I., 2018. Deformation behavior of a copper single crystal upon loading by spherically converging shock waves. *Phys. Metals Metallography* 119, 1022-1030
- Dolmatov, V.Y., 2018. The influence of detonation synthesis conditions on the yield of condensed carbon and detonation nanodiamond through the example of using TNT-RDX explosive mixture. *J. Superhard Mater.* 40, 290-294
- Döppner, T., Swift, D.C., Kritcher, A.L., Bachmann, B., Collins, G.W., Chapman, D.A., Hawreliak, J., Kraus, D., Nilsen, J., Rothman, S., Benedict, L.X., Dewald, E., Fratanduono, D.E., Gaffney, J.A., Glenzer, S.H., Hamel, S., Landen, O.L., Lee, H.J., LePape, S., Ma, T., MacDonald, M.J., PacPhee, A.G., Milathianaki, D., Millot, M., Neumayer, P., Sterne, P.A., Tommasini, R. & Falcone, R.W., 2018. Absolute equation-of-state measurement for polystyrene from 25 to 60 Mbar using a spherically converging shock wave. *Phys. Rev. Letts* 121, 025001
- Drake, R.C., 2018. Assessing the effect of the role of detonation wave curvature on the firing times of high voltage detonators. *AIP Conf. Proc.* 1979, 100010
- Drake, S.M., Beard, A.D., Jones, A.P., Brown, D.J., Fortes, A.D., Millar, I.L., Carter, A., Baca, J. & Downes, H., 2018. Discovery of a meteoritic ejecta layer containing unmelted impactor fragments at the base of Paleocene lavas, Isle of Skye, Scotland. *Geology* 46, 171-174

- Drdlová, M., Popovic, M. & Koutny, O., 2018. Blast resistance of hybrid fibre reinforced concrete containing polyvinyl alcohol, polypropylene and steel fibres with various shape parameters. EPJ Special Topics 227, 111-126
- Driver, K.P., Soubiran, F. & Militzer, B., 2018. Path integral Monte Carlo simulations of warm dense aluminum. Phys. Rev. E 97, 063207
- Du, K., Liu, M.F., Wang, T., He, X.S., Wang, Z.W. & Zhang, J., 2018. Recent progress in ICF target fabrication at RCLF. Matter Radiation Extremes 3, 135-144
- Duan, Y., Han, Y., Lu, X., Tan, K. & Song, Q., 2018. Driving ability of HMX-based aluminized explosive affected by the reaction degree of aluminum powder. AIP Conf. Proc. 1979, 150013
- Duan, M.J., Yang, X.Q., Feng, K., Wei, L. & Wang, Y.H., 2018. Experimental investigation of explosive weld of bimetal ribbed plate based on boss charging. Fusion Engng Design 129, 294-299
- Ducouso, M., Bardy, S., Rouchausse, Y., Bergara, T., Jenson, F., Berthe, L., Videau, L. & Cuvillier, N., 2018. Quantitative evaluation of the mechanical strength of titanium/composite bonding using laser-generated shock waves. Appl. Phys. Letts 112, 111904
- Dudin, S.V., Sosikov, V.A. & Torunov, S.I., 2018. Formation features of cylindrical detonation wave at multipoint initiation. J. Phys. Conf. Ser. 946, 012057
- Dudko, O.V. & Ragozina, V.E., 2018. On the motion of shock waves at a constant speed in multimodulus elastic media. Mech. Solids 53, 111-119
- Dutta, R., White, C.E., Greenberg, E., Prakapenka, V.B. & Duffy, T.S., 2018. Equation of state of the alpha-PbO₂ and Pa3-type phases of GeO₂ to 120 GPa. Phys. Rev. B 98, 144106
- Dutta, A., 2018. Surface damage of CuZr metallic glass by hypervelocity nano-projectile: A molecular dynamics study. Comput. Mater. Sci. 141, 41-48
- Dyachkov, S.A., Parshikov, A.N., Egorova, M.S., Grigoryev, S.Y., Zhakhovsky, V.V. & Medin, S.A., 2018. Explicit failure model for boron carbide ceramics under shock loading. J. Appl. Phys. 124, 085902
- Ebel, A.A. & Mayer, A.E., 2018. Influence of deposited nanoparticles on the spall strength of metals under the action of picosecond pulses of shock compression. J. Phys. Conf. Ser. 946, 012045
- Eckner, R., Krüger, L., Motylenko, M., Savinykh, A.S., Razorenov, S.V. & Garkushin, G.V., 2018. Deformation mechanisms and microplasticity of austenitic TRIP/TWIP steel under flyer plate impact. EPJ Web Conferences 183, 03007
- Edgeley, J. & Braithwaite, C., 2018. Characterising shock propagation through inert beds. AIP Conf. Proc. 1979, 150014
- Efremov, V.P., Zakatilova, E.I., Maklashova, I.V. & Shevchenko, N.V., 2018. Thermal stability of detonation-produced micro and nanodiamonds. J. Phys. Conf. Ser. 946, 012107

- Emsenhuber, A., Jutzi, M. & Benz, W., 2018. SPH calculations of Mars-scale collisions: The role of the equation of state, material rheologies, and numerical effects. *Icarus* 301, 247-257
- Emurlaeva, Y.Y., Ivanov, I.V., Tkachenko, E.I., Rudenya, E.A. & Bataev, I.A., 2018. Estimation of cooling process at different zones of explosively welded composites by numerical simulation. *AIP Conf. Proc.* 2051, 020074
- Erofeev, V.I., Gerasimov, S.I. & Malkhanov, A.O., 2018. Nonlinear spatial localized strain waves. *EPJ Web Conferences* 183, 02030
- Erskine, D.J. & Fratanduono, D.E., 2018. VISAR fringe analysis under extreme spatially varying conditions. *AIP Conf. Proc.* 1979, 160006
- Erzar, B., Le Blanc, G., Malaise, F. & Buzaud, E., 2018. A micromechanical modeling approach to describe the dynamic spalling of ceramic materials. *AIP Conf. Proc.* 1979, 070012
- Erzar, B. & Zinszner, J.-L., 2018. Dynamic characterization of tungsten carbide behaviour at very high strain-rates. *EPJ Web Conferences* 183, 02061
- Escauriza, E.M., Olbinado, M.P., Rutherford, M.E., Chapman, D.J., Jonsson, J.C.Z., Rack, A. & Eakins, D.E., 2018. Ultra-high-speed indirect X-ray imaging system with versatile spatiotemporal sampling capabilities. *Applied Optics* 57, 5004-5010
- Faik, S., Tauschwitz, A. & Iosilevsky, I., 2018. The equation of state package FEOS for high energy density matter. *Comput. Phys. Commun.* 227, 117-125
- Fajardo, M.E., Neel, C.H. & Lacina, D.G., 2018. Using mid-infrared external reflectance spectroscopy to distinguish between different commercially produced PMMA samples: A null result. *AIP Conf. Proc.* 1979, 130003
- Fajardo, M.E., 2018. Line-RALF Doppler velocimetry. *AIP Conf. Proc.* 1979, 160007
- Fatyanov, O.V., Asimow, P.D. & Ahrens, T.J., 2018. Thermodynamically complete equation of state of MgO from true radiative shock temperature measurements on samples preheated to 1850 K. *Phys. Rev. B* 97, 024106
- Fazio, A., Pollok, K. & Langenhorst, F., 2018. Experimental evidence for mechanical Brazil twins as an indicator of low-pressure shock metamorphism (< 17.5 GPa). *Geology* 46, 787-790
- Fazio, A., Harries, D., Matthaus, G., Mutschke, H., Nolte, S. & Langenhorst, F., 2018. Femtosecond laser irradiation of olivine single crystals: Experimental simulation of space weathering. *Icarus* 299, 240-252
- Fedorov, A.V., Gnutov, I.S. & Yagovkin, A.O., 2018. Determination of the sizes of particle ejected from shock-loaded surfaces during their deceleration in a gaseous medium. *J. Exper. Theor. Phys.* 126, 76-82
- Fedorov, A.V., Mikhailov, A.L., Finyushin, S.A., Kalashnikov, D.A., Chudakov, E.A., Butusov, E.I. & Gnutov, I.S., 2018. Determining the threshold of detection of a minimal specific weight of particles in the study of shock-wave dusting of surfaces of materials. *Combust. Explos. Shock Waves* 54, 580-584

- Feng, J.R., Chen, P.W. & Zhou, Q., 2018. Investigation on explosive welding of $Zr_{53}Cu_{35}Al_{12}$ bulk metallic glass with crystalline copper. *J. Mater. Engng Perform.* 27, 2932-2937
- Fensin, S.J. & Hahn, E.N., 2018. Towards predicting susceptibility of grain boundaries to failure in bcc materials. *AIP Conf. Proc.* 1979, 050007
- Fensin, S., Gray III, G.T., Bourne, N. & Hixson, R., 2018. Microstructure-based failure criterion for ductile materials. *EPJ Web Conferences* 183, 03005
- Ferdowski, M., Omidkhah, M.R. & Keshavarz, M.H., 2018. Reliable prediction of shock sensitivity of energetic compounds based on small-scale gap test through their electric spark sensitivity. *Z. anorg. allgem. Chem.* 644, 888-892
- Ferguson, J.W., Finnegan, S.G., Goff, M.J. & Millett, J.C.F., 2018. Shock ring-up in HMX and TATB-based explosives. *AIP Conf. Proc.* 1979, 100011
- Ferri, B.A., Dwivedi, S.K. & McDowell, D.L., 2018. One-dimensional simulations for spall in metals with intra- and inter-grain failure models. *AIP Conf. Proc.* 1979, 070013
- Finnegan, S.G., Ferguson, J.W., Goff, M.J., Millett, J.C.F. & Whitworth, N.J., 2018. Development of a flyer design to perform plate impact shock-release-shock experiments on explosives. *AIP Conf. Proc.* 1979, 100012
- Firestone, M.A., Ringstrand, B., Mogavero, B., Despard, J.T., Kelso, K., Gustavsen, R.L., Dattelbaum, D.M., Podlesak, D.W. & Seifert, S., 2018. Aqueous density fractionation of nanocarbons from colliding-wave PBX9502 detonation soot. *AIP Conf. Proc.* 1979, 160008
- Flynn, G.J., Consolmagno, G.J., Brown, P. & Macke, R.J., 2018. Physical properties of the stone meteorites: Implications for the properties of their parent bodies. *Chem. Erde Geochem.* 78, 269-298
- Folco, L., Mugnaioli, E., Gemelli, M., Masotta, M. & Campanale, F., 2018. Direct quartz-coesite transformation in shocked porous sandstone from Kamil Crater (Egypt). *Geology* 46, 739-742
- François, E., Tasker, D., Burritt, R. & Bowden, P., 2018. Initiation of insensitive high explosives using multiple wave interactions. *AIP Conf. Proc.* 1979, 160009
- Frantseva, K., Mueller, M., ten Kate, I.L., van der Tak, F.F.S. & Greenstreet, S., 2018. Delivery of organics to Mars through asteroid and comet impacts. *Icarus* 309, 125-133
- Franzkowiak, J.-E., Prudhomme, G., Mercier, P., Lauriot, S., Dubreuil, E. & Berthe, L., 2018. PDV-based estimation of high-speed ejecta particles density from shock-loaded tin plate. *AIP Conf. Proc.* 1979, 080004
- Franzkowiak, J.-E., Prudhomme, G., Mercier, P., Lauriot, S., Dubreuil, E. & Berthe, L., 2018. PDV-based estimation of ejecta particles' mass-velocity function from shock-loaded tin experiment. *Rev. Sci. Instrum.* 89, 033901

- Fras, T., Szachogluchowicz, I. & Sniezek, L., 2018. Ti6Al4V-AA1050-AA2519 explosively-cladded plates under impact loading. EPJ Special Topics 227, 17-27
- Fratanduono, D.E., Millot, M., Kraus, R.G., Spaulding, D.K., Collins, G.W., Celliers, P.M. & Eggert, J.H., 2018. Thermodynamic properties of MgSiO₃ at super-Earth mantle conditions. Phys. Rev. B 97, 214105
- Fredenburg, A., Coe, J., Maerzke, K., Lang, J., Dattelbaum, D. & Sandoval, D., 2018. Estimating the reaction onset for porous polymer systems. AIP Conf. Proc. 1979, 090003
- Freeman, M.S., Rousculp, C., Oro, D., Kreher, S., Cheng, B., Griego, J., Petten, A., Neukirch, L., Reinovsky, R., Turchi, P., Bradley III, J., Reass, W., Fierro, F., Randolph, R., Donovan, P., Saunders, A., Mariam, F. & Tang, Z., 2018. The spikes from Richtmyer-Meshkov instabilities in pulsed power cylindrical experiments. AIP Conf. Proc. 1979, 080005
- Frem, D., 2018. The use of the [H₂O-CO₂] arbitrary decomposition assumption to predict the performance of condensed high explosives. Combust. Explos. Shock Waves 54, 704-711
- Fronczek, D.M., Saksi, K., Chulist, R., Michalik, S., Wojewoda-Budka, J., Sniezek, L., Wachowski, M., Torzewski, J., Sulikova, M., Sulova, K., Lachova, A., Fejercak, M., Daisenberger, D., Szulc, Z. & Kania, Z., 2018. Residual stresses distribution, correlated with bending tests, within explosively welded Ti gr. 2/A1050 bimetal. Mater. Charact. 144, 461-468
- Fronczek, D.M., Wierzbicka-Miernik, A., Saksl, K., Miernik, K., Chulist, R., Kalita, D., Szulc, Z. & Wojewoda-Budka, J., 2018. The intermetallics growth at the interface of explosively welded A1050/Ti gr. 2/A1050 clads in relation to the explosive material. Arch. Civil Mech. Engng 18, 1679-1685
- Fu, Y.S., Qiu, Y.H. & Li, Y.L., 2018. Experimental study and fractal analysis on the anisotropic performance of explosively welded interfaces of 304 stainless steel/245 carbon steel. J. Mater. Engng Perform. 27, 2556-2565
- Fu, Y.S. & Wang, Z., 2018. Heterogeneity on interface structure and shear performance for the 304 stainless steel/Q245 steel explosive welding plate (in Chinese). Rare Metal Mater. Engng 47, 2458-2464
- Furukawa, Y., Takase, A., Sekine, T., Kakegawa, T. & Kobayashi, T., 2018. Racemization of valine by impact-induced heating. Origins Life Evolution Biosphere 48, 131-139

- Gaffney, J.A., Hu, S.X., Arnault, P., Becker, A., Benedict, L.X., Boehly, T.R., Celliers, P.M., Ceperley, D.M., Certik, O., Clerouin, J., Collins, G.W., Collins, L.A., Danel, J.F., Desbiens, N., Dharma-Wardana, M.W.C., Ding, Y.H., Hamel, S., Hansen, S.B., Harbour, L., He, X.T., Johnson, D.D., Kang, W., Karasiev, V.V., Kazandjian, L., Knudson, M.D., Ogitsu, T., Pierleoni, C., Piron, R., Redmer, R., Robert, G., Saumon, D., Shamp, A., Sjostrom, T., Smirnov, A.V., Starrett, C.E., Sterne, P.A., Wardlow, A., Whitley, H.D., Wilson, B., Zhang, P. & Zurek, E., 2018. A review of equation-of-state models for inertial confinement fusion materials. *High Energy Density Phys.* 28, 7-24
- Gaitanoros, S., Kyriakides, S. & Kraynik, A.M., 2018. On the crushing of polydisperse foams. *Eur. J. Mech. A/Solids* 67, 243-253
- Galitskiy, S., Ivanov, D.A. & Dongare, A.M., 2018. Dynamic evolution of microstructure during laser shock loading and spall failure of single crystal aluminum at the atomic scales. *J. Appl. Phys.* 124, 205901
- Gamaly, E.G., Juodkazis, S. & Rode, A.V., 2018. Extreme energy density confined inside a transparent crystal: Status and perspectives of solid-plasma-solid transformations. *Nanomaterials* 8, doi: 10.3390/nano8070555
- Gao, Y., Dong, Y.X., Xiao, L.X., Wang, F. & Feng, S.S., 2018. Preliminary similarity analysis on the deformation dynamic response of thin plates subjected to blast and impact loadings. *Propell. Explos. Pyrotech.* 43, 583-594
- Garkusha, I., Makhraj, V., Byrka, O., Taran, V., Voitsenya, V., Malykhin, S., Herashchenko, S., Surovitskiy, S., Nowakowska-Langier, K., Sadowski, M.J., Skladnik-Sadowska, E. & Terentyev, D., 2018. Materials surface damage and modification under high power plasma exposures. *J. Phys. Conf. Ser.* 959, 012004
- Gauch, H.L., Montomoli, F. & Tagarielli, V.L., 2018. On the role of fluid-structure interaction on structural loading by pressure waves in air. *Trans. ASME: J. Appl. Mech.* 85, 111007
- Georgievskiy, P.Y., Levin, V.A. & Sutyryn, O.G., 2018. Shock focusing in the interaction with a local area of increased gas density. *Fluid Dynamics* 53, 337-346
- Gerasimov, S.I., Erofeev, V.I., Kamchatyi, V.G. & Kikeev, V.A., 2018. Transverse motion of a projectile in the barrel of a light-gas gun. *Russ. Engng Res.* 38, 80-85
- Gharahshiran, M.R., Khoshakhlagh, A., Khalaj, G., Bakhtiari, H. & Banihashemi, A.R., 2018. Effect of postweld heat treatment on interface microstructure and metallurgical properties of explosively welded bronze-carbon steel. *J. Central South Univ.* 25, 1849-1861
- Ghoshal, R. & Mitra, N., 2018. Underwater oblique shock wave reflection. *Phys. Rev. Fluids* 3, 013403

- Giammarinaro, B., Espíndola, D., Coulouvrat, F. & Pinton, G., 2018. Focusing of shear shock waves. *Phys. Rev. Appl.* 9, 014011
- Gibson, J., Trujillo, C.J., Nakamoto, T., Smith, D., Wilde, Z., Tasker, D. & Francois, E., 2018. Novel uses of detonator diagnostics. *AIP Conf. Proc.* 1979, 150016
- Gilev, S.D., 2018. Few-parameter equation of state of copper. *Combust. Explos. Shock Waves* 54, 482-495
- Girdyuk, A.E., Gorshkov, A.N., Egorov, V.V., Kolikov, V.A., Snetov, V.N. & Shneerson, G.A., 2018. Effect of shock waves generated by pulsed electric discharges in water on yeast cells and virus particles. *Tech. Phys.* 63, 285-290
- Godibadze, B., Dgebuadze, A., Chagelishvili, E., Mamniashvili, G. & Peikrishvili, A., 2018. Dynamic consolidation and investigation of nanostructural W-Cu/W-Y cylindrical billets. *J. Phys. Conf. Ser.* 987, 012027
- Goff, M., Millett, J.C.F., Whiteman, G., Collinson, M. & Ferguson, J., 2018. Characterization of a Y-TZP zirconia material for gas gun experiments. *AIP Conf. Proc.* 1979, 030002
- Gonzalez-Izquierdo, B., Capdessus, R., King, M., Gray, R.J., Wilson, R., Dance, R.J., McCreddie, J., Butler, N.M.H., Hawkes, S.J., Green, J.S., Booth, N., Borghesi, M., Neely, D. & McKenna, P., 2018. Radiation pressure-driven plasma surface dynamics in ultra-intense laser pulse interactions with ultra-thin foils. *Applied Sciences* 8, doi: 10.3390/app8030336
- Goodbody, A.B., Dattelbaum, D.M., Gustavsen, R.L., Bartram, B.D. & Stahl, D.B., 2018. Plate impact experiments on the silicone elastomer DC745U cooled to -60°C. *AIP Conf. Proc.* 1979, 090004
- Goodwin, P.M., Dattelbaum, D.M., Sheffield, S.A., Lang, J.M. & Coe, J.D., 2018. Shock-driven reactions in acrylonitrile. *AIP Conf. Proc.* 1979, 100013
- Gopalakrishnan, S. & Rajapakse, Y., eds, 2018. *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*. New York, Springer
- Gorbashova, M., Burdonskiy, I., Gubskiy, K., Kuznetsov, A., Ramazanov, A., Lukyanov, K., Leonov, A., Makarov, K., Timofeyev, I. & Yufa, V., 2018. Application of direct optical heterodyning methods for studying the processes of chondrite targets destruction by laser radiation. *J. Phys. Conf. Ser.* 941, 012002
- Gorfain, J.R., Key, C.T., Veysset, D. & Nelson, K.A., 2018. Simulation of polyurea shock response under high-velocity microparticle impact. *AIP Conf. Proc.* 1979, 090005
- Gorman, M.G., Coleman, A.L., Briggs, R., McWilliams, R.S., McGonegle, D., Bolme, C.A., Gleason, A.E., Galtier, E., Lee, H.J., Granados, E., Sliwa, M., Sanloup, C., Rothman, S., Fratanduono, D.E., Smith, R.F., Collins, G.W., Eggert, J.H., Wark, J.S. & McMahan, M.I., 2018. Femtosecond diffraction studies of solid and liquid phase changes in shock-compressed bismuth. *Scientific Reports* 8, doi: 10.1038/s41598-018-35260-3

- Grady, D.E., 2018. Principles underlying the fourth power nature of structured shock waves. AIP Conf. Proc. 1979, 070014
- Granum, M., Aune, V., Børvik, T. & Hopperstad, O.S., 2018. Aluminium plates with pre-formed slits subjected to blast loading. EPJ Web Conferences 183, 01032
- Gray III, G.T., Knapp, C.M., Jones, D.R., Livescu, V., Fensin, S., Morrow, B.M., Trujillo, C.P., Martinez, D.T. & Valdez, J.A., 2018. Structure/property characterization of spallation in wrought and additively manufactured tantalum. AIP Conf. Proc. 1979, 060002
- Gray III, G.T., Livescu, V., Knapp, C., Jones, D.R., Fensin, S., Chen, S.-R., Cady, C.M., Trujillo, C.P. & Martinez, D., 2018. Structure/property (constitutive and dynamic strength/damage) behavior of additively manufactured tantalum. EPJ Web Conferences 183, 03002
- Green, E.C.R., Artacho, E. & Connolly, J.A.D., 2018. Bulk properties and near-critical behaviour of SiO₂ fluid. Earth Planet. Sci. Letts 491, 11-20
- Greenberg, B.A., Ivanov, M.A., Kuzmin, S.V., Lysak, V.I., Besshaposhnikov, Y.P., Pushkin, M.S., Inozemtsev, A.V. & Patselov, A.M., 2018. Microstructures upon explosion welding and processes which prevent joining of materials. Letters on Materials 8, 252-257
- Greenberg, B.A., Ivanov, M.A. & Pilyugin, V.P., 2018. Processes of self-organization and evolution of the microstructure of metals and intermetallic compounds under a strong external action. Phys. Metals Metallography 119, 1338-1341
- Grilli, N. & Koslowski, M., 2018. The effect of crystal orientation on shock loading of single crystal energetic materials. Comput. Mater. Sci. 155, 235-245
- Grinfeld, M. & Grinfeld, P., 2018. Gravitational collapse and self-oscillations of two-phase celestial bodies. AIP Conf. Proc. 1979, 170002
- Guan, B., Liu, Y., Wen, C.-Y. & Shen, H., 2018. Numerical study on liquid droplet internal flow under shock impact. AIAA Journal 56, 3382-3387
- Gubin, S.A., Maklashova, I.V. & Melnikov, I.N., 2018. The Hugoniot adiabat of crystalline copper based on molecular dynamics simulation and semiempirical equation of state. J. Phys. Conf. Ser. 946, 012098
- Guo, W., Wu, L.Z., He, N.B., Chen, S.J., Zhang, W., Shen, R.Q. & Ye, Y.H., 2018. Efficiency relationship between initiation of HNS-IV and nanosecond pulsed laser-driven flyer plates of layered structure. Laser Particle Beams 36, 29-40
- Gurbatov, S.N., Rudenko, O.V. & Tyurina, A.V., 2018. Transformation of high-frequency noise in the field of a shockwave. Acoust. Phys. 64, 555-562
- Gurovich, V., Virozub, A., Rososhek, A., Bland, S., Spielman, R.B. & Krasik, Y.E., 2018. Quasi-isentropic compression using compressed water flow generated by underwater electrical explosion of a wire array. J. Appl. Phys. 123, 185902

- Guskov, S.Y., Zmitrenko, N.V. & Rahimli, O.R., 2018. Numerical simulation of shock wave generation for ignition of precompressed laser fusion target. *J. Russ. Laser Res.* 39, 242-251
- Gustavsen, R.L., Bertram, B.D., Gibson, L.L., Pacheco, A.H., Jones, J.D. & Goodbody, A.B., 2018. Shock initiation of the TATB-based explosive PBX 9502 heated to 130°C. *AIP Conf. Proc.* 1979, 100015
- Hahn, E.N., Fensin, S.J. & Germann, T.C., 2018. The role of grain boundary orientation on void nucleation in tantalum. *AIP Conf. Proc.* 1979, 050008
- Hallajisany, M., Vitoria, J.A. & Zamani, J., 2018. Semi-analytical modeling of steady weak shock wave front for solid metals following the Swegle–Grady relation. *Proc. Inst. Mech. Engrs Part L: J. Mater. Des. Applic.* doi: 10.1177/1464420718801694
- Hammed, O.S., Popoola, O.I., Adetoyinbo, A.A., Awoyemi, M.O., Adagunodo, T.A., Olubosedo, O. & Bello, A.K., 2018. Peak particle velocity data acquisition for monitoring blast induced earthquakes in quarry sites. *Data in Brief* 19, 398-408
- Hammerberg, J.E., Ravelo, R.J. & Germann, T.C., 2018. Large-scale molecular dynamics studies of sliding friction in nanocrystalline aluminum. *AIP Conf. Proc.* 1979, 050009
- Hammerberg, J.E., Buttler, W.T., Llobet, A., Morris, C., Goett, J., Manzanares, R., Saunders, A., Schmidt, D., Tainter, A., Vogan-McNeil, W. & Wilde, C., 2018. Proton radiography measurements and models of ejecta structure in shocked tin. *AIP Conf. Proc.* 1979, 080006
- Han, Y., Xie, X., Jiang, Z., Duan, Y. & Wen, Y., 2018. Equation of state of detonation products for TNT by aquarium experiment. *AIP Conf. Proc.* 1979, 100016
- Han, R., Wu, J., Qiu, A., Ding, W. & Zhang, Y., 2018. Electrical explosions of aluminum, titanium, iron, nickel, copper, niobium, molybdenum, silver, tantalum, tungsten, tungsten-rhenium, platinum, and gold wires in water: A comparison study. *J. Appl. Phys.* 124, 043302
- Hanagud, S. & Manghaiapathy, P., 2018. Blast mitigation through the operation of steering the incoming wave by the use of active metamaterial structure. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 377-396
- Handley, C.A., Lambourn, B.D., Whitworth, N.J., James, H.R. & Belfield, W.J., 2018. Understanding the shock and detonation response of high explosives at the continuum and mesoscales. *Appl. Phys. Rev.* 5, 011303
- Hazard, P.-H., Godin, T., Idlachen, S., Rozé, C. & Hideur, A., 2018. Real-time tracking of single shockwaves via amplified time-stretch imaging. *Appl. Phys. Letts* 112, 161106
- Hardin, D.B. & Mares, J.O., 2018. Temperature rise from collapsing pores. *AIP Conf. Proc.* 1979, 180003

- Harding, D.R., Bonino, M.J., Sweet, W., Schoff, M., Greenwood, A., Satoh, N., Takagi, M. & Nikroo, A., 2018. Properties of vapor-deposited and solution-processed targets for laser-driven inertial confinement fusion experiments. *Matter Radiation Extremes* 3, 312-321
- Hargather, M.J., Kimberley, J. & Thoma, S.G., 2018. Failure and fragmentation of pressed bimetallic composites. *AIP Conf. Proc.* 1979, 150018
- Haris, A., Lee, H.P. & Tan, V.B.C., 2018. An experimental study on shock wave mitigation capability of polyurea and shear thickening fluid based suspension pads. *Defence Technol.* 14, 12-18
- Hartley, N.J., Vorberger, J., Döppner, T., Cowan, T., Falcone, R.W., Fletcher, L.B., Frydrych, S., Galtier, E., Gamboa, E.J., Gericke, D.O., Glenzer, S.H., Granados, E., MacDonald, M.J., MacKinnon, A.J., McBride, E.E., Nam, I., Neumayer, P., Pak, A., Rohatsch, K., Saunders, A.M., Schuster, A.K., Sun, P., van Driel, T. & Kraus, D., 2018. Liquid structure of shock-compressed hydrocarbons at megabar pressures. *Phys. Rev. Letts* 121, 245501
- Hasan, M.A. & Nemat-Nasser, S., 2018. Shock-induced solitary waves in granular crystals. *Phys. Rev. E* 97, 022205
- Hayun, S., Ionash, E., Kalabukhov, S., Frage, N. & Zaretsky, E., 2018. Strength of ceramic-metal joints measured in planar impact experiments. *J. Mater. Sci.* 53, 8211-8220
- He, A.-M., Wang, P. & Shao, J.-L., 2018. Effects of defects and microstructure on release melting of shock-loaded copper: Atomistic simulations. *J. Appl. Phys.* 123, 015901
- He, A.-M., Liu, J., Liu, C. & Wang, P., 2018. Numerical and theoretical investigation of jet formation in elastic-plastic solids. *J. Appl. Phys.* 124, 185902
- He, Z.Y., Shu, H., Huang, X.G., Zhang, Q.L., Jia, G., Zhang, F., Tu, Y.C., Wang, J.Y., Ye, J.J., Xie, Z.Y., Fang, Z.H., Pei, W.B. & Fu, S.Z., 2018. Shock temperature and reflectivity of precompressed H₂O up to 350 GPa: Approaching the interior of planets. *Chinese Phys. B* 27, 126202
- Heberling, T., Terrones, G. & Weseloh, W., 2018. Hydrocode simulations of a hypervelocity impact experiment over a range of velocities. *Int. J. Impact Engng* 122, 1-9
- Herbold, E.B., Homel, M.A., Lind, J., Crum, R., Hurley, R.C., Jensen, B.J., Iverson, A.J., Owens, C.T., Carlson, C.A. & Akin, M.C., 2018. Microscale investigation of dynamic impact of dry and saturated glass powder. *AIP Conf. Proc.* 1979, 070015
- Hernández, A.M. & Stewart, D.S., 2018. Numerical study of detonation transfer from embedded explosives. *AIP Conf. Proc.* 1979, 100018

- Hieronymus, H., 2018. Single bubble ignition after shock wave impact. In: *The Micro-World Observed by Ultra High-Speed Cameras*, edited by Tsuji, K., Berlin, Springer, pp. 303-317
- Higgins, A., Loiseau, J. & Mi, X.C., 2018. Detonation velocity/diameter relation in gelled explosive with inert inclusions. *AIP Conf. Proc.* 1979, 100019
- Hirano, T.O., Katakami, Y., Hashimoto, S., Hatsumura, I., Nishitsunoi, T., Yamashita, Y. & Mori, Y., 2018. Evaluation of the durability of a nuclear bomb shelter made with anti-Sievert concrete. *MRS Advances* 3, 3061-3067
- Hodgson, A.N., 2018. Detonation shock dynamics modelling with arbitrary boundaries. *AIP Conf. Proc.* 1979, 100020
- Hokamoto, K., Shimomiya, K., Nishi, M., Krstulovic-Opara, L., Vesenjak, M. & Ren, Z., 2018. Fabrication of unidirectional porous-structured aluminum through explosive compaction using cylindrical geometry. *J. Mater. Process. Technol.* 251, 262-266
- Homel, M.A., Herbold, E.B., Lind, J., Pagan, D., Crum, R., Hurley, R. & Akin, M., 2018. Simulations and experiments of dynamic granular compaction in non-ideal geometries. *AIP Conf. Proc.* 1979, 180004
- Honarpisheh, M., Keimasi, M. & Alinaghian, I., 2018. Numerical and experimental study on incremental forming process of aluminum/copper bimetal: Influence of process parameters on the forming force, dimensional accuracy and thickness variations. *J. Mech. Mater. Struct.* 13, 35-51
- Honarpisheh, M., Jobedar, M.M. & Alinaghian, I., 2018. Multi-response optimization on single-point incremental forming of hyperbolic shape Al-1050/Cu bimetal using response surface methodology. *Int. J. Advanced Manufacturing Technology* 96, 3069-3080
- Hoo Fatt, M.S., Alkhtany, M. & Sirivolu, D., 2018. Blast mitigation effects of foam-core, composite sandwich structures. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 265-280
- Hooks, D.E., Lang, J.M., Coe, J.D. & Dattelbaum, D.M., 2018. High pressure deep-release impact experiments on high density and ultra-high molecular weight polyethylene. *AIP Conf. Proc.* 1979, 030004
- Hsieh, A.J., Veysset, D., Miranda, D.F., Kooi, S.E., Runt, J. & Nelson, K.A., 2018. Molecular influence in the glass/polymer interface design: The role of segmental dynamics. *Polymer* 146, 222-229
- Hu, H., Zhang, C., Wang, X., Chen, Y., Tang, T. & Liu, N., 2018. Experimental study on colliding shock waves and Mach stem formation in metals. *AIP Conf. Proc.* 1979, 080007

- Hu, X.J., Yang, G., Zhao, B., Li, P.Y., Yang, J., Leng, C.W., Liu, H.Y. & Fei, Y.W., 2018. Shock compression behavior of a mixture of cubic and hexagonal boron nitride. *J. Appl. Phys.* 123, 175903
- Huang, W.K., Huan, S. & Xiao, Y., 2018. A novel-type velocity-controllable electromagnetic coil launcher based on voltage control. *J. Electrical Engng Technol.* 13, 2067-2073
- Huang, S.H., Wang, W.R. & Luo, X.S., 2018. Molecular-dynamics simulation of Richtmyer-Meshkov instability on a lithium-hydrogen interface at extreme compressing conditions. *Phys. Plasmas* 25, 062705
- Huber, R.C., Ringstrand, B.S., Dattelbaum, D.M., Gustavsen, R.L., Seifert, S., Firestone, M.A. & Podlesak, D.W., 2018. Extreme condition nanocarbon formation under air and argon atmospheres during detonation of composition B-3. *Carbon* 126, 289-298
- Hufner, D.R. & Augustine, M.R., 2018. Computational modeling and experimental validation of shock-induced damage in woven E-glass/vinylester laminates. *J. Dyn. Behav. Mater.* 4, 387-407
- Hujer, J. & Müller, M., 2018. Calibration of PVDF film transducers for the cavitation impact measurement. *EPJ Web Conferences* 180, 02036
- Huneault, J., Kamil, J., Higgins, A. & Plant, D., 2018. Dynamic tensile strength of silicone oils. *AIP Conf. Proc.* 1979, 070016
- Huntington, C.M., Shimony, A., Trantham, M., Kuranz, C.C., Shvarts, D., Di Stefano, C.A., Doss, F.W., Drake, R.P., Flippo, K.A., Kalantar, D.H., Klein, S.R., Kline, J.L., MacLaren, S.A., Malamud, G., Miles, A.R., Prisbrey, S.T., Raman, K.S., Remington, B.A., Robey, H.F., Wan, W.C. & Park, H.S., 2018. Ablative stabilization of Rayleigh-Taylor instabilities resulting from a laser-driven radiative shock. *Phys. Plasmas* 25, 052118
- Huser, G., Ozaki, N., Colin-Lalu, P., Recoules, V., Sano, T., Sakawa, Y., Miyanishi, K. & Kodama, R., 2018. Hugoniot equation of state of silicon-doped glow discharge polymer and scaling to other plastic ablaters. *Phys. Plasmas* 25, 052706
- Hwang, Y.H., 2018. Development of a particle method of characteristics for one-dimensional shock waves. *Shock Waves* 28, 379-399
- Idris, N., Pardede, M., Kurniawan, K.H., Kagawa, K. & Tjia, M.O., 2018. Shock wave plasma induced emission generated by low energy nanosecond Nd:YAG laser in open air and its application to quantitative chromium analysis of low alloy steel. *AIP Advances* 8, 055121
- Igra, D. & Igra, O., 2018. Numerical investigation of the interaction between a planar shock wave with square and triangular bubbles containing different gases. *Phys. Fluids* 30, 056104

- Inogamov, N., Zhakhovsky, V. & Khokhlov, V., 2018. Laser ablation of metal into liquid: Near critical point phenomena and hydrodynamic instability. AIP Conf. Proc. 1979, 190001
- Inogamov, N.A., Zhakhovsky, V.V. & Khokhlov, V.A., 2018. Warm dense matter in extremely small volume: Hydrodynamics of nanofilms triggered by laser irradiation at diffraction limit. AIP Conf. Proc. 1979, 190002
- Iorga, O., Zecheru, T., Lamache, T., Voicu, A., Matache, L.-C., Trana, E., Epure, C., Anghel, L. & Rotariu, T., 2018. Simulations of the parameters influencing the underwater cutting systems availability and performance. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 688-697
- Ishchenko, A.N., Akinshin, R.N., Afanaseva, S.A., Belov, N.N., Borisenkov, I.L., Burkin, V.V., Tabachenko, A.N., Khabibullin, M.V. & Yugov, N.T., 2018. Experimental and theoretical research into dynamic loading of tungsten porous alloy with reinforcing agent. Russ. Phys. J. 61, 1054-1061
- Ivanov, K.V., Razorenov, S.V. & Garkushin, G.V., 2018. Quasistatic and shock-wave loading of ultrafine-grained aluminum: Effect of microstructural characteristics. J. Mater. Sci. 53, 14681-14693
- Ivanova, Y.E. & Ragozina, V.E., 2018. Perturbation method in the problem of compression-shear shock load for a nonlinear elastic half-space. Mech. Solids 53, 73-84
- Izvekov, S., Weingarten, N.S. & Byrd, E.F.C., 2018. Effect of a core-softened O-O interatomic interaction on the shock compression of fused silica. J. Chem. Phys. 148, 094504
- Jackson, T.L., Jost, A.M.D., Zhang, J., Sridharan, P. & Amadio, G., 2018. Three-dimensional mesoscale simulations of detonation initiation in energetic materials with density-based kinetics. AIP Conf. Proc. 1979, 100021
- Jackson, S.I., 2018. Scaling of the detonation product state with reactant kinetic energy. Combust. Flame 190, 240-251
- Jacques, N. & Barthélémy, R., 2018. Modelling of the behaviour of metal foams under shock compression. EPJ Web Conferences 183, 01041
- Jacques, N. & Barthelemy, R., 2018. An analytical expression for the Hugoniot stress-strain curve of elastic-plastic cellular materials. Int. J. Impact Engng 115, 76-80
- Jafari, M., Keshavarz, M.H., Zamani, A., Zakinejad, S. & Alekaram, I., 2018. A novel method for assessment of the velocity of detonation for primary explosives. Propell. Explos. Pyrotech. 43, 342-347
- Jain, P. & Chakraborty, T., 2018. Numerical analysis of tunnel in rock with basalt fiber reinforced concrete lining subjected to internal blast load. Computers & Concrete 21, 399-406

- Jarrott, L.C., Bachmann, B., Ma, T., Benedetti, L.R., Field, F.E., Hartouni, E.P., Hatarik, R., Izumi, N., Khan, S.F., Landen, O.L., Nagel, S.R., Nora, R., Pak, A., Peterson, J.L., Schneider, M.B., Springer, P.T. & Patel, P.K., 2018. Thermal temperature measurements of inertial fusion implosions. *Phys. Rev. Letts* 121, 085001
- Jensen, B.J. & Crockett, S.D., 2018. Shock wave experiments on gallium. *AIP Conf. Proc.* 1979, 040003
- Jensen, B.J., Wright, J., Hollander, B., Cherne, F.J., Tucker, T., Owens, C.T. & Rivera, J., 2018. Synchronizing a 40 mm powder gun to an accelerator. *AIP Conf. Proc.* 1979, 160011
- Jeon, H. & Eliasson, V., 2018. Investigation of transmission of a shock wave through thin films. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 63-65
- Jeon, H. & Eliasson, V., 2018. Shock wave mitigation using liquids. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 301-320
- Jiang, C.-Q., Li, Y., .Liu, Q.-C., Zhou, X.-M. & Luo, S.N., 2018. A 532 nm fiber-optic displacement interferometer for low-velocity impact experiments. *Rev. Sci. Instrum.* 89, 023101
- Jiao, T., Kettenbeil, C., Ravichandran, G. & Clifton, R.J., 2018. Experimental investigation of the shearing resistance of sodalime glass at pressures of 9 GPa and strain rates of 10^6s^{-1} . *AIP Conf. Proc.* 1979, 070017
- Jiao, T., Malhotra, P. & Clifton, R.J., 2018. IR temperature measurement in pressure-shear plate impact experiments. *AIP Conf. Proc.* 1979, 160012
- Jiao, Q.J., Song, H.T., Nie, J.X., Liu, R.Q., Xu, X.C. & Wen, Y.Q., 2018. Diameter effect on the propagation of curved detonation waves in micro-channel charges within a strong confinement. *Propell. Explos. Pyrotech.* 43, 771-778
- Jin, S.Y., Wang, Y.X., Motlag, M., Gao, S.J., Xu, J., Nian, Q., Wu, W.Z. & Cheng, G.J., 2018. Large-area direct laser-shock imprinting of a 3D biomimic hierarchical metal surface for triboelectric nanogenerators. *Adv. Mater.* 30, 1705840
- Jinno, K. & Tsumori, F., 2018. Room temperature impact deposition of ceramic by laser shock wave. *Jpn J. Appl. Phys.* 57, 06HJ06
- Jodar, B., Loison, D., Yokoyama, Y., Lescoute, E., Nivard, M., Berthe, L. & Sangleboeuf, J.-C., 2018. Localized atomic segregation in the spalled area of a $\text{Zr}_{50}\text{Cu}_{40}\text{Al}_{10}$ bulk metallic glasses induced by laser-shock experiment. *J. Phys. D: Appl. Phys.* 51, 065304
- Jodar, B., Loison, D., Yokoyama, Y., Lescoute, E., Dereure, C., Nivard, M., Orain, H., Berthe, L. & Sangleboeuf, J.-C., 2018. Effects of ZrCuAl bulk metallic glasses Poisson's ratios on spalling process induced by laser shock. *AIP Conf. Proc.* 1979, 070018

- Jodar, B., 2018. Etude du comportement dynamique sous choc des verres métalliques massifs. PhD thesis, Univ. of Bretagne Loire
- Johnson, C., Mulligan, P., Williams, K., Langenderfer, M. & Heniff, J., 2018. Effect of explosive charge geometry on shock wave propagation. AIP Conf. Proc. 1979, 150021
- Johnson, C.R., Sable, P.A., LaJeunesse, J.W., Dawson, A., Hatzenbihler, A. & Borg, J.P., 2018. Photon Doppler velocimetry measurements of transverse surface velocities. AIP Conf. Proc. 1979, 160013
- Johnson, B.C., Ciesla, F.J. & Dullemond, C.P., 2018. Formation of chondrules by planetesimal collisions. In: Chondrules: Records of Protoplanetary Disk Processes, edited by Russell, S.S., Connolly, H.C. & Krot, A.N., Cambridge, Cambridge University Press, pp. 343-360
- Johnson, C.R., LaJeunesse, J.W., Sable, P.A., Dawson, A., Hatzenbihler, A. & Borg, J.P., 2018. Photon Doppler velocimetry measurements of transverse surface velocities. Rev. Sci. Instrum. 89, 063106
- Johnson, M.G., Appelbe, B.D., Chittenden, J.P., Delettrez, J., Forrest, C., Frenje, J.A., Glebov, V.Y., Grimble, W., Haines, B.M., Igumenshchev, I., Janezic, R., Knauer, J.P., Lahmann, B., Marshall, F.J., Michel, T., Séguin, F.H., Stoeckl, C., Walsh, C., Zylstra, A.B. & Petrasso, R.D., 2018. Impact of asymmetries on fuel performance in inertial confinement fusion. Phys. Rev. E 98, 051201
- Jones, K., Lane, J.M.D. & Vogler, T.J., 2018. Molecular dynamics study of shock compression in porous silica glass. AIP Conf. Proc. 1979, 050010
- Jones, J.D., Ma, X., Clements, B.E., Gibson, L.L. & Gustavsen, R.L., 2018. Measurement and reactive burn modeling of the shock to detonation transition for the HMX based explosive LX-14. AIP Conf. Proc. 1979, 100022
- Jones, R.E. & Ward, D.K., 2018. Influence of defects on the thermal conductivity of compressed LiF. Phys. Rev. B 97, 054103
- Jones, D.R., Fensin, S.J., Trujillo, C.P., Martinez, D.T. & Gray III, G.T., 2018. Stress and strain rate effects on incipient spall in tantalum. EPJ Web Conferences 183, 03021
- Jones, D.R., Fensin, S.J., Ndefru, B.G., Martinez, D.T., Trujillo, C.P. & Gray III, G.T., 2018. Spall fracture in additive manufactured tantalum. J. Appl. Phys. 124, 225902
- Jones, D.R., Fensin, S.J., Martinez, D.T., Trujillo, C.P. & Gray III, G.T., 2018. Effect of peak stress and tensile strain-rate on spall in tantalum. J. Appl. Phys. 124, 085901
- Jones, G., Moser, D.E. & Shieh, S.R., 2018. A numerical model for twin nucleation in shocked zircon and comparison with natural samples. Geophys. Res. Letts 45, 10298-10304

- Jordan, J.L., Dattelbaum, D.M., Schilling, B.F., Welch, C.F. & Stull, J.A., 2018. Low pressure shock response and dynamic failure of high density polyethylene (HDPE). AIP Conf. Proc. 1979, 090006
- Joseph, R.R., Rosales-Zarate, L.E.C. & Drummond, P.D., 2018. Finite-temperature dynamics of shock waves in an ultracold Fermi gas. Phys. Rev. A 98, 013638
- Joshi, R.H., Thakore, B.Y., Bhatt, N.K., Vyas, P.R. & Jani, A.R., 2018. Semi-empirical ansatz for Helmholtz free energy calculation: Thermal properties of silver along shock Hugoniot. Physica B 530, 160-166
- Joshi, R.H., Bhatt, N.K., Thakore, B.Y. & Vyas, P.R., 2018. Grüneisen parameter and equations of states for copper: High pressure study. Computational Condensed Matter 15, 79-84
- Kabwe, E., 2018. Velocity of detonation measurement and fragmentation analysis to evaluate blasting efficacy. J. Rock Mech. Geotech. Engng 10, 523-533
- Kadatskiy, M.A. & Khishchenko, K.V., 2018. Theoretical investigation of the shock compressibility of copper in the average-atom approximation. Phys. Plasmas 25, 112701
- Kai, Y., Garen, W. & Teubner, U., 2018. Experimental investigations on microshock waves and contact surfaces. Phys. Rev. Letts 120, 064501
- Kan, M.-X., Zhang, Z.-H., Xiao, B., Yang, L., Duan, S.-C., Wang, G.-H. & Wang, G.-L., 2018. Simulation of magnetically driven flyer plate experiments with an improved magnetic field boundary formula. High Energy Density Phys. 26, 38-43
- Kanel, G.I., Garkushin, G.V., Savinykh, A.S. & Razorenov, S.V., 2018. Effect of small preliminary deformation on the evolution of elastoplastic waves of shock compression in annealed VT1-0 titanium. J. Exper. Theor. Phys. 127, 337-341
- Kanel, G.I., Razorenov, S.V., Garkushin, G.V. & Savinykh, A.S., 2018. New data on the kinetics and governing factors of the spall fracture of metals. J. Phys. Conf. Ser. 946, 012039
- Karkhanis, V., Ramaprabhu, P., Cherne, F.J., Hammerberg, J.E. & Andrews, M.J., 2018. A numerical study of bubble and spike velocities in shock-driven liquid metals. J. Appl. Phys. 123, 025902
- Karolczuk, A., Paul, H., Szulc, Z., Kluger, K., Najwer, M. & Kwiatkowski, G., 2018. Residual stresses in explosively-welded plates made of titanium Grade 12 and steel with interlayer. J. Mater. Engng Perform. 27, 4571-4581
- Kaur, J., Mangla, V., Singh, J., Kumar, S. & Srivastava, N., 2018. Cladding of stainless steel (SS304) on aluminium alloy (AA1100) by explosive welding. Materials Today Proceedings 5, 19136-19139
- Kaya, Y., 2018. Microstructural, mechanical and corrosion investigations of ship steel-aluminum bimetal composites produced by explosive welding. Metals 8, doi: 10.3390/met8070544

- Kaya, Y., 2018. Investigation of copper-aluminium composite materials produced by explosive welding. *Metals* 8, doi: 10.3390/met8100780
- Kazurov, A.V., Adamenko, N.A. & Pisarev, S.P., 2018. Thermal and electrical conductivity of copper-fluoroplast composites produced by explosive pressing. *Inorg. Mater.: Appl. Res.* 9, 584-587
- Kenkmann, T., Deutsch, A., Thoma, K., Ebert, M., Poelchau, M.H., Buhl, E., Carl, E.R., Danilewsky, A.N., Dresen, G., Dufresne, A., Durr, N., Ehm, L., Grosse, C., Gulde, M., Guldenmeister, N., Hamann, C., Hecht, L., Hiermaier, S., Hoerth, T., Kowitz, A., Langenhorst, F., Lexow, B., Liermann, H.P., Luther, R., Mansfeld, U., Moser, D., Raith, M., Reimold, W.U., Sauer, M., Schafer, F., Schafer, R.T., Schmitt, R.T., Sommer, F., Wilk, J., Winkler, R. & Wunnemann, K., 2018. Experimental impact cratering: A summary of the major results of the MEMIN research unit. *Meteor. Planet. Sci.* 53, 1543-1568
- Kettenbeil, C., Mello, M., Jiao, T., Clifton, R.J. & Ravichandran, G., 2018. Pressure-shear plate impact experiment on sodalime glass at a pressure of 30 GPa and strain rate of $4 \cdot 10^7 \text{ s}^{-1}$. *AIP Conf. Proc.* 1979, 070019
- Kettenbeil, C., Mello, M., Bischann, M. & Ravichandran, G., 2018. Heterodyne transverse velocimetry for pressure-shear plate impact experiments. *J. Appl. Phys.* 123, 125902
- Key, C.T., Alexander, C.S., Harstad, E.N. & Schumacher, S.C., 2018. Dynamic shock response of an S2 glass/SC15 epoxy woven fabric composite material system. *AIP Conf. Proc.* 1979, 110006
- Khishchenko, K.V., 2018. Equation of state for lithium in shock waves. *Mathematica Montisnigri* 41, 91-98
- Khishchenko, K.V., 2018. Equation of state for potassium in shock waves at high pressures. *J. Phys. Conf. Ser.* 946, 012082
- Kim, E., Weck, P.F. & Mattsson, T.R., 2018. Reverse-martensitic hcp-to-fcc transformation in technetium under shock compression. *J. Appl. Phys.* 124, 035903
- Kim, B., Yu, H. & Yoh, J.J., 2018. Ignition sensitivity study of an energetic train configuration using experiments and simulation. *J. Appl. Phys.* 123, 225901
- Kimberley, J., Lamberson, L.E. & Mates, S., eds, 2018. *Dynamic Behavior of Materials*. New York, Springer
- Kindrachuk, M.V., Volchenko, A.I., Volchenko, D.A., Zhuravlev, D.Y. & Chufus, V.M., 2018. Electrodynamics of the thermal contact friction interaction in metal-polymer friction couples. *Mater. Sci.* 54, 69-77
- Kishimura, H. & Matsumoto, H., 2018. Evaluation of the shock-induced phase transition in beta-Ga₂O₃. *Jpn J. Appl. Phys.* 57, 125503

- Kittell, D.E., Yarrington, C.D., Lechman, J.B. & Baer, M.R., 2018. Modeling reactive shock waves in heterogeneous solids at the continuum level with stochastic differential equations. *Phys. Fluids* 30, 051701
- Kleine, H., 2018. High-speed imaging of shock waves and their flow fields. In: *The Micro-World Observed by Ultra High-Speed Cameras*, edited by Tsuji, K., Berlin, Springer, pp. 127-155
- Klinacheva, N.L. & Kovalev, Y.M., 2018. Features of distribution of spherical shock waves in a heterogeneous medium with a chemically active gas phase. *AIP Conf. Proc.* 2027, 040062
- Kliushnychenko, O.V. & Lukyanets, S.P., 2018. Effects of collectively induced scattering of gas stream by impurity ensembles: Shock-wave enhancement and disorder-stimulated nonlinear screening. *Phys. Rev. E* 98, 020101
- Kluwick, A., 2018. Shock discontinuities: From classical to non-classical shocks. *Acta Mech.* 229, 515-533
- Knepper, R., Forrest, E.C., Marquez, M.P. & Tappan, A.S., 2018. Effect of microstructure on the detonation behavior of vapor-deposited PETN films. *AIP Conf. Proc.* 1979, 150022
- Knudson, M.D., Desjarlais, M.P., Preising, M. & Redmer, R., 2018. Evaluation of exchange-correlation functionals with multiple-shock conductivity measurements in hydrogen and deuterium at the molecular-to-atomic transition. *Phys. Rev. B* 98, 174110
- Kolpakov, A.G. & Rakin, S.I., 2018. Estimation of stress concentration in a welded joint formed by explosive welding. *J. Appl. Mech. Tech. Phys.* 59, 569-575
- Kondratev, A.N., Andriyash, A.V., Astashkin, M.V., Baranov, V.K., Golubinskii, A.G., Irinichev, D.A., Khatunkin, A.Y., Kuratov, S.E., Mazanov, V.A., Rogozkin, D.B. & Stepushkin, S.N., 2018. Photon Doppler velocimetry of ejecta from shock-loaded samples. *AIP Conf. Proc.* 1979, 080008
- Kontis, K., ed. 2018. *Shock Wave Interactions*. Berlin, Springer
- Kositski, R., Steinberger, D., Sandfeld, S. & Mordehai, D., 2018. Shear relaxation behind the shock front in $\langle 110 \rangle$ molybdenum: From the atomic scale to continuous dislocation fields. *Comput. Mater. Sci.* 149, 125-133
- Kosturek, R., Wachowski, M., Sniezek, L., Glkoc, M. & Sobczak, U., 2018. The effects of the heat treatment on the microstructure of Inconel 625/steel bimetal joint obtained by explosive welding. *MATEC Web Conferences* 242, doi: 10.1051/mateconf/201824201007
- Kosturek, R., Najwer, M., Nieslony, P. & Wachowski, M., 2018. Effect of heat treatment on mechanical properties of Inconel 625/steel P355NH bimetal clad plate manufactured by explosive welding. In: *Proc. 5th Int. Conf. Scientific-Technical Conference (Manufacturing)*, edited by Hamrol, A., Ciszak, O., Legutko, S. & Jurczyk, M., Cham, Switzerland, Springer, pp. 681-686

- Kotobi, M. & Honarpisheh, M., 2018. Through-depth residual stress measurement of laser bent steel-titanium bimetal sheets. *J. Strain Anal. Engng Design* 53, 130-140
- Kraus, E.I., Shabalin, I.I. & Shabalin, T.I., 2018. Numerical simulation of deformation and failure processes of a complex technical object under impact loading. *J. Phys. Conf. Ser.* 991, 012048
- Kraus, D., Hartley, N.J., Frydrych, S., Schuster, A.K., Rohatsch, K., Rodel, M., Cowan, T.E., Brown, S., Cunningham, E., van Driel, T., Fletcher, L.B., Galtier, E., Gamboa, E.J., Garcia, A.L., Gericke, D.O., Granados, R., Heimann, P.A., Lee, H.J., MacDonald, M.J., MacKinnon, A.J., McBride, E.E., Nam, I., Neumayer, P., Pak, A., Pelka, A., Prencipe, I., Schorner, M., Sun, P., Turner, S.J., Zettl, A., Falcone, R.W., Glenzer, S.H., Doppner, T. & Vorberger, J., 2018. High-pressure chemistry of hydrocarbons relevant to planetary interiors and inertial confinement fusion. *Phys. Plasmas* 25, 056313
- Kristoflensen, M., Hauge, K.O., Valsamos, G. & Børvik, T., 2018. Blast loading of concrete pipes using spherical centrally placed C-4 charges. *EPJ Web Conferences* 183, 01057
- Kritcher, A.L., Ralph, J., Hinkel, D.E., Döppner, T., Millot, M., Mariscal, D., Benedetti, R., Strozzi, D.J., Chapman, T., Goyon, C., MacGowan, B., Michel, P., Callahan, D.A. & Hurricane, O.A., 2018. Energy transfer between lasers in low-gas-fill-density hohlraums. *Phys. Rev. E* 98, 053206
- Krivosheev, S.I., Magazinov, S.G. & Alekseev, D.I., 2018. On the impact of the elastic-plastic flow upon the process of destruction of the solenoid in a super strong pulsed magnetic field. *J. Phys. Conf. Ser.* 946, 012040
- Kroonblawd, M.P. & Goldman, N., 2018. Mechanochemical formation of heterogeneous diamond structures during rapid uniaxial compression in graphite. *Phys. Rev. B* 97, 184106
- Kubota, S., Saburi, T. & Nagayama, K., 2018. Underwater sympathetic detonation of pellet explosive. *AIP Conf. Proc.* 1979, 100023
- Kucera, J., Anastacio, A.C., Nesvadba, P., Kunzel, M., Selesovsky, J. & Pachman, J., 2018. Experimental determination of acceleration of explosively driven metal by photonic Doppler velocimetry in the process of explosive welding. *Propell. Explos. Pyrotech.* 43, 479-487
- Kulish, M.I., Dudin, S.V., Ushnurtsev, A.E. & Mintsev, V.B., 2018. The liner brightness temperature measurement by two channel optical pyrometer. *J. Phys. Conf. Ser.* 946, 012042
- Kumar, A., Bronkhorst, C.A. & Lookman, T., 2018. First-principles study of the α - ω phase transformation in titanium and zirconium coupled to slip modes. *J. Appl. Phys.* 123, 045903

- Künzel, M., Kucena, J. & Pachman, J., 2018. Detonator testing using photonic Doppler velocimetry. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 774-779
- Kurosawa, K. & Genda, H., 2018. Effects of friction and plastic deformation in shock-comminuted damaged rocks on impact heating. *Geophys. Res. Letts* 45, 620-626
- Kwiatkowski, G. & Rozumek, D., 2018. Fatigue life of clad 254SMO, 316L and SAF2507 steels. *AIP Conf. Proc.* 2029, 020033
- Kyrala, G.A., Pino, J.E., Khan, S.F., MacLaren, S.A., Salmonson, J.D., Ma, T., Masse, L., Tipton, R., Bradley, P.A., Rygg, J.R., Field, J.E., Tommasini, R., Ralph, J.E., Turnbull, D.P., Mackinnon, A.J., Benedetti, L.R., Bradley, D.K., Nagel, S., Celliers, P.M., Dewald, E., Dittrich, T.R., Hopkins, L.B., Izumi, N., Kervin, M.L., Kline, J., Yeaman, C., Hatarik, R., Sayre, D., Hartouni, E.P., Pak, A., Chen, K.C. & Hoover, D.E., 2018. Using a 2-shock 1D platform at NIF to measure the effect of convergence on mix and symmetry. *Phys. Plasmas* 25, 102702
- Lacina, D. & Neel, C., 2018. A high-purity alumina for studies of shock loaded samples. *AIP Conf. Proc.* 1979, 030005
- Lacina, D., Neel, C. & Dattelbaum, D., 2018. Shock response of PMMA measured with embedded electromagnetic gauges. *J. Appl. Phys.* 123, 185901
- Lafon, M. & Bonnefille, M., 2018. Stabilization of thin-shell implosions using a high-foot adiabat-shaped drive at the National Ignition Facility. *Phys. Plasmas* 25, 102708
- LaJeunesse, J.W., Borg, J.P., Stewart, S.T. & Thadhani, N.N., 2018. Investigating the shock response of dry and water-saturated sand: Flyer-plate experiments and mesoscale simulations. *AIP Conf. Proc.* 1979, 110007
- Lamberson, L.E. & Boettcher, P.A., 2018. Compressed gas combined single- and two-stage light-gas gun. *Rev. Sci. Instrum.* 89, 023903
- Lan, X.-K., Feng, S.-S., Huang, Q. & Zhou, T., 2018. Blast response of continuous-density graded cellular material based on the 3D Voronoi model. *Defence Technol.* 14, 433-440
- Lane, J.M.D., Salerno, K.M., Srivastava, I., Grest, G.S. & Fan, H., 2018. Modeling pressure-driven assembly of polymer coated nanoparticles. *AIP Conf. Proc.* 1979, 090007
- Lang, J.M., Fredenburg, D.A., Coe, J.D. & Dattelbaum, D.M., 2018. Deep-release of Epon 828 epoxy from the shock-driven reaction product phase. *AIP Conf. Proc.* 1979, 090008
- Lang, J.M., Winey, J.M. & Gupta, Y.M., 2018. Strength and deformation of shocked diamond single crystals: Orientation dependence. *Phys. Rev. B* 97, 104106
- Langenderfer, M., Johnson, C., Fahrenholtz, W. & Mochalin, V., 2018. Detonation synthesis of alpha-variant silicon carbide. *AIP Conf. Proc.* 1979, 060003

- Langer, J.S., 2018. Thermodynamic analysis of the Livermore molecular-dynamics simulations of dislocation-mediated plasticity. *Phys. Rev. E* 98, 023006
- Larroche, O., Rinderknecht, H.G. & Rosenberg, M.J., 2018. Nuclear yield reduction in inertial confinement fusion exploding-pusher targets explained by fuel-pusher mixing through hybrid kinetic-fluid modeling. *Phys. Rev. E* 98, 031201
- Lauderbach, L., Chaos, M. & Souers, P.C., 2018. Effect of temperature on LX-17 and PBX 9502 in the cylinder test. *AIP Conf. Proc.* 1979, 100024
- Lazurenko, D.V., Bataev, I.A., Mali, V.I., Lozhkina, E.A., Esikov, M.A. & Bataev, V.A., 2018. Structural transformations occurring upon explosive welding of alloy steel and high-strength titanium. *Phys. Metals Metallog.* 119, 469-476
- Lee, R.J., Dorgan, R.J., Svingala, F.R., Dattelbaum, D.M., Furnish, M.D. & Sutherland, G.T., 2018. Techniques for collection and analysis of pop-plot data for use in parameterization of reactive flow models. *AIP Conf. Proc.* 1979, 100026
- Lee, E.A., 2018. The response and mechanism of response of PETN chip slapper detonators to electrical and mechanical threats. *AIP Conf. Proc.* 1979, 150023
- Lee, K., Chung, K.-J. & Hwang, Y.S., 2018. Enhanced shock wave generation via pre-breakdown acceleration using water electrolysis in negative streamer pulsed spark discharges. *Appl. Phys. Letts* 112, 134101
- Lee, T., Mao, Y., Gerth, R., Vivek, A. & Daehn, G., 2018. Civilized explosive welding: Impact welding of thick aluminum to steel plates without explosives. *J. Manuf. Process.* 36, 550-556
- Lekanov, M.V. & Mayer, A.E., 2018. Simulation of cylindrical shell collapse with considering plasticity and fracture of metals. *J. Phys. Conf. Ser.* 946, 012046
- Levashov, P.R. & Minakov, D.V., 2018. Influence of shell effects on thermodynamic properties of matter at high pressures. *J. Phys. Conf. Ser.* 946, 012083
- Li, M., Zhang, S., Zhang, H., Zhang, G., Wang, F., Zhao, J., Sun, C. & Jeanloz, R., 2018. Continuous sound velocity measurements along the shock Hugoniot curve of quartz. *Phys. Rev. Letts* 120, 215703
- Li, W., Yao, X. & Zhang, X., 2018. Planar impacts on nanocrystalline SiC: A comparison of different potentials. *J. Mater. Sci.* 53, 6637-6651
- Li, Q., Wang, P., Ren, G., Liu, W. & Chen, Y., 2018. Microspalling process of an explosively-driven metal tin: Experiments and numerical simulations. *EPJ Web Conferences* 183, 01010
- Li, J., Lu, M., Ai, Y., Tao, C. & Xiong, Y., 2018. Synthesis of bulk amorphous alloy from iron-base powders by explosive consolidation. *Metals* 8, doi: 10.3390/met8090727
- Li, Y.L., Zhu, Y.R., Zhang, X.R., Li, J., Wu, K., Jing, J.Y., Tan, S.S. & Zhou, G., 2018. Dynamic behavior of remolded loess under planar shock conditions. *Int. J. Impact Engng* 111, 236-243

- Li, X.M., Yu, Y.Y., Tan, Y., Hu, C.M., Zhang, Z.G., Lan, Q., Fu, Q.W. & Jing, H.H., 2018. Softening of sound velocity and Hugoniot parameter measurement for shocked bismuth in the solid-liquid mixing pressure zone (in Chinese). *Acta Phys. Sinica* 67, 046401
- Li, Y., Zhou, X.M., Cai, Y., Liu, C.L. & Luo, S.N., 2018. Birefringence and incipient plastic deformation in elastically overdriven [100] CaF₂ under shock compression. *J. Appl. Phys.* 123, 165901
- Li, M., Zhang, S., Zhang, H.P., Zhang, G.M., Wang, F., Zhao, J.H., Sun, S.W. & Jeanloz, R., 2018. Continuous sound velocity measurements along the shock Hugoniot curve of quartz. *Phys. Rev. Letts* 120, 215703
- Li, G.M., Wang, Y.B., Xiang, M.Z., Liao, Y., Wang, K. & Chen, J., 2018. Shock response of nanoporous magnesium by molecular dynamics simulations. *Int. J. Mech. Sci.* 141, 143-156
- Li, Y.L., Cai, J., Mo, D. & Wang, Y.D., 2018. The effect of dislocations on the thermodynamic properties of tantalum single crystal under high pressure by molecular dynamics simulation. *Chinese Phys. B* 27, 086401
- Li, J., Wang, M.Y., Cheng, Y.H. & Qiu, Y.Y., 2018. Analytical model of hypervelocity penetration into rock. *Int. J. Impact Engng* 122, 384-394
- Li, H.J., Li, A.Y. & Dou, Y.S., 2018. Molecular dynamics simulation of primary detonation process of TATB crystal under shock loading. *Molec. Simul.* 44, 1176-1182
- Li, S.R., Duan, Z.P., Wen, L.J., Bai, Z.L., Ou, Z.C. & Huang, F.L., 2018. Mesoscopic effects on shock initiation of multi-component PBXs. *J. Appl. Phys.* 124, 045903
- Li, K.B., Li, X.J., Yan, H.H., Wang, X.H. & Wang, Y.P., 2018. Study of continuous velocity probe method for the determination of the detonation pressure of commercial explosives. *J. Energ. Mater.* 36, 377-385
- Li, X.H., Zhao, F., Qin, J.C. & Pei, H.B., 2018. A new method for predicting the detonation velocity of explosives with micrometer aluminum powders. *Propell. Explos. Pyrotech.* 43, 333-341
- Li, K.B., Li, X.J., Wang, X.H., Yan, H.H., Yang, C.C. & Chen, X., 2018. A simple electrometric method for parametric determination of Jones-Wilkins-Lee equation of state from underwater explosion test. *J. Appl. Phys.* 124, 215906
- Li, L.X., Qian, D., Zou, X.B. & Wang, X.X., 2018. Underwater electrical wire explosion: Shock wave from melting being overtaken by shock wave from vaporization. *Phys. Plasmas* 25, 052502
- Li, Z.-G., Chen, Q.-F., Gu, Y.-J., Zheng, J., Zhang, W., Liu, L., Li, G.-J., Wang, Z.-Q. & Dai, J.-Y., 2018. Multishock compression of dense cryogenic hydrogen-helium mixtures up to 60 GPa: Validating the equation of state calculated from first principles. *Phys. Rev. B* 98, 064101

- Li, K., Li, X., Yan, H., Wang, X. & Miao, Y., 2018. New approaches for evaluating detonation properties of commercial explosives using a novel continuous velocity probe. *Meas. Sci. Technol.* 29, 115901
- Li, Z., Liu, Y., Yan, J.-B., Yu, W.-L. & Huang, F.-L., 2018. Experimental investigation of p-section concrete beams under contact explosion and close-in explosion conditions. *Defence Technol.* 14, 540-549
- Li, R.Z., Sundqvist, K., Chen, J., Elsayed-Ali, H.E., Zhang, J. & Rentzepis, P.M., 2018. Transient lattice deformations of crystals studied by means of ultrafast time-resolved X-ray and electron diffraction. *Structural Dynamics* 5, 044501
- Li, K.B., Li, X.J., Yang, H.H., Wang, X.H. & Wang, Y.P., 2018. Study of continuous velocity probe method for the determination of the detonation pressure of commercial explosives. *J. Energ. Mater.* 36, 377-385
- Li, J.S., 2018. Prediction of detonation parameters of energetic nitro compounds through mixture simulation. *Propell. Explos. Pyrotech.* 43, 657-663
- Li, Y.H., Yang, X.Y., Wen, Y.Q., Xiong, S.H. & Li, X.G., 2018. Determination of Lee-Tarver model parameters of JO-11C explosive. *Propell. Explos. Pyrotech.* 43, 1032-1040
- Lieber, M., Murphy, M. & Biss, M., 2018. On a physics-based model equation for shock-position evolution in PMMA. *AIP Conf. Proc.* 1979, 160014
- Lin, W.H., Zhang, C., Fu, J. & Xin, H., 2018. Dynamic mechanical behaviors of calcium silicate hydrate under shock compression loading using molecular dynamics simulation. *J. Non-Cryst. Solids* 500, 482-486
- Lind, J., Jensen, B.J. & Kumar, M., 2018. Towards in situ high precision local material velocity measurements in lattice materials under dynamic compression. *AIP Conf. Proc.* 1979, 110008
- Ling, Z., Huang, X. & Dai, L., 2018. Probe embryonic damage evolution in bulk metallic glasses under plate-impact loading. *EPJ Web Conferences* 183, 03013
- Lipatnikova, Y.D., Belov, N.N., Yugov, N.T. & Starenchenko, V.A., 2018. Dynamic strength of Ni₃Al alloy plates under shock loads. *Russ. Phys. J.* 61, 955-961
- Liu, Q.C., Zeng, X.L., Zhou, X.M. & Luo, S.N., 2018. Hugoniot and refractive indices of bromoform under shock compression. *AIP Advances* 8, 015013
- Liu, Q.C. & Zhou, X.M., 2018. Time-resolved light emission of a, c, and r-cut sapphires shock-compressed to 65 GPa. *J. Appl. Phys.* 123, 135902
- Liu, S.-G., Li, J.-B., Li, J., Xue, T., Tao, T.-J., Ma, H.-L., Wang, X., Weng, J.-D. & Li, Z.-R., 2018. Simultaneous measurement of the dynamic emissivity and the radiance of the shocked Al/LiF interface in the near-infrared wavelength. *Rev. Sci. Instrum.* 89, 044903

- Liu, H., Yu, X.D., Tan, C.W., Zhao, H.L. & Chen, X.J., 2018. Spall microstructure characteristics and fracture mechanism of Ti6Al4V and Ti-47Nb alloys under dynamic high-pressure loading (in Chinese). *Rare Metal Mater. Engng* 47, 829-834
- Liu, W., Duan, X.X., Jiang, S.E., Wang, Z.B., Sun, L., Liu, H., Yang, W.M., Zhang, H., Ye, Q., Wang, P., Li, Y.L., Yi, L. & Dong, S., 2018. Laser-driven shock compression of gold foam in the terapascal pressure range. *Phys. Plasmas* 25, 062707
- Liu, X., Mashimo, T., Kawai, N., Sano, T. & Zhou, X.M., 2018. Isotropic phase transition of single-crystal iron under shock compression. *J. Appl. Phys.* 124, 215101
- Liu, C., Wu, Y., Zhang, X.F., Deng, J.J., Xu, C.Y., Xiong, W. & Tan, M.T., 2018. Propagation of shock waves in dry and wet sandstone: Experimental observations, theoretical analysis and meso-scale modeling. *Defence Technol.* 14, 513-521
- Liu, D.Y., Chen, L., Wang, C. & Wu, J.Y., 2018. Aluminum acceleration and reaction characteristics for aluminized CL-20-based mixed explosives. *Propell. Explos. Pyrotech.* 43, 543-551
- Liu, W.-B., He, A.-M. & Wang, P., 2018. Effect of shock breakout pressure on material ejection from tin surface under unsupported shocks. *AIP Advances* 8, 095023
- Liu, Y.J., Chen, X.D., Guo, A.Y., Liu, S.J. & Hu, G.Q., 2018. Quantitative assessments of mechanical responses upon radial extracorporeal shock wave therapy. *Advanced Science* 5, 1700797
- Liu, Q., Wang, W.-T. & Zhang, W.-F., 2018. Study on buffering performance of thin-walled metal tube with different angles. *Defence Technol.* 14, 702-708
- Liu, W.B., Ma, D.J., He, A.M. & Wang, P., 2018. Ejecta from periodic grooved tin surface under unsupported shocks. *Chinese Phys. B* 27, 016202
- Loiseau, J., Georges, W., Frost, D.L. & Higgins, A.J., 2018. Non-Gurney scaling of explosives heavily loaded with dense inert additives. *AIP Conf. Proc.* 1979, 160015
- Lomonosov, I.V., 2018. Wide-range equation of state for silver. *J. Phys. Conf. Ser.* 946, 012081
- Loomis, E.N., Yi, S.A., Kyrala, G.A., Kline, J., Simakov, A., Ralph, J., Millot, M., Dewald, E., Zylstra, A., Rygg, J.R., Celliers, P., Goyon, C., Lahmann, B., Sio, H., MacLaren, S., Masse, L., Callahan, D., Hurricane, O., Wilson, D.C., Rice, N., Huang, H., Kong, C., Bae, J., Nikroo, A. & Batha, S.H., 2018. Implosion shape control of high-velocity, large case-to-capsule ratio beryllium ablaters at the National Ignition Facility. *Phys. Plasmas* 25, 072708
- Lü, T., Hu, Y., Meng, J., Li, Z., Zhang, C., Zhang, X. & Tuyziere, E., 2018. Secondary shock wave: Implication for laser ablation inductively coupled plasma mass spectrometry. *J. Appl. Phys.* 124, 073101

- Luo, B., Mo, J., Wang, G., Tan, F., Zhao, J. & Sun, C., 2018. Elastic behavior of zirconia under ramp compression. EPJ Web Conferences 183, 03026
- Luo, B.Q., Jin, Y.S., Li, M., Zhao, J.H. & Sun, C.W., 2018. Direct calculation of sound speed of materials under ramp wave compression. AIP Advances 8, 115204
- Luo, N., Shen, T. & Xiang, J.X., 2018. Diffusion mechanism of explosive welding interface between memory alloy $N_{50}Ti_{50}$ and copper (in Chinese). Rare Metal Mater. Engng 47, 3238-3242
- Luong, D.D., Ansuini, L. & Gupta, N., 2018. Dynamic response of syntactic foams and sandwich composites: Blast and high strain rate loading. In: Blast Mitigation Strategies in Marine Composite and Sandwich Structures, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 171-190
- Luscher, D.J., Kenamond, M.A., Hunter, A., Mayeur, J.R. & Mourad, H.M., 2018. Implementation of a dislocation-density based single-crystal model into a continuum shock hydrodynamics code. AIP Conf. Proc. 1979, 180006
- Luscher, D.J., Buechler, M.A., Walters, D.J., Bolme, C.A. & Ramo, K.J., 2018. On computing the evolution of temperature for materials under dynamic loading. Int. J. Plast. 111, 188-210
- Lutovac, S., Gluscevic, B., Tokalic, R., Majstorovic, J. & Beljic, C., 2018. Models of determining the parameters of rock mass oscillation equation with experimental and mass blastings. Minerals 8, doi: 10.3390/min8020070
- Lv, L., Zhang, L. & Yang, M., 2018. Understanding the phase separation of N_2/H_2O and CO_2/H_2O binary systems through reactive force fields-based molecular dynamics simulations. J. Appl. Phys. 124, 235901
- Madiedo, J.M., Ortiz, J.L. & Morales, N., 2018. The first observations to determine the temperature of a lunar impact flash and its evolution. Mon. Not. R. Astron. Soc. 480, 5010-5016
- Maerzke, K.A., Coe, J.D., Fredenburg, D.A., Lang, J.M. & Dattelbaum, D.M., 2018. Equations of state and shock-driven chemistry in poly(dimethylsiloxane)-based foams. AIP Conf. Proc. 1979, 090009
- Maevskii, K.K. & Kinelovskii, S.A., 2018. Thermodynamic parameters of mixtures with epoxy as a component under shock wave loading. J. Phys. Conf. Ser. 946, 012113
- Maevskii, K.K. & Kinelovskii, S.A., 2018. Thermodynamic parameters of mixtures with silicon nitride under shock-wave impact in terms of equilibrium model. High Temp. 56, 853-858
- Magne, S., Barbarin, Y., Lefrançois, A., Balbarie, M., Sinatti, F., Osmont, A. & Woirin, K., 2018. Real-time distributed monitoring of pressure and shock velocity by ultrafast spectrometry with chirped fiber Bragg gratings: Experimental vs calculated wavelength-to-pressure sensitivities in the range [0-4GPa]. J. Appl. Phys. 124, 145902

- Maillet, J.-B., Denoual, C. & Csanyi, G., 2018. Machine-learning based potential for iron: Plasticity and phase transition. *AIP Conf. Proc.* 1979, 050011
- Maines, W.R., Kittell, D.E. & Hobbs, M.L., 2018. Combined Mini-Cylex & disk acceleration tests in Type K copper. *Propell. Explos. Pyrotech.* 43, 506-511
- Maiz, L. & Trzcinski, W.Z., 2018. Detonation characteristics of new aluminized enhanced blast composites. *Propell. Explos. Pyrotech.* 43, 650-656
- Malyugina, S., Mokrushin, S., Mayorova, A., Kazakov, D., Kazelkov, O., Pavlenko, A. & Belyaev, D., 2018. Incipience and development of spall fracture in 30KHGSA steel, $\alpha \leftrightarrow \epsilon$ transformation, spall fracture and damage recovery. *EPJ Web Conferences* 183, 03022
- Mandal, A., Jensen, B.J., Aslam, T.D. & Iverson, A.J., 2018. Dynamic compaction of nickel powder examined by X-ray phase contrast imaging. *AIP Conf. Proc.* 1979, 110010
- Manner, V.W., Podlesak, D.W., Huber, R.C., Amato, R.S., Giambra, A.M., Bowden, P.R., Hartline, E.L., Sorensen, C.J. & Dattelbaum, D.M., 2018. Isotope-labeled composition B-3 for tracing detonation signatures. *AIP Conf. Proc.* 1979, 100027
- Massabò, R., 2018. Wave propagation and dynamic correction factors for composite structures. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 191-208
- Matos, H., Gupta, S. & Shukla, A., 2018. Structural instability and water hammer signatures from shock-initiated implosions in confining environments. *Mech. Mater.* 116, 169-179
- Matveev, S.M., Basset, W.P., Dlott, D.D., Lee, E. & Maria, J.-P., 2018. High throughput investigation of shocked reactive nanolaminates. *AIP Conf. Proc.* 1979, 150028
- Mays, R.O., Tringe, J.W., Souers, P.C., Lauderbach, L.M., Baluyot, E.V., Converse, M.C. & Kane, R.J., 2018. Experimental and computational investigation of microwave interferometry for detonation front characterization. *AIP Conf. Proc.* 1979, 160016
- McGrane, S.D., Aslam, T.D., Pierce, T.H., Hare, S.J. & Byers, M.E., 2018. Temperature of shocked plastic bonded explosive PBX 9502 measured with spontaneous Stokes/anti-Stokes Raman. *J. Appl. Phys.* 123, 045902
- McGrane, S., Bowlan, P., Powell, M., Brown, K. & Bolme, C., 2018. Broadband mid-infrared measurements for shock-induced chemistry. *AIP Conf. Proc.* 1979, 130004
- Medvedev, A.B., 2018. Possible negative value of the Grüneisen coefficient of hydrogen in the area of pressures from 40 to 75 GPa and temperatures from 3500 to 7500 K. *Combust. Explos. Shock Waves* 54, 216-230

- Mello, M., Kettenbeil, C., Bischann, M. & Ravichandran, G., 2018. Heterodyne diffracted beam photonic Doppler velocimeter (DPDV) for measurement of transverse and normal particle velocities in pressure-shear plate impact experiments. *AIP Conf. Proc.* 1979, 160017
- Melosh, H.J. & Ivanov, B.A., 2018. Slow impacts on strong targets bring on the heat. *Geophys. Res. Letts* 45, 2597-2599
- Mendes, R., Campos, J., Quaresma, J., Gois, J. & Ribeiro, J., 2018. Detonation in PBX based on RDX: Prediction properties and experimental measurements in a divergent detonation propagation configuration. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachman, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 227-238
- Mendonca, F.B., Urgessa, G., Iha, K., Rocha, R.J. & Rocco, J.A.F.F., 2018. Comparison of predicted and experimental behaviour of reinforced concrete slabs subjected to blast using SDOF analysis. *Defence Sci. J.* 68, 138-143
- Mendonca, F., Urgessa, G. & Rocco, J., 2018. Experimental investigation of 50 MPa reinforced concrete slabs subjected to blast loading. *Ingeniera e Investigacion* 38(2), 27-33
- Merrill, M.H., Kindle, C.J. & Thomas, J.P., 2018. Pressure sensing in clay: A new metric for characterizing the ballistic backface deformation response of personnel protection equipment. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 189-192
- Mertuszka, P., Nikolczuk, K., Wilk, Z., Florczak, B., Maranda, A., Fulawka, K., Suszka, J., Koslik, P. & Jozwik, P., 2018. Detonation velocity of selected mining explosives using MicroTrap VOD/data recorder. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachman, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 868-876
- Mertuszka, P., Cenian, B., Kramarczyk, B. & Pytel, W., 2018. Influence of explosive charge diameter on the detonation velocity based on Emulinit 7L and 8L bulk emulsion explosives. *Central Eur. J. Energ. Mater.* 15, 351-363
- Mertuszka, P. & Kramarczyk, B., 2018. The impact of time on the detonation capacity of bulk emulsion explosives based on Emulinit 8L. *Propell. Explos. Pyrotech.* 43, 799-804
- Mhamed, S., Du Boise, P. & Al-Bahkali, E., 2018. Numerical shock viscosity for impact analysis using ALE formulation. *Comput. Model. Engng Sci.* 117, 91-107
- Miao, F., Zhou, L., Zhang, X. & Cao, T., 2018. Simulation of shock initiation in explosives using a model combining high computational efficiency with a free choice of mixture rules. *AIP Advances* 8, 125022
- Michael, L. & Nikofarakis, N., 2018. The evolution of the temperature field during cavity collapse in liquid nitromethane. 1: Inert case. *Shock Waves* doi: 10.1007/s00193-018-0802-8

- Michael, L. & Nikofarakis, N., 2018. The evolution of the temperature field during cavity collapse in liquid nitromethane. 2: Reactive case. *Shock Waves* doi: 10.1007/s00193-018-0803-7
- Michel, D.T., Igumenshchev, I.V., Davis, A.K., Edgell, D.H., Froula, D.H., Jacobs-Perkins, D.W., Goncharov, V.N., Regan, S.P., Shvydky, A. & Campbell, E.M., 2018. Subpercent-scale control of 3D low modes of targets imploded in direct-drive configuration on OMEGA. *Phys. Rev. Letts* 120, 125001
- Mikheev, D., Annikov, V., Soboleva, L. & Akinin, N., 2018. Influence of the sizes of gunpowder units reused in industrial water-gel explosives on detonation characteristics. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 891-894
- Miller, E.K., Larson, E. & Lee, K., 2018. Shot noise and fiber amplifier effects in photonic-Doppler velocimetry systems. *AIP Conf. Proc.* 1979, 160018
- Millett, J.C.F., Higgins, D.L., Whiteman, G., Pang, B., Chiu, Y.-L. & Jones, I.P., 2018. Contrasting the effects of cold rolling on the shock response of typical fcc and bcc metals. *AIP Conf. Proc.* 1979, 060004
- Millett, J.C.F., Gray III, G.T., Whiteman, G., Fensin, S. & Owen, G., 2018. The mechanical response of pre-shocked aluminium single crystals. *EPJ Web Conferences* 183, 02010
- Millett, J.C.F., Higgins, D.L., Chapman, D.J., Whiteman, G., Jones, I.P. & Chiu, Y.-L., 2018. The effects of prior cold work on the shock response of copper. *J. Dyn. Behav. Mater.* 4, 211-221
- Millot, M., Celliers, P.M., Sterne, P.A., Benedict, L.X., Correa, A.A., Hamel, S., Ali, S.J., Baker, K.L., Hopkins, L.F.B., Biener, J., Collins, G.W., Coppari, F., Divol, L., Fernandez-Panella, A., Fratanduono, D.E., Haan, S.W., Le Pape, S., Meezan, N.B., Moore, A.S., Moody, J.D., Ralph, J.E., Ross, J.S., Rygg, J.R., Thomas, C., Turnbull, D.P., Wild, C. & Eggert, J.H., 2018. Measuring the shock impedance mismatch between high-density carbon and deuterium at the National Ignition Facility. *Phys. Rev. B* 97, 144108
- Millot, M., Hamel, S., Rygg, J.R., Celliers, P.M., Collins, G.W., Coppari, F., Fratanduono, D.E., Jeanloz, R., Swift, D.C. & Eggert, J.H., 2018. Experimental evidence for superionic water ice using shock compression. *Nature Phys.* 14, 297-302
- Min, S.H. & Berkowitz, M.L., 2018. A comparative computational study of coarse-grained and all-atom water models in shock Hugoniot states. *J. Chem. Phys.* 148, 144504
- Mitra, N., 2018. Explosion-induced shock waves through a medium and associated structural response. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 119-130

- Mokrushin, S.S., Mayorova, A.S., Malyugina, S.N., Pavlenko, A.V., Sagaradze, V.V., Kataeva, N.V. & Volkova, E.G., 2018. Dynamic properties of reactor steels Kh16N15M3T1 and Kh13V2 under shock-wave loading of submicrosecond scale. EPJ Web Conferences 183, 02048
- Montgomery, D.S., Daughton, W.S., Albright, B.J., Simakov, A.N., Wilson, D.C., Dodd, E.S., Kirkpatrick, R.C., Watt, R.G., Gunderson, M.A., Loomis, E.N., Merritt, E.C., Cardenas, T., Amendt, P., Milovich, J.L., Robey, H.F., Tipton, R.E. & Rosen, M.D., 2018. Design considerations for indirectly driven double shell capsules. Phys. Plasmas 25, 092706
- Moore, A.P., Lim, H., Brown, J.L. & Lane, J.M.D., 2018. Molecular scale study of the plastic response of tantalum under ramp compression and release. AIP Conf. Proc. 1979, 050013
- Moore, D.S., 2018. Probing dynamic processes in explosives and propellants: Science issues. AIP Conf. Proc. 1979, 100028
- Moore, A.P., Brown, J.L., Lim, H. & Lane, J.M.D., 2018. Verification of experimental dynamic strength methods with atomistic ramp-release simulations. Phys. Rev. Mater. 2, 053601
- Moore, J.A., Li, S.F., Rhee, M. & Barton, N.R., 2018. Modeling the effects of grain and porosity structure on copper spall response. J. Dyn. Behav. Mater. 4, 464-480
- Morris, M.A. & Boley, A.C., 2018. Formation of chondrules by shock waves. In: Chondrules: Records of Protoplanetary Disk Processes, edited by Russell, S.S., Connolly, H.C. & Krot, A.N., Cambridge, Cambridge University Press, pp. 375-399
- Morrow, B.M., Jones, D.R., Rigg, P.A., Gray III, G.T. & Cerreta, E.K., 2018. In-situ experiments to capture the evolution of microstructure during phase transformation of titanium under dynamic loading. EPJ Web Conferences 183, 03020
- Mroz, S., Szota, P., Stefanik, A. & Mola, R., 2018. Properties of joint region in the magnesium/aluminum two-layer materials after explosive welding process. In: Proc. 27th Int. Conf. on Metallurgy and Materials, edited by Ostrava, Czech Republic, Tanger Ltd., pp. 1647-1653
- Mroz, S., Gontarz, A., Drozdowski, K., Bala, H. & Szota, P., 2018. Forging of magnesium/aluminum bimetallic handle using explosive welded feedstock. Arch. Civil Mech. Engng 18, 401-412
- Mukherjee, D., Sahoo, B.D., Joshi, K.D. & Kaushik, T.C., 2018. Equation of state of U2Mo up-to Mbar pressure range: Ab initio study. AIP Conf. Proc. 1942, 030013
- Mulligan, P., 2018. Shock wave interaction with a cylindrical structure. AIP Conf. Proc. 1979, 160019
- Murakami, M., Arefiev, A. & Zosa, M.A., 2018. Generation of ultrahigh field by micro-bubble implosion. Scientific Reports 8, doi: 10.1038/s41598-018-25594-3

- Murphy, M.J., Lieber, M.A. & Biss, M.M., 2018. Novel measurements of shock pressure decay in PMMA using detonator loading. AIP Conf. Proc. 1979, 160020
- Murzov, S. & Zhakhovsky, V., 2018. Hotspots from atomistic simulation to mesoscopic hydrodynamics modeling. AIP Conf. Proc. 1979, 100029
- Myint, P.C. & Belof, J.L., 2018. Rapid freezing of water under dynamic compression. J. Phys.: Condens. Matter 30, 233002, 279501
- Nabiei, F., Badro, J., Dennenwaldt, T., Oveisi, E., Cantoni, M., Hébert, C., El Goresy, A., Barrat, J.-A. & Gillet, P., 2018. A large planetary body inferred from diamond inclusions in a ureilite meteorite. Nature Commun. 9, doi: 10.1038/s41467-018-03808-6
- Naeem, K. & Hussain, A., 2018. Development of a Matlab code for plane wave lens and its validation by Autodyn-2D. Engineering Technol. Appl. Sci. Res. 8, 3614-3618
- Naeem, K. & Hussain, A., 2018. Numerical and experimental study of wave shaper effects on detonation wave front. Defence Technol. 14, 45-50
- Naik, D.C. & Kumar, R.V., 2018. Helicopter main rotor blade root end under high velocity bird impact. Materials Today Proceedings 5, 4653-4668
- Najjar, F.M., 2018. Mesoscale simulations of shock-particle interactions in near-wall proximity. AIP Conf. Proc. 1979, 080009
- Nan, N., Si, D. & Hu, G., 2018. Nanoscale cavitation in perforation of cellular membrane by shock-wave induced nanobubble collapse. J. Chem. Phys. 149, 074902
- Nandlall, D. & Gakwaya, A., 2018. On the determination of the shock and steady state parameters of gelatine from cylinder impact experiments. Int. J. Impact Engng 116, 22-33
- Nath, S., Shukla, P., Shen, X.J. & Lawrence, J., 2018. Effect of laser shock peening (LSP) on the phase evolution, residual stress and hardness of Hastelloy-X superalloys. Lasers Engineering 39, 97-112
- Navarro, P.F., Benson, D.J. & Nesterenko, V.F., 2018. Behavior of short and long high amplitude pulses on an aluminum-tungsten composite with cylindrical inclusions. AIP Conf. Proc. 1979, 110012
- Nayak, B. & Menon, S.V.G., 2018. Enthalpy-based equation of state for highly porous materials employing modified soft sphere fluid model. Physica B 529, 66-72
- Nayak, B. & Menon, S.V.G., 2018. Non-equilibrium theory employing enthalpy-based equation of state for binary solid and porous mixtures. Shock Waves 28, 141-151
- Neal, W., Sanchez, N., Jensen, B., Gibson, J., Romero, J., Martinez, M., Owens, C., Jaramillo, D., Iverson, A., Carlson, C., Teel, M., Derry, A. & Rigg, P., 2018. The effect of surface heterogeneities in exploding metal foils. AIP Conf. Proc. 1979, 180007

- Needham, C.E., ed. 2018. Blast Waves. New York, Springer
- Needham, C.E., 2018. The Rankine-Hugoniot relations. In: Blast Waves, publ. Berlin, Springer, pp. 9-17
- Needham, C.E., 2018. Ideal high explosive detonation waves. In: Blast Waves, publ. Berlin, Springer, pp. 41-71
- Needham, C.E., 2018. Measurement techniques. In: Blast Waves, publ. Berlin, Springer, pp. 163-182
- Neel, C., 2018. Compaction and spall of UHPC concrete under shock conditions. *J. Dyn. Behav. Mater.* 4, 505-528
- Nefedov, V.S., 2018. Initiation of explosive transformation of high explosives under low-velocity mechanical impacts and weak shock waves due to formation of viscoplastic flows. *Combust. Explos. Shock Waves* 54, 570-579
- Nelms, M., Hodo, W., Livi, K.J.T., Browning, A., Crawford, B. & Rajendran, A.M., 2018. Shock wave propagation in functionally graded mineralized tissue. *AIP Conf. Proc.* 1979, 060005
- Nemirovsky, Y.V. & Tikhonov, S.V., 2018. Dynamics of layered reinforced concrete beam on visco-elastic foundation with different resistances of concrete and reinforcement to tension and compression. *J. Phys. Conf. Ser.* 973, 012014
- Nevmerzhitskii, N.V., Raevskii, V.A., Sotskov, E.A., Senkovskii, E.D., Davydov, N.B., Bodrov, E.V., Frolov, S.V., Anisiforov, K.V., Georgievskaya, A.B., Levkina, E.V., Krivonos, O.L., Kuchkareva, A.S., Gavrish, A.R. & Tkachenko, B.I., 2018. Some features of ejecta from the surface of a shocked lead sample. *Combust. Explos. Shock Waves* 54, 585-592
- Newman, M.G., Kraus, R.G., Akin, M.C., Bernier, J.V., Dillman, A.M., Homel, M.A., Lee, S., Lind, J., Mosenfelder, J.L., Pagan, D.C., Sinclair, N.W. & Asimow, P.D., 2018. In situ observations of phase changes in shock-compressed forsterite. *Geophys. Res. Letts* 45, 8129-8135
- Nishi, M., Sakaguchi, H., Tanaka, S., Iyama, H. & Fujita, M., 2018. Research on explosive forming of magnesium alloy plate using numerical simulation and experimental studies. 1. *Sci. Technol. Energ. Mater.* 79, 156-159
- Nishi, M., Oshita, M., Ulbin, M., Vesenjajk, M., Ren, Z.R. & Hokamoto, K., 2018. Computational analysis of the explosive compaction fabrication process of cylindrical unidirectional porous copper. *Metals Mater. Int.* 24, 1143-1148
- Nishida, M., Hayashi, K. & Higashide, M., 2018. Effects of projectile diameter and specimen thickness on size distribution of ejecta resulting from carbon fiber reinforced plastic plates in hypervelocity impacts. *J. Soc. Mater. Sci. Japan* 67, 445-451
- Nishimura, N., Ito, T. & Watanabe, T., 2018. Ultrasonic detection of spall damage distribution subjected to plate impact test with different thickness. *EPJ Web Conferences* 183, 02029

- Nissen, E.J. & Dlott, D.D., 2018. Molecular probing of shocked rhodamine 6G in liquid water. *AIP Conf. Proc.* 1979, 100030
- Nor, M.K.M., Ma'at, N. & Ho, C.S., 2018. Modeling dynamic anisotropic behaviour and spall failure in commercial aluminium alloys AA7010. *J. Dyn. Behav. Mater.* 4, 201-210
- O'Connor, T.C., Elder, R.M., Sliozberg, Y.R., Sirk, T.W., Andzeim, J.W. & Robbins, M., 2018. Molecular origins of anisotropic shock propagation in crystalline and amorphous polyethylene. *Phys. Rev. Mater.* 2, 035601
- Oguri, R. & Ando, K., 2018. Cavitation bubble nucleation induced by shock-bubble interaction in a gelatin gel. *Phys. Fluids* 30, 051904
- Oksuzoglu, H., 2018. Higher-order jump conditions for conservation laws. *Theor. Comput. Fluid Dynamics* 32, 399-409
- Olbinado, M.P., Cantelli, V., Mathon, O., Pascarelli, S., Grenzer, J., Pelka, A., Roedel, M., Prencipe, I., Garcia, A.L. & Helbig, U., 2018. Ultra high-speed X-ray imaging of laser-driven shock compression using synchrotron light. *J. Phys. D: Appl. Phys.* 51, 055601
- Oliveira, E.F., Autreto, P.A.D.S. & Galvão, D.S., 2018. On hardening silver nanocubes by high-velocity impacts: A fully atomistic molecular dynamics investigation. *J. Mater. Sci.* 53, 7486-7492
- Orlov, M., Orlov, Y., Glazyrin, V. & Orlova, Y., 2018. Investigation of the behaviour of functionally graded materials under impact loads. *EPJ Web Conferences* 183, 01049
- Osinski, G.R., Grieve, R.A.F., Bleacher, J.E., Neish, C.D., Pilles, E.A. & Tornabene, L.L., 2018. Igneous rocks formed by hypervelocity impact. *J. Volcanology Geotherm. Res.* 353, 25-54
- Osnes, K., Børvik, T. & Hopperstad, O.S., 2018. Shock tube testing and modelling of annealed float glass. *EPJ Web Conferences* 183, 01035
- Ota, T.A., Chapman, D.J., Richley, J.C. & Eakins, D.E., 2018. Initial results from a simultaneous pyrometry and reflectivity diagnostic. *AIP Conf. Proc.* 1979, 130005
- Pachman, J., Kunzel, M., Nemec, O. & Majzlik, J., 2018. A comparison of methods for detonation pressure measurement. *Shock Waves* 28, 217-225
- Pamuk, O. & Durgutlu, A., 2018. The effect of explosive ratio on microstructure and fatigue properties of austenitic stainless steel (AISI 316L)-S235JR composite materials joined by explosive welding method (in Turkish). *J. Polytechnic Politeknik Dergisi* 21, 527-534
- Pan, H., Wang, S.T., Wu, Z.H. & Hu, X.M., 2018. Effect of twinning on dynamic behaviors of beryllium materials under impact loading and unloading (in Chinese). *Acta Phys. Sinica* 67, 164601

- Pang, B., Case, S., Jones, I.P., Millett, J.C.F., Whiteman, G., Chiu, Y.L. & Bronkhorst, C.A., 2018. The defect evolution in shock-loaded tantalum single crystals. *Acta mater.* 148, 482-491
- Paramonov, M.A., Minakov, D.V. & Levashov, P.R., 2018. Reconstruction of release isentropes based on first-principle simulations. *J. Phys. Conf. Ser.* 946, 012089
- Paris, V., Cohen, A., Gudinetzky, E., Hevroni, R., Samuha, S., Osovsky, S., Tiferet, E. & Yosef-Hai, A., 2018. Study of flow stress and spall strength of additively manufactured Ti-6-4 alloy. *EPJ Web Conferences* 183, 03003
- Park, S.D., Armstrong, M.R., Kohl, I.T., Zaugg, J.M., Knepper, R., Tappan, A.S., Bastea, S. & Kay, J.J., 2018. Ultrafast shock-induced reactions in PETN thin films. *J. Phys. Chem. A* 122, 8101-8106
- Partom, Y., 2018. Modeling gradual and rate dependent closing and opening of pores in porous materials under dynamic loading. *AIP Conf. Proc.* 1979, 110013
- Patil, S.P., Murkute, R., Shirafkan, N. & Markert, B., 2018. Deformation of stacked metallic sheets by shock wave loading. *Metals* 8, doi: 10.3390/met8090679
- Paul, H., Miszczyk, M.M., Chulist, R., Prazmowski, M., Morgiel, J., Galka, A. & Brisset, F., 2018. Microstructure and phase constitution in the bonding zone of explosively welded tantalum and stainless steel sheets. *Mater. Design* 153, 177-189
- Pelz, P.F. & Kuhr, M.M.G., 2018. Interface instability of an inelastic normal collision. *Arch. Appl. Mech.* 88, 1945-1951
- Peng, P., Nie, H., Wang, G., Liu, Z., Cao, F. & Dong, X., 2018. Shock-driven depolarization behavior in BNT-based lead-free ceramics. *Appl. Phys. Letts* 113, 082901
- Pepper, J.E., Huneault, J., Rahmat, M. & Petel, O.E., 2018. Spall strength measurements in EPON 828 epoxy and an epoxy/carbon nanotube composite. *AIP Conf. Proc.* 1979, 070024
- Perrin, G. & Pillon, L., 2018. Calibration of Johnson's damage model by a Bayesian approach. *EPJ Web Conferences* 183, 01037
- Perriot, R., Negre, C.F.A., McGrane, S.D. & Cawkwell, M.J., 2018. Density functional tight binding calculations for the simulation of shocked nitromethane with LATTE-LAMMPS. *AIP Conf. Proc.* 1979, 050014
- Perry, W.L., Clements, B., Ma, X. & Mang, J.T., 2018. Relating microstructure, temperature, and chemistry to explosive ignition and shock sensitivity. *Combust. Flame* 190, 171-176
- Pham, H.T., Glanikos, Z.N. & Narayanaswamy, V., 2018. Compression ramp induced shock-wave/turbulent boundary-layer interactions on a compliant material. *AIAA Journal* 56, 2925-2929

- Piehler, T., Zander, N., Banton, R., Benjamin, R., Sparks, R., Byrnes, K., Duckworth, J. & Bahr, B.A., 2018. High-speed imaging techniques to study effects of pressure waves from detonating explosive charges on biological materials. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 123-126
- Pilles, E.A., Osinski, G.R., Grieve, R.A.F., Smith, D. & Bailey, J., 2018. Formation of large-scale impact melt dikes: A case study of the Foy Offset Dike at the Sudbury impact structure, Canada. *Earth Planet Sci. Letts* 495, 224-233
- Pittman, E.R., Hagelberg, C.R., Gustavsen, R.L. & Aslam, T.D., 2018. Gas gun experiments and numerical simulations on the HMX-based explosive PBX 9501 in the overdriven regime. *AIP Conf. Proc.* 1979, 150032
- Polsin, D.N., Fratanduono, D.E., Rygg, J.R., Lazicki, A., Smith, R.F., Eggert, J.H., Gregor, M.C., Henderson, B.J., Delettrez, J.A., Kraus, R.G., Celliers, P.M., Coppari, F., Swift, D.C., McCoy, C.A., Seagle, C.T., Davis, J.-P., Burns, S.J., Collins, G.W. & Boehly, T.R., 2018. Erratum: Measurement of bcc aluminum at 475 GPa. *Phys. Rev. Letts* 120, 029902
- Polsin, D.N., Fratanduono, D.E., Rygg, J.R., Lazicki, A., Smith, R.F., Eggert, J.H., Gregor, M.C., Henderson, B.J., Gong, X., Delettrez, J.A., Kraus, R.G., Celliers, P.M., Coppari, F., Swift, D.C., McCoy, C.A., Seagle, C.T., Davis, J.-P., Burns, S.J., Collins, G.W. & Boehly, T.R., 2018. X-ray diffraction of ramp-compressed aluminum to 475GPa. *Phys. Plasmas* 25, 082709
- Pontalier, Q., Lhoumeau, M. & Frost, D.L., 2018. Blast wave mitigation in granular materials. *AIP Conf. Proc.* 1979, 110014
- Popova, T.V., Mayer, A.E. & Khishchenko, K.V., 2018. Evolution of shock compression pulses in PMMA and aluminum. *J. Appl. Phys.* 123, 235902
- Portelli, M., Bertarelli, A., Carra, F., Mettler, L.K., Mollicone, P. & Sammut, N., 2018. Numerical simulation of long rods impacted by particle beams. *Phys. Rev. Accelerators Beams* 21, 063501
- Poulin, M., Viau, C., Lacroix, D.N. & Doudak, G., 2018. Experimental and analytical investigation of cross-laminated timber panels subjected to out-of-plane blast loads. *ASCE J. Struct. Engng* 144, 04017197
- Pradel, P., Malaise, F., de Rességuier, T., Delhomme, C., Cadilhon, D., Quessada, J.H. & Le Blanc, G., 2018. Stress wave propagation and mitigation in two polymeric foams. *AIP Conf. Proc.* 1979, 110015
- Pradel, P., Malaise, F., de Rességuier, T., Delhomme, C., Le Blanc, G. & Quessada, J.H., 2018. Dynamic compaction of polyurethane foam: Experiments and modelling. *EPJ Special Topics* 227, 3-16
- Pradel, P., Malaise, F. & de Rességuier, T., 2018. Laser-driven shock experiments to investigate mitigation ability of polymeric foams. *EPJ Web Conferences* 183, 01045

- Preisling, M., Lorenzen, W., Becker, A., Redmer, R., Knudson, M.D. & Desjarlais, M.P., 2018. Equation of state and optical properties of warm dense helium. *Phys. Plasmas* 25, 012706
- Price, M.A., Aslam, T.D. & Quirk, J.J., 2018. Analysis of steady compaction waves in polyurea aerogel. *AIP Conf. Proc.* 1979, 110016
- Prieto, G.R., Bilbao, L. & Milanese, M.M., 2018. Dynamics of a shock wave with time dependent energy release generated by an exploding wire in air. *Phys. Plasmas* 25, 112113
- Prime, M.B., 2018. Strain rate sensitivity of Richtmyer-Meshkov instability experiments for metal strength. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 13-16
- Promakhov, V.V., Savinykh, A.S., Dubkova, Y.A., Schulz, N.A., Grunt, N.V. & Razorenov, S.V., 2018. Strength properties of aluminum-oxide ceramics prepared by the additive manufacturing method under shock-wave loading. *Tech. Phys. Letts* 44, 898-901
- Prudhomme, G., Franzkowiak, J.-E., de Ressaiguiet, T., Brambrink, E., Roland, C., Loison, D., Lescoute, E. & Sollier, A., 2018. Ejecta from periodical grooves in tin foils under laser-driven shock loading. *AIP Conf. Proc.* 1979, 080010
- Qian, W. & Liu, J., 2018. The blocking effects of inert impurities on thermomechanical response of α -RDX under shock stimuli: A CGMD study. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 945-953
- Qiu, G., Nian, Q., Motlag, M., Jin, S.Y., Deng, B.W., Deng, Y.X., Charnas, A.R., Ye, P.D.D. & Cheng, G.J., 2018. Ultrafast laser-shock-induced confined metaphase transformation for direct writing of black phosphorus thin films. *Adv. Mater.* 30, 1704405
- Qiu, X.Y., Hao, Y.F., Shi, X.Z., Hao, H., Zhang, S. & Gou, Y.G., 2018. Numerical simulation of stress wave interaction in short-delay blasting with a single free surface. *PloS one* 13, e0204166
- Rad, S.F., Ghasemizad, A. & Khoshbinfar, S., 2018. The feasibility study of ion driven shock ignition of reactor-size targets in inertial confinement fusion. *Phys. Plasmas* 25, 102703
- Rae, P., Haróz, E., Armstrong, C. & Perry, L., 2018. An experimental study of an explosively driven flat-plate launcher. *AIP Conf. Proc.* 1979, 160021
- Ramsey, S.D., Schmidt, E.M., Boyd, Z.M., Lilieholm, J.F. & Baty, R.S., 2018. Converging shock flows for a Mie-Grüneisen equation of state. *Phys. Fluids* 30, 046101
- Rao, B., Chen, L., Fang, Q., Hong, J., Liu, Z.-X. & Xiang, H.-B., 2018. Dynamic responses of reinforced concrete beams under double-end-initiated close-in explosion. *Defence Technol.* 14, 527-539

- Rav, A., Joshi, K.D., Singh, K. & Kaushik, T.C., 2018. Characterization of a signal recording system for accurate velocity estimation using a VISAR. *Meas. Sci. Technol.* 29, 025205
- Ravindran, S., Malchow, P., Tessema, A. & Kidane, A., 2018. Compaction wave propagation characteristics in PBXs at macro-meso scale. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 163-168
- Ravindran, S., Koohbor, B., Malchow, P. & Kidane, A., 2018. Experimental characterization of compaction wave propagation in cellular polymers. *Int. J. Solids Structures* 139, 270-282
- Razorenov, S.V., 2018. Influence of structural factors on the strength properties of aluminum alloys under shock wave loading. *Matter Radiation Extremes* 3, 145-158
- Reeves, R.V., Egan, G.C., Klunder, G.L., Manaa, M.R. & Bastea, S., 2018. An experimental characterization of condensed phase soot from overdriven detonation of Composition B. *AIP Conf. Proc.* 1979, 100033
- Rehagen, T.J. & Vitello, P., 2018. Improved reactive flow modeling of the LX-17 double shock experiments. *AIP Conf. Proc.* 1979, 100034
- Rejovitzky, E., 2018. A mesoscopic model for compression of granular materials. *EPJ Web Conferences* 183, 01054
- Ren, Y., Xue, Z., Luo, W., Ren, Y. & Zhang, Y., 2018. Effect of shock stress amplitude on the post-shock mechanical response and substructural evolution of Ti6Al4V alloy. *Mech. Mater.* 117, 1-8
- Ren, J., Xu, Y.X., Zhao, X.X. & Zhao, P.D., 2018. Dynamic mechanical behaviors and failure thresholds of ultra-high strength low-alloy steel under strain rate 0.001/s to 10⁶/s. *Mater. Sci. Engng A* 719, 178-191
- Ren, P., Zhou, J.Q., Tian, A., Ye, R.C., Shi, L., Zhang, W. & Huang, W., 2018. Experimental investigation on dynamic failure of carbon/epoxy laminates under underwater impulsive loading. *Marine Struct.* 59, 285-300
- Resnyansky, A.D., 2018. Mesoscale modelling of the heat conductivity effect on the shock response of a porous material. *AIP Conf. Proc.* 1979, 110017
- Resnyansky, A.D. & Weckert, S.A., 2018. Experiments and constitutive modelling of sand ejecta impact. *J. Dyn. Behav. Mater.* 4, 586-607
- Richley, J.C. & Ferguson, J.W., 2018. Results from a high speed pyrometer measuring detonating explosive. *AIP Conf. Proc.* 1979, 160022
- Rigby, S.E., Fay, S.D., Tyas, A., Clarke, S.D., Reay, J.J., Warren, J.A., Gant, M. & Elgy, I., 2018. Influence of particle size distribution on the blast pressure profile from explosives buried in saturated soils. *Shock Waves* 28, 613-626

- Riller, U., Poelchau, M.H., Rae, A.S.P., Schulte, F.M., Collins, G.S., Melosh, H.J., Grieve, R.A.F., Morgan, J.V., Gulick, S.P.S., Lofi, J., Diaw, A., McCall, N. & Kring, D.A., 2018. Rock fluidization during peak-ring formation of large impact structures. *Nature* 562, 511-518
- Ringstrand, B.S., Mogavero, B., Despard, J.T., Firestone, M. & Podlesak, D., 2018. Discontinuous density gradient fractionation of detonation soot for complete nanocarbon characterization. *AIP Conf. Proc.* 1979, 100035
- Roland, C., de Rességuier, T., Sollier, A., Lescoute, E., Tandieng, D., Toulminet, M. & Soulard, L., 2018. Ballistic properties of ejecta from a laser shock-loaded groove: SPH versus experiments. *AIP Conf. Proc.* 1979, 080012
- Rolfe, E., Arora, H., Hooper, P.A. & Dear, J.P., 2018. Hybrid composite sandwich panels under blast and impact loading. *EPJ Web Conferences* 183, 02003
- Rolfe, E., Kelly, M., Arora, H., Hooper, P.A. & Dear, J.P., 2018. Blast performance and damage assessment of composite sandwich structures. In: *Blast Mitigation Strategies in Marine Composite and Sandwich Structures*, edited by Gopalakrishnan, S. & Rajapakse, Y., New York, Springer, pp. 209-225
- Rolfe, E., Kaboglu, C., Quinn, R., Hooper, P.A., Arora, H. & Dear, J.P., 2018. High velocity impact and blast loading of composite sandwich panels with novel carbon and glass construction. *J. Dyn. Behav. Mater.* 4, 359-372
- Root, S., Townsend, J.P., Davies, E., Lemke, R.W., Bliss, D.E., Fratanduono, D.E., Kraus, R.G., Millot, M., Spaulding, D.K., Shulenburg, L., Stewart, S.T. & Jacobsen, S.B., 2018. The principal Hugoniot of Forsterite to 950 GPa. *Geophys. Res. Letts* 45, 3865-3872
- Rososhek, A., Efimov, S., Tewari, S.V. & Yanuka, D., 2018. Phase transitions of copper, aluminum, and tungsten wires during underwater electrical explosions. *Phys. Plasmas* 25, 102709
- Rudd, R.E., Yang, L.H., Powell, P.D., Graham, P., Arsenlis, A., Cavallo, R.M., Krygier, A.G., McNaney, J.M., Prisbrey, S.T., Remington, B.A., Swift, D.C., Wehrenberg, C.E. & Park, H.-S., 2018. Modeling laser-driven high-rate plasticity in bcc lead. *AIP Conf. Proc.* 1979, 070027
- Russell, S.S., Connolly, H.C. & Krot, A.N., eds, 2018. *Chondrules: Records of Protoplanetary Disk Processes*. Cambridge, Cambridge University Press
- Sagnard, M., Berthe, L., Ecault, R., Touchard, F., Boustie, M. & Brune, K., 2018. Development of the symmetrical laser shock test for weak bond inspection. *AIP Conf. Proc.* 1979, 070030
- Sahul, M., Sahul, M., Lokaj, J., Caplovic, L. & Nesvadba, P., 2018. Influence of annealing on the properties of explosively welded titanium Grade 1 - AW7075 aluminum alloy bimetals. *J. Mater. Engng Perform.* 27, 5665-5674
- Sakano, M., Hamilton, B., Islam, M.M. & Strachan, A., 2018. Role of molecular disorder on the reactivity of RDX. *J. Phys. Chem. C* 122, 27032-27043

- Sakhtemanian, M.R., Honarpisheh, M. & Amini, S., 2018. Numerical and experimental study on the layer arrangement in the incremental forming process of explosive-welded low-carbon steel/CP-titanium bimetal sheet. *Int. J. Advanced Manufacturing Technology* 95, 3781-3796
- Sakhvadze, G.Z., Kavtaradze, R.A. & Nikabadze, M.U., 2018. Eigenstrain modeling of laser-shock processing of materials. *Russ. Engng Res.* 38, 755-760
- Samuels, P., Spangler, K., Iwaniuk, D., Cornell, R., Baker, E.L. & Stiel, L.I., 2018. Detonation performance analyses for recent energetic molecules. *AIP Conf. Proc.* 1979, 150033
- Sanchez, N.J., Jensen, B.J., Neal, W.D., Iverson, A.J. & Carlson, C.A., 2018. Dynamic exploding foil initiator imaging at the advanced photon source. *AIP Conf. Proc.* 1979, 160023
- Sanders, I.S. & Scott, E.R.D., 2018. Making chondrules by splashing molten planetesimals: The dirty impact plume model. In: *Chondrules: Records of Protoplanetary Disk Processes*, edited by Russell, S.S., Connolly, H.C. & Krot, A.N., Cambridge, Cambridge University Press, pp. 361-374
- Sandusky, H.W., Church, S.R. & Felts, J.E., 2018. Detonation states without a transition in the super large scale gap test. *AIP Conf. Proc.* 1979, 100036
- Satonkina, N., Ershov, A., Kashkarov, A., Mikhaylov, A., Pruel, E., Rubtsov, I., Spirin, I. & Titova, V., 2018. Electrical conductivity distribution in detonating benzotrifuroxane. *Scientific Reports* 8, doi: 10.1038/s41598-018-28028-2
- Sauer, C., Bagusat, F., Heine, A. & Werner, R., 2018. Plate impact shock experiments and numerical modeling of lightweight adobe masonry material. *EPJ Web Conferences* 183, 01017
- Sauer, C., Bagusat, F., Heine, A. & Riedel, W., 2018. Shock response of lightweight adobe masonry. *J. Dyn. Behav. Mater.* 4, 231-243
- Saunders, A.M., Chapman, D.A., Kritcher, A.L., Schoff, M., Shulberg, C., Landen, O.L., Glenzer, S.H., Falcone, R.W., Gericke, D.O. & Döppner, T., 2018. Influence of argon impurities on the elastic scattering of X-rays from imploding beryllium capsules. *High Energy Density Phys.* 26, 86-92
- Saunders, C. & Carr, D., 2018. Towards developing a test method for military pelvic protection. *J. Textile Inst.* 109, 1374-1380
- Savenkov, G.G., Kuznetsov, A.V. & Bragov, A.M., 2018. Dynamic strength of a titanium alloy with an electron-beam-modified surface. *Tech. Phys.* 63, 718-722
- Savinykh, A.S., Mandel, K., Razorenov, S.V. & Kruger, L., 2018. The influence of the cobalt content on the strength properties of tungsten carbide ceramics under dynamic loads. *Tech. Phys.* 63, 357-362
- Savinykh, A.S., Garkushin, G.V., Kanel, G.I. & Razorenov, S.V., 2018. Method of measurement of the dynamic strength of concrete under explosive loading. *Int. J. Fract.* 209, 109-115

- Savinykh, A.S., Garkushin, G.V., Kanel, G.I. & Razorenov, S.V., 2018. Evaluation of viscosity of bismuth-lead melt (56.5%–43.5%) by the width of a weak shock wave. *High Temp.* 56, 685-688
- Scharring, S., Lorbeer, R.-A. & Eckel, H.-A., 2018. Heat accumulation in laser-based removal of Space debris. *AIAA Journal* 56, 2560-2508
- Schauer, M.M., Buttler, W.T., Sorenson, D., Frayer, D., Grover, M., Lalone, B., Stevens, G.D. & Turley, W.D., 2018. Constraining ejecta particle size distributions with light scattering. *AIP Conf. Proc.* 1979, 080013
- Schmitt, M.M., Bowden, P.R., Tappan, B.C. & Henneke, D., 2018. Steady-state shock-driven reactions in mixtures of nano-sized aluminum and dilute hydrogen peroxide. *J. Energ. Mater.* 36, 266-277
- Schulze, P.A., Brooks, T.J., Tasker, D.G., Biss, M.M. & Preston, D.N., 2018. Assessing detonator health using Rogowski coil data. *AIP Conf. Proc.* 1979, 160024
- Schwaab, M., Greendyke, R. & Steward, B., 2018. Arrhenius rate chemistry-informed inter-phase source terms (ARCIIST). *AIP Conf. Proc.* 1979, 100037
- Scripka, D.A., Lee, G., Kang, Z., Summers, C.J. & Thadhani, N.N., 2018. Time-resolved spectral response of asymmetrical optical microcavity structures under laser-driven shock compression. *AIP Advances* 8, 015021
- Seagle, C.T. & Porwitzky, A.J., 2018. Shock-ramp compression of tin near the melt line. *AIP Conf. Proc.* 1979, 040005
- Seiboth, F., Fletcher, L.B., McGonegle, D., Anzellini, S., Dresselhaus-Cooper, L.E., Frost, M., Galtier, E., Goede, S., Harmand, M., Lee, H.j., Levitan, A.L., Miyanishi, K., Nagler, B., Nam, I., Ozaki, N., Rödel, M., Schropp, A., Spindloe, C., Sun, P., Wark, J.S., Hastings, J., Glenzer, S.H. & McBride, E.E., 2018. Simultaneous 8.2 keV phase-contrast imaging and 24.6 keV X-ray diffraction from shock-compressed matter at the LCLS. *Appl. Phys. Letts* 112, 221907
- Sen, O., Rai, N.K., Diggs, A.S., Hardin, D.B. & Udaykumar, H.S., 2018. Multi-scale shock-to-detonation simulation of pressed energetic material: A meso-informed ignition and growth model. *J. Appl. Phys.* 124, 085110
- Shaikh, M., Jana, K., Lad, A.D., Dey, I., Roy, S.L., Sarkar, D., Ved, Y.M., Robinson, A.P.L., Pasley, J. & Kumar, G.R., 2018. Tracking ultrafast dynamics of intense shock generation and breakout at target rear. *Phys. Plasmas* 25, 113106
- Shang, W.L., Stoeckl, C., Betti, R., Regan, S.P., Sangster, T.C., Hu, S.X., Christopherson, A., Gopalaswamy, V., Cao, D., Seka, W., Michel, D.T., Davis, A.K., Radha, P.B., Marshall, F.J., Epstein, R. & Solodov, A.A., 2018. Properties of hot-spot emission in a warm plastic-shell implosion on the OMEGA laser system. *Phys. Rev. E* 98, 033210
- Shao, J.L., He, A.M. & Wang, P., 2018. Atomistic simulations on the dynamic properties of shock and release melting in single crystal aluminum. *Comput. Mater. Sci.* 151, 240-245

- Shcheblanov, N.S., Povarnitsyn, M.E., Mishchik, K.N. & Tanguy, A., 2018. Raman spectroscopy of femtosecond multipulse irradiation of vitreous silica: Experiment and simulation. *Phys. Rev. B* 97, 054106
- Shcherbakov, I.P., Vettegren, V.I., Bashkarev, A.Y. & Mamalimov, R.I., 2018. Transformation of the surface structure of marble under the action of a shock wave. *Tech. Phys.* 63, 78-82
- Sheikov, Y.V., Batyanov, S.M., Kalashnikova, O.N., Lukovkin, O.M., Milchenko, D.V., Vakhmistrov, S.A. & Mikhailov, A.L., 2018. Initiating aluminized high explosives by laser radiation. *Combust. Explos. Shock Waves* 54, 563-569
- Shi, Q.R., Zhang, M. & Wu, W.G., 2018. Transition layer welding materials of fusion welding joint for titanium-steel explosive composite plate (in Chinese). *J. Mater. Engng* 46(9), 138-143
- Shinas, M.A. & Doty, D.L., 2018. 1550nm fiber optic TOAD (time of arrival diagnostic) for measuring sub-nanosecond resolution of detonation break out. *AIP Conf. Proc.* 1979, 160025
- Shiran, M.R.K.G., Razazi, M., Bakhtiari, H. & Tavira, A., 2018. Evaluation of welding parameter's effects on corrosion behavior of bronze-carbon steel dual-layer explosion welded joint at salt environment. *Amer. J. Materials* 21, doi: 10.1590/1980-5373-MR-2017-0619
- Shiran, M.K.G., Baygi, S.J.M., Kiahosyeni, S.R., Bakhtiari, H. & Dadi, M.A., 2018. Effects of heat treatment on the microstructure and metallurgical properties of the explosively bonded 304 stainless steel/CK45 steel. *Int. J. Damage Mech.* 27, 488-506
- Shiran, M.K.G., Khalaj, G., Pouraliakbar, H., Jandaghi, M.R., Dehnavi, A.S. & Bakhtiari, H., 2018. Multilayer Cu/Al/Cu explosive welded joints: Characterizing heat treatment effect on the interface microstructure and mechanical properties. *J. Manuf. Process.* 35, 657-663
- Short, M. & Quirk, J.J., 2018. High explosive detonation-confiner interactions. *Ann. Rev. Fluid Mech.* 50, 215-242
- Short, M., Chiquete, C., Bdzil, J.B. & Quirk, J.J., 2018. Detonation diffraction in a circular arc geometry of the insensitive high explosive PBX 9502. *Combust. Flame* 196, 129-143
- Shu, H., Tu, Y.C., Wang, J.Y., Jia, G., Ye, J.J., Deng, W., Shu, H.Y., Yang, Y.P., Du, X.Y. & Xie, Z.Y., 2018. Material equation of state by coupling static and dynamic loading (in Chinese). *Acta Phys. Sinica* 67, 064101
- Shumilova, T.G., Lutoev, V.P., Isaenko, S.I., Kovalchuk, N.S., Makeev, B.A., Lysiuk, A.Y., Zubov, A.A. & Ernstson, K., 2018. Spectroscopic features of ultrahigh-pressure impact glasses of the Kara astrobleme. *Scientific Reports* 8, doi: 10.1038/s41598-018-25037-z

- Shurupov, A.V., Zavalova, V.E., Kozlov, A.V., Shurupov, M.A., Povareskin, M.N., Kozlov, A.A. & Shurupova, N.P., 2018. Experimental investigation of powerful pulse current generators based on capacitive storage and explosive magnetic generators. *J. Phys. Conf. Ser.* 946, 012137
- Singh, A. & Keten, S., 2018. Analysis of cone wave reflection in finite-size elastic membranes and extension of the ballistic impact problem from elastic to viscoelastic membranes. *Trans. ASME: J. Appl. Mech.* 85, 081004
- Sirignano, W.A., 2018. Normal shocks with high upstream pressure. *Phys. Rev. Fluids* 3, 093401
- Sirignano, W.A., 2018. Normal shocks with high upstream pressure. *Phys. Rev. Fluids* 3, 093401
- Sjostrom, T. & Crockett, S., 2018. Quantum molecular dynamics of warm dense iron and a five-phase equation of state. *Phys. Rev. E* 97, 053209
- Skotak, M., Alay, E., Zheng, J.Q., Halls, V. & Chandra, N., 2018. Effective testing of personal protective equipment in blast loading conditions in shock tube: Comparison of three different testing locations. *PloS one* 13, e0198968
- Sliwa, M., McGonegle, D., Wehrenberg, C., Bolme, C.A., Heighway, P.G., Higginbotham, A., Lazicki, A., Lee, H.J., Nagler, B., Park, H.S., Rudd, R.E., Suggit, M.J., Swift, D., Tavella, F., Zepeda-Ruiz, L., Remington, B.A. & Wark, J.S., 2018. Femtosecond X-ray diffraction studies of the reversal of the microstructural effects of plastic deformation during shock release of tantalum. *Phys. Rev. Letts* 120, 265502
- Smith, D.K., Francois, E., Nakamoto, T., Tasker, D., Trujillo, C. & Wilde, Z., 2018. Modeled diagnostics for detonator characterization. *AIP Conf. Proc.* 1979, 100038
- Smith, J.A., Lacy, J.M., Scott, C.L., Benefiel, B.C., Levesque, D., Monchalin, J.P. & Lord, M., 2018. Further investigation of surface velocity measurements for material characterization in laser shockwave experiments. *AIP Conf. Proc.* 1949, 180001
- Smith, G.D., Hooper, J. & Bedrov, D., 2018. Mesoscale simulations of uniaxial compression and shock loading of low porosity granular aluminum/nickel composites. *J. Appl. Phys.* 124, 145105
- Sochet, I., ed. 2018. *The Rankine-Hugoniot Equations: Their Extensions and Inversions Related to Blast Waves*. New York, Springer
- Sochet, I., ed. 2018. *Blast Effects: Physical Properties of Shock Waves*. New York, Springer
- Sochet, I., 2018. Blast wave experiments of high explosives. In: *Blast Effects: Physical Properties of Shock Waves*, edited by Sochet, I., New York, Springer, pp. 113-120

- Song, Q., Wang, C., Han, Y. & Gao, D., 2018. Effect of vertical concentration gradient on globally planar detonation with detailed reaction mechanism. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 307-317
- Sorenson, D.S., Capelle, G.A., Grover, M., Johnson, R.P., Kaufman, M.I., LaLone, B.M., Malone, R.M., Marshall, B.F., Minch, R.W., Pazuchanics, P.D., Smalley, D.D., Stevens, G.D., Tunnell, T.W. & Turley, W.D., 2018. Correction to 'Measurements of tin ejecta particle-size distributions using ultraviolet in-line Fraunhofer holography'. *J. Dyn. Behav. Mater.* 4, 256
- Sosikov, V.A., Torunov, S.I., Utkin, A.V., Mochalova, V.M. & Rapota, D.Y., 2018. Experimental investigation of detonation waves instabilities in liquid high explosives. *J. Phys. Conf. Ser.* 946, 012058
- Springer, H.K., Tarver, C.M., Gambino, J.R., White, B.W., Sullivan, K.T. & Gash, A.E., 2018. Numerical study on tailoring the shock sensitivity of TATB-based explosives using sub-millimeter features. *AIP Conf. Proc.* 1979, 180009
- Springer, H.K., Bastea, S., Nichols, A.L., Tarver, C.M. & Reaugh, J.E., 2018. Modeling the effects of shock pressure and pore morphology on hot spot mechanisms in HMX. *Propell. Explos. Pyrotech.* 43, 805-817
- Stankovic, S., Skrlec, V., Dobrilovic, M. & Bohanek, V., 2018. Velocity of detonation of ammonium nitrate base blasting agent with addition of hay and recycled rubber. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 1042-1050
- Steinhauser, M.O., 2018. *Multiscale Modeling and Simulation of Shock Wave-Induced Failure in Materials Science*. Berlin, Springer
- Steinhauser, M.O., 2018. What are shock waves? In: *Multiscale Modeling and Simulation of Shock Wave-Induced Failure in Materials Science*, publ. Berlin, Springer, pp. 7-46
- Steinhauser, M.O., 2018. Shock wave failure in granular materials. In: *Multiscale Modeling and Simulation of Shock Wave-Induced Failure in Materials Science*, publ. Berlin, Springer, pp. 81-114
- Stekovic, S., Nissen, E.J., Bhowmick, M., Stewart, D.S. & Dlott, D.D., 2018. Numerical predictions of shock propagation through unreactive and reactive liquids with experimental validation. *AIP Conf. Proc.* 1979, 100039
- Sternberger, Z., Opachich, Y.P., Wehrenberg, C.E., Kraus, R.G., Remington, B.A., Alexander, N., Randall, G., Farrell, M. & Ravichandran, G., 2018. Investigation of hydrodynamic instability growth in copper. *Int. J. Mech. Sci.* 149, 475-480

- Sternberger, Z., Maddox, B., Opachich, Y., Wehrenberg, C., Kraus, R., Remington, B., Randall, G., Farrell, M. & Ravichandran, G., 2018. Inferring strength of tantalum from hydrodynamic instability recovery experiments. *J. Dyn. Behav. Mater.* 4, 244-255
- Stevens, G.D., Scharff, R.J., Lang, J.M., La Lone, B.M., Turley, W.D. & Veaser, L.R., 2018. Dynamic reflectance changes in high-purity zirconium when it is shocked from the α to ω phase. *J. Appl. Phys.* 124, 185105
- Stewart, C., Balachandar, S. & McGrath, T.P., 2018. Soft-sphere simulations of a planar shock interaction with a granular bed. *Phys. Rev. Fluids* 3, 034308
- Stillman, C.R., Nilson, P.M., Sefkow, A.B., Ivancic, S.Y., Milehma, C., Begishev, I.A. & Froula, D.H., 2018. Energy transfer dynamics in strongly inhomogeneous hot-dense-matter systems. *Phys. Rev. E* 97, 063208
- Strickland, S.L., Vandersall, K.S. & DeHaven, M.R., 2018. Investigating the deflagration to detonation transition in LLM-105 and RX-55-DQ using high confinement as a function of density. *AIP Conf. Proc.* 1979, 150038
- Stull, J.A., Thompson, D.G., Woznick, C. & DeLuca, R., 2018. Instrumented pressing of inert powders to study the effect of particle size. *AIP Conf. Proc.* 1979, 060008
- Su, R., Li, L., Wang, Y.D., Nie, Z.H., Ren, Y., Zhou, X. & Wang, J., 2018. Intergranular stress study of TC11 titanium alloy after laser shock peening by synchrotron-based high-energy X-ray diffraction. *AIP Advances* 8, 055126
- Sun, Y., 2018. Analysis of non-ideal detonation behaviour based on analog system. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 327-333
- Sun, Y.L. & Li, Q.M., 2018. Dynamic compressive behaviour of cellular materials: A review of phenomenon, mechanism and modelling. *Int. J. Impact Engng* 112, 74-115
- Supponen, O., Akimura, T., Minami, T., Uehara, S., Ohtani, K., Kaneko, T., Farhat, M. & Sato, T., 2018. Jetting from cavitation bubbles due to multiple shockwaves. *Appl. Phys. Letts* 113, 193703
- Sutherland, G., Sable, P. & Borg, J., 2018. Simulations of disk acceleration experiments. *AIP Conf. Proc.* 1979, 100040
- Svingala, F.R., Giannuzzi, P.M. & Sandusky, H.W., 2018. Simple explosive plane wave booster designs for 1D shock experiments. *AIP Conf. Proc.* 1979, 160027
- Swift, D.C., Kritcher, A.L., Hawreliak, J.A., Lazicki, A., MacPhee, A., Bachmann, B., Döppner, T., Nilsen, J., Collins, G.W., Glenzer, S., Rothman, S.D., Kraus, D. & Falcone, R.W., 2018. Absolute Hugoniot measurements from a spherically convergent shock using X-ray radiography. *Rev. Sci. Instrum.* 89, 053505

- Szachogluchowicz, I., Sniezek, L., Torzewski, J. & Mierzynski, J., 2018. Analysis of the strain distribution made with the digital image correlation method in a static tensile test of an explosive welding composite layer AA2519-AA1050-Ti6Al4V. In: Proc. 12th Int. Conf. on Intelligent Technologies in Logistics and Mechatronics Systems, edited by Koczy, L.T., Zostautiene, D., Strikuliene, O. & Zacharoviene, E., Bologna, Italy, Editografica, pp. 255-261
- Tadini, P., Gault, K. & Sochet, I., 2018. Shock wave overpressure measurement: Comparison between two piezoelectric sensor materials. In: Blast Effects: Physical Properties of Shock Waves, edited by Sochet, I., New York, Springer, pp. 57-72
- Taitano, W.T., Simakov, A.N., Chacon, L. & Keenan, B., 2018. Yield degradation in inertial-confinement-fusion implosions due to shock-driven kinetic fuel-species stratification and viscous heating. *Phys. Plasmas* 25, 056310
- Takayama, K., 2018. Visualization of underwater shock waves. In: The Micro-World Observed by Ultra High-Speed Cameras, edited by Tsuji, K., Berlin, Springer, pp. 157-182
- Tan, L., 2018. Effect of monoammonium phosphate on the thermal stability and detonation characteristics of ammonium nitrate. In: Proc. 21st Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 1095-1102
- Tan, Y., Li, X., Yu, Y. & Jin, K., 2018. Research on phase transition and strength under ramp compression with graded density impactor. *EPJ Web Conferences* 183, 02058
- Tan, Z., Chen, P., Zhou, Q., Liu, J., Mei, X., Wang, B. & Cui, N., 2018. Shock synthesis and characterization of titanium dioxide with α -PbO₂ structure. *J. Phys.: Condens. Matter* 30, 264006
- Tang, J., Gu, Y.J., Chen, Q.F., Li, Z.G., Zheng, J., Li, C.J. & Li, J.T., 2018. Multiple shock reverberation compression of dense neon up to the warm dense regime: Evaluating the theoretical models. *Phys. Rev. B* 97, 140101
- Tappan, A.S., Yarrington, C.D. & Knapper, R., 2018. Detonation corner turning in vapor-deposited explosives using the micromushroom test. *AIP Conf. Proc.* 1979, 100041
- Tappan, B.C., Bowden, P.R., Lichthardt, J.P., Schmitt, M.M. & Hill, L.G., 2018. Evaluation of the detonation performance of insensitive explosive formulations based on DAAF and NTO. *J. Energ. Mater.* 36, 169-178
- Tarasov, A.E., Badamshina, E.R., Anokhin, D.V., Razorenov, S.V. & Vakorina, G.S., 2018. The effect of small additions of carbon nanotubes on the mechanical properties of epoxy polymers under static and dynamic loads. *Tech. Phys.* 63, 32-40

- Tarver, C.M., 2018. Ignition and growth reactive flow modeling of detonating LX-04 using recent and older experimental data. AIP Conf. Proc. 1979, 100042
- Tasker, D., Bowden, P., François, E., Gibson, J., Nakamoto, T., Smith, D., Trujillo, C. & Wilde, Z., 2018. Rogowski coils for studies of detonator initiation and other diagnostics. AIP Conf. Proc. 1979, 160028
- Taylor, N., Williamson, D., Gould, P. & Cullis, I., 2018. High-rate experiments on a nitrocellulose/nitroglycerine propellant. AIP Conf. Proc. 1979, 100043
- Tear, G.R., Chapman, D.J., Proud, W.G., Ottley, P.R., Cullis, I.G., Gould, P.J. & Jones, A.W., 2018. The use of PDV to understand damage in rocket motor propellants. AIP Conf. Proc. 1979, 160029
- Ten, K.A., Pruel, E.R., Kashkarov, A.O., Antipov, M.V., Georgievskaya, A.B., Mikhailov, A.L., Spirin, I.A., Aulchenko, V.M., Shekhtman, L.I., Zhulanov, V.V. & Tolochko, B.P., 2018. Detection of particle ejection from shock-loaded metals by synchrotron radiation methods. Combust. Explos. Shock Waves 54, 606-613
- Theodoro, F.R.F., Reis, M.L.C.C. & D'Souto, C., 2018. An overview of the dynamic calibration of piezoelectric pressure transducers. J. Phys. Conf. Ser. 975, 012002
- Thomas, S.A., Hawkins, M.C., Matthes, M.K., Gray III, G.T. & Hixson, R.S., 2018. Dynamic strength properties and alpha-phase shock Hugoniot of iron and steel. J. Appl. Phys. 123, 175902
- Tong, Y., Cao, Y., Liu, R., Shang, S.Y. & Huang, F.L., 2018. Effect of graphite particle size and content on the formation mechanism of detonation polycrystalline diamond. Shock Waves 28, 153-161
- Tracy, S.J., Turneure, S.J. & Duffy, T.S., 2018. In situ X-ray diffraction of shock-compressed fused silica. Phys. Rev. Letts 120, 135702
- Trela, J., Theobald, W., Anderson, K.S., Batani, D., Betti, R., Casner, A., Delettrez, J.A., Frenje, J.A., Glebov, V.Y., Ribeyre, X., Solodov, A.A., Stoeckl, M. & Stoeckl, C., 2018. The control of hot-electron preheat in shock-ignition implosions. Phys. Plasmas 25, 052707
- Tsuji, K., ed. 2018. The Micro-World Observed by Ultra High-Speed Cameras. Berlin, Springer
- Turley, W.D., Fensin, S.J., Hixson, R.S., Jones, D.R., La Lone, B.M., Stevens, G.D., Thomas, S.A. & Veaser, L.R., 2018. Spall response of single-crystal copper. J. Appl. Phys. 123, 055102
- Turneure, S.J., Renganathan, P., Winey, J.M. & Gupta, Y.M., 2018. Twinning and dislocation evolution during shock compression and release of single crystals: Real-time X-ray diffraction. Phys. Rev. Letts 120, 265503
- Turneure, S.J., Sharma, S.M. & Gupta, Y.M., 2018. Nanosecond melting and recrystallization in shock-compressed silicon. Phys. Rev. Letts 121, 135701

- Tuttle, L., Schmitt, R., Kittell, D. & Harstad, E., 2018. Evaluation of XHVRB for capturing shock desensitization. AIP Conf. Proc. 1979, 100044
- Tyupanova, O., Nadezhin, S., Duday, P. & Ivanovsky, A., 2018. Numerical analysis of damage kinetics in aluminium under axisymmetric loading. EPJ Web Conferences 183, 01066
- Ullas, A.V., Sharma, P.K., Chandel, P., Sharma, P., Kumar, D. & Roy, P.K., 2018. Epoxy-glass microballoon syntactic foams for blast mitigating applications. Defence Sci. J. 68, 210-217
- Ushnurtsev, A.E., Shilkin, N.S., Utkin, A.V. & Mintsev, V.B., 2018. Exploding wires initiation of nitromethane sensitized by diethylenetriamine. J. Phys. Conf. Ser. 946, 012060
- Utkin, A.V. & Mochalova, V.M., 2018. Shock wave and detonation properties of pressed hydrazine nitrate. Propell. Explos. Pyrotech. 43, 552-558
- Utkin, A.V. & Mochalova, V.M., 2018. Non-classical detonation regimes of liquid high explosives. J. Phys. Conf. Ser. 946, 012056
- Utkin, P.S. & Fortova, S.V., 2018. Mathematical modeling of impact of two metal plates using two-fluid approach. J. Phys. Conf. Ser. 946, 012047
- Valisetty, R., Rajendran, A., Dongare, A. & Namburu, R., 2018. An atomistic study of the effect of microstructure on the HEL evolution in a nanocrystalline aluminum. AIP Conf. Proc. 1979, 060010
- Valisetty, R., Rajendran, A., Agarwal, G., Dongare, A., Ianni, J. & Namburu, R., 2018. High performance computing (HPC) simulations of shock front evolution for a study of the shock precursor decay in a submicron thick nanocrystalline aluminum. Model. Simul. Mater. Sci. Engng 26, 055008
- Van Loon, S., Van Alphen, W., Tempere, J. & Kurkjian, H., 2018. Transition from supersonic to subsonic waves in superfluid Fermi gases. Phys. Rev. A 98, 063627
- Vandersall, K.S., DeHaven, M.R., Strickland, S.L., Tarver, C.M., Springer, H.K. & Cowan, M.R., 2018. Shock initiation experiments with ignition and growth modeling on the HMX-based explosive LX-14. AIP Conf. Proc. 1979, 100045
- Velikovich, A.L. & Giuliani, J.L., 2018. Solution of the Noh problem with an arbitrary equation of state. Phys. Rev. E 98, 013105
- Verma, H.K., Singh, P.K., Bharadwaj, A. & Sharma, V., 2018. Impact of blasting on surrounding rock mass properties. In: FragBlast 12: Proc. 12th Int. Symp. on Rock Fragmentation by Blasting, edited by Schunnesson, H. & Johansson, D., Luleå, Sweden, Luleå University of Technology, pp. 189-201
- Verschueren, V., Gurrutxaga-Lerma, B., Balint, D.S., Sutton, A.P. & Dini, D., 2018. Instabilities of high speed dislocations. Phys. Rev. Letts 121, 145502

- Veysset, D., Gutiérrez-Hernández, U., Dresselhaus-Cooper, L., De Colle, F., Kooi, S., Nelson, K.A., Quinto-Su, P.A. & Pezeril, T., 2018. Single-bubble and multibubble cavitation in water triggered by laser-driven focusing shock waves. *Phys. Rev. E* 97, 053112
- Veysset, D., Kooi, S.E., Haferssas, R., Hassani-Gangaraj, M., Islam, M., Maznev, A.A., Chemukha, Y., Zhao, X., Nakagawa, K., Martynowych, D., Zhang, X., Lomonosov, A.M., Schuh, C.A., Radovitzky, R., Pezeril, T. & Nelson, K.A., 2018. Glass fracture by focusing of laser-generated nanosecond surface acoustic waves. *Scripta mater.* 158, 42-45
- Viswanath, D.S., Ghoah, T.K. & Boddu, V.M., 2018. *Emerging Energetic Materials: Synthesis, Physicochemical, and Detonation Properties*. Berlin, Springer
- Volkov, I., Igumnov, L., Litvinchuk, S. & Vorobtsov, I., 2018. Modeling dynamic deformation and failure of thin-walled structures under explosive loading. *EPJ Web Conferences* 183, 03016
- Voorhees, T.J., Kennedy, G.B., Fredenburg, D.A. & Thadhani, N.N., 2018. Characterization of the dynamic densification behavior of cerium dioxide powders as a function of green density. *AIP Conf. Proc.* 1979, 110018
- Vorozhtsov, S. & Kudryashova, O., 2018. Pressure limits for explosive compaction of powder of aluminum-based composites. *Sci. Technol. Energ. Mater.* 79, 189-192
- Wachowski, M., Sniezek, L., Szachogluchowicz, I., Kosturek, R. & Plocinski, T., 2018. Microstructure and fatigue life of Cp-Ti/316L bimetallic joints obtained by means of explosive welding. *Bull. Polish Acad. Sci.: Tech. Sci.* 66, doi: 10.24425/bpas.2018.125940
- Wachowski, M., Kosturek, R., Galka, A. & Malek, M., 2018. The influence of the post-weld heat treatment on the microstructure and mechanical properties of niobium/non-alloy steel clad plate obtained by explosive welding. In: *Proc. 12th Int. Conf. on Intelligent Technologies in Logistics and Mechatronics Systems*, edited by Koczy, L.T., Zostautiene, D., Strikuliene, O. & Zacharoviene, E., Bologna, Italy, Editografica, pp. 279-287
- Wachowski, M., Kosturek, R., Galka, A. & Malek, M., 2018. The influence of the post-weld heat treatment on the microstructure and mechanical properties of niobium/stainless steel clad plate obtained by explosive welding. In: *Proc. 12th Int. Conf. on Intelligent Technologies in Logistics and Mechatronics Systems*, edited by Koczy, L.T., Zostautiene, D., Strikuliene, O. & Zacharoviene, E., Bologna, Italy, Editografica, pp. 289-297

- Wachowski, M., Szachogluchowicz, I., Sniezek, L., Hutsaylyuk, V. & Koperski, W., 2018. Experimental study on ballistic resistance test of AA2519/AA1050/Ti6Al4V laminate according to STANAG 4569 Level 2. In: Challenges to National Defence in Contemporary Geopolitical Situation, edited by Bekesiene, S. & Hoskova-Mayerova, S., Vilnius, Lithuania, General Jonas Zemaitis Military Academy, pp. 15-24
- Walley, S.M., 2018. The beginnings of the use of iron and steel in heavy armour. In: Metallurgical Design and Industry, edited by Kaufman, B. & Briant, C.L., New York, Springer, pp. 71-153
- Walters, D.J., Biswas, A., Lawrence, E.C., Francom, D.C., Luscher, D.J., Fredenburg, D.A., Moran, K.R., Sweeney, C.M., Sandberg, R.L., Ahrens, J.P. & Bolme, V.A., 2018. Bayesian calibration of strength parameters using hydrocode simulations of symmetric impact shock experiments of Al-5083. *J. Appl. Phys.* 124, 205105
- Wang, Y.-G., Liu, F.-S., Liu, Q.-J. & Wang, W.-P., 2018. Electrical resistivity of fluid methane multiply shock compressed to 147 GPa. *High Press. Res.* 38, 1-11
- Wang, W., Fu, Q., Zhu, M., Wang, Y., Sun, X. & Yang, S., 2018. Numerical study of the influence of backplane material on the flyer velocity driven by an electric explosion using a new two-stage dynamic model. *AIP Conf. Proc.* 1979, 150039
- Wang, G.L., Zhang, Z.H., Guo, S., Cheng, C., Jia, Y.S., Sun, Q.Z., Zou, W.K., Zhang, Z.W., Zhang, S.L., Ji, C., Feng, S.P. & Wang, M., 2018. Recent advance in isentropic compression experiments on primary test stand facility. *AIP Conf. Proc.* 1979, 160030
- Wang, Y.G., Liu, F.S. & Liu, Q.J., 2018. Resistivity behavior of hydrogen and liquid silane at high shock compression. *Physica A* 541, 89-94
- Wang, X., Xia, W., Wu, X. & Huang, C., 2018. Scaling law in laser-induced shock effects of NiTi shape memory alloy. *Metals* 8, doi: 10.3390/met8030174
- Wang, P., Zhang, J., Huang, H., Zheng, Z. & Yu, J., 2018. Shock wave speed and stress-strain relation of aluminium honeycombs under dynamic compression. *EPJ Web Conferences* 183, 01047
- Wang, G., Luo, B., Zhang, X., Cai, J., Chong, T., Zhao, J., Chen, X., Tan, F., Sun, C., Liu, C. & Wu, G., 2018. Characterizations of dynamic material properties on compact pulsed power generator CQ-4. *EPJ Web Conferences* 183, 02057
- Wang, L., Liu, A., Dai, H., Xu, F. & Min, X., 2018. Shock-induced martensite phase transformation and its effects of metastable near β Ti-5553 titanium alloy. *EPJ Web Conferences* 183, 03029
- Wang, Z., Guo, X., Zhao, D. & Zhang, Q., 2018. Shock-induced phase transition of iron studied with phase field method. *Int. J. Multiphysics* 12, 131-146

- Wang, X.J., Wu, Y.Q., Huang, F.L. & Zhang, L.S., 2018. Dynamic anisotropic response of β -HMX and α -RDX single crystals using plate impact experiments at approximate to 1GPa. *Propell. Explos. Pyrotech.* 43, 759-770
- Wang, J.X., Yin, Y. & Luo, C.W., 2018. Johnson-Holmquist-II(JH-2) constitutive model for rock materials: Parameter determination and application in tunnel smooth blasting. *Applied Sciences* 8, doi: 10.3390/app8091675
- Wang, Y.J., Leshner, C.M., Lightfoot, P.C., Pattison, E.F. & Golightly, J.P., 2018. Shock metamorphic features in mafic and ultramafic inclusions in the Sudbury Igneous Complex: Implications for their origin and impact excavation. *Geology* 46, 443-446
- Wang, Y.X., Li, X.J., Wang, X.H. & Yan, H.H., 2018. Fabrication of a thick copper-stainless steel clad plate for nuclear fusion equipment by explosive welding. *Fusion Engng Design* 137, 91-96
- Wang, J., Abe, A., Koita, T., Sun, M., Wang, Y. & Huang, C., 2018. Study of sterilization effects on marine *Vibrio* sp. using interaction of cavitation with shock wave in a narrow water chamber. *J. Appl. Phys.* 124, 213301
- Wang, Y., Han, W., Deiterding, R. & Chen, Z., 2018. Effects of disturbance on detonation initiation in hydrogen/oxygen/nitrogen mixture. *Phys. Rev. Fluids* 3, 123201
- Wang, C.T., He, Y., Ji, C., He, Y., Han, W. & Pan, X.C., 2018. Investigation on shock-induced reaction characteristics of a zirconium-based metallic glass. *Intermetallics* 93, 383-388
- Wang, T., Zhang, F., Li, X.P., Jiang, S.Y. & Feng, J.C., 2018. Interfacial evolution of explosively welded titanium/steel joint under subsequent explosive beam welding process. *J. Mater. Process. Technol.* 261, 24-30
- Wang, F., Li, Y.L., Wang, Z.B., Xu, T., Zha, W.Y. & Yang, D., 2018. Demonstration of a shock-timing experiment in a CH layer at the ShenGuang III laser facility. *Chinese Phys. Letts* 35, 055202
- Wang, Y., Sun, X.J., Jiang, H.C., Gao, Y., Guo, F., Wang, L., Zhang, Y.X. & Fu, Q.B., 2018. Investigation of electrically-heated exploding foils in reactive aluminum/nickel multilayer. *Propell. Explos. Pyrotech.* 43, 923-928
- Wang, Y.X., Ma, H.H., Shen, Z.W., Wang, B., Xue, B. & Ren, L.J., 2018. Detonation characteristics of emulsion explosives sensitized by hydrogen-storage glass microballoons. *Propell. Explos. Pyrotech.* 43, 939-947
- Weck, P.F., Cochrane, K.R., Root, S., Lane, J.M.D., Shulenburger, L., Carpenter, J.H., Sjostrom, T. & Mattsson, T.R., 2018. Shock compression of strongly correlated oxides: A liquid-regime equation of state for cerium(IV) oxide. *Phys. Rev. B* 97, 125106

- Weckert, S.A. & Resnyansky, A.D., 2018. Use of SHPB tests for incorporating a compaction constitutive equation within a two-phase model. AIP Conf. Proc. 1979, 110019
- Wedberg, R., 2018. Using underwater explosion and cylinder expansion tests to calibrate afterburn models for aluminized explosives. AIP Conf. Proc. 1979, 150040
- Wei, Y.C., Horie, Y., Molek, C., Welle, E. & Zhou, M., 2018. A computational study of the effect of grain size distribution on shock initiation of pressed HMX powder. Sci. Technol. Energ. Mater. 79, 142-145
- Wen, P., Demaske, B., Spearot, D.E. & Phillpot, S.R., 2018. Shock compression of $\text{Cu}_x\text{Zr}_{100-x}$ metallic glasses from molecular dynamics simulations. J. Mater. Sci. 53, 5719-5732
- White, L.F., Darling, J.R., Moser, D.E., Cayron, C., Barker, I., Dunlop, J. & Tait, K.T., 2018. Baddeleyite as a widespread and sensitive indicator of meteorite bombardment in planetary crusts. Geology 46, 719-722
- Whiteman, G., Higgins, D.L., Pang, B., Millett, J.C.F., Chiu, Y.-L. & Jones, I.P., 2018. Variations in hardness with position In one-dimensionally recovered shock-loaded metals. EPJ Web Conferences 183, 02013
- Whitworth, N. & Lambourn, B., 2018. A single-phase analytic equation of state for solid polyurea and polyurea aerogels. AIP Conf. Proc. 1979, 030007
- Wilde, Z., Gibson, J., Nakamoto, T., Smith, D., Tasker, D. & Trujillo, C., 2018. Probing detonator performance through radio wave emissions. AIP Conf. Proc. 1979, 160031
- Williams, R.J.R., 2018. Ejecta sources and scalings. AIP Conf. Proc. 1979, 080015
- Williams, C.L., Ligda, J., Farbaniec, L. & Krywopusk, N., 2018. On the microstructural aspects of shock-induced failure in magnesium alloys. In: Dynamic Behavior of Materials, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 115-121
- Williams, J., Howard, W.S. & Hawkins, S., 2018. An analysis of shock conditions arising from an oblique impact between two solids. Int. J. Impact Engng 116, 1-21
- Wiscons, R.K., Bellas, M.K., Bennion, J.C. & Matzger, A.J., 2018. Detonation performance of ten forms of 5,5'-dinitro-2H,2H'-3,3'-bi-1,2,4-triazole (DNBT). Cryst. Growth Design 18, 7701-7707
- Woo, J., Cha, S.W., Cho, J.Y., Kim, J.H., Roh, T., Jang, S.-G., Lee, H.-N. & Yang, H.W., 2018. Prediction of pyroshock-reduced separation nut behaviors. J. Propulsion Power 34, 1240-1255
- Wood, M.A., Kittell, D.E., Yarrington, C.D. & Thompson, A.P., 2018. Multiscale modeling of shock wave localization in porous energetic material. Phys. Rev. B 97, 014109

- Wood, D.C., Appleby-Thomas, G.J., Hameed, A., Barnes, N.R., Hughes, A. & Hazell, P.J., 2018. The variance on the shock response of a carbon fibre composite due to the orientation of the weave. *J. Mater. Sci.* 53, 11415–11425
- Wood, J.C., Chapman, D.J., Poder, K., Lopes, N.C., Rutherford, M.E., Whites, T.G., Albert, F., Behm, K.T., Booth, N., Bryant, J.S.J., Foster, P.S., Glanzer, S., Hill, E., Krushelnick, K., Najmudin, Z., Pollock, B.B., Rose, S., Schumaker, W., Scott, R.H.H., Sherlock, M., Thomas, A.G.R., Zhao, Z., Eakins, D.E. & Mangles, S.P.D., 2018. Ultrafast imaging of laser driven shock waves using betatron X-rays from a laser wakefield accelerator. *Scientific Reports* 8, doi: 10.1038/s41598-018-29347-0
- Wu, B., Wu, F.-C., Zhu, Y.-B., Wang, P., He, A.-M. & Wu, H.-A., 2018. Molecular dynamics simulations of ejecta production from sinusoidal tin surfaces under supported and unsupported shocks. *AIP Advances* 8, 045002
- Wu, J., Wu, H., Tan, H.W.A. & Chew, S.H., 2018. *Multi-Layer Pavement System under Blast Load*. New York, Springer
- Wu, J., Wu, H., Tan, H.W.A. & Chew, S.H., 2018. Development of new multi-layer pavement system subjected to blast load: Full scale field blast trial. In: *Multi-Layer Pavement System under Blast Load*, publ. New York, Springer, pp. 53-91
- Wu, J., Wu, H., Tan, H.W.A. & Chew, S.H., 2018. Numerical modeling of pavement slab subjected to blast loading. In: *Multi-Layer Pavement System under Blast Load*, publ. New York, Springer, pp. 109-205
- Wu, J., Wu, H., Tan, H.W.A. & Chew, S.H., 2018. Conclusions and recommendations. In: *Multi-Layer Pavement System under Blast Load*, publ. New York, Springer, pp. 207-213
- Wu, Y., Liu, G., Gao, Z., He, H. & Deng, J., 2018. Dynamic dielectric properties of the ferroelectric ceramic $\text{Pb}(\text{Zr}_{0.95}\text{Ti}_{0.05})\text{O}_3$ in shock compression under high electrical fields. *J. Appl. Phys.* 123, 244102
- Wu, Y.K., Lu, J.Y., Tan, S., Jiang, F. & Sun, J., 2018. Modified implementation strategy in explosive welding for joining between precipitate-hardened alloys. *J. Manufacturing Processes* 36, 417-425
- Xi, F., Jin, K., Geng, H., Li, Y., Tan, Y., Li, J., Zhang, Y., Zhang, L., Cai, L. & Sun, Y., 2018. Accurate Hugoniot and sound velocities of bismuth under shock compression in the 38-100 GPa range. *AIP Advances* 8, 015023
- Xiang, G. & Wang, B., 2018. Numerical investigation on the interaction of planar shock wave with an initial ellipsoidal bubble in liquid medium. *AIP Advances* 8, 075128
- Xiang, M.Z., Liao, Y., Wang, K., Lu, G. & Chen, J., 2018. Shock-induced plasticity in semi-coherent {111} copper-nickel multilayers. *Int. J. Plast.* 103, 23-38
- Xie, M.-X., Shang, X.-T., Zhang, L.-J., Bai, Q.-L. & Xu, T.-T., 2018. Interface characteristic of explosive-welded and hot-rolled TA1/X65 bimetallic plate. *Metals* 8, doi: 10.3390/met8030159

- Xie, W.B., Zhang, W., Guo, L.C., Gao, Y.B., Li, D.C. & Jiang, X.W., 2018. The shock and spallation behavior of a carbon fiber reinforced polymer composite. *Composites B* 153, 176-183
- Xu, Y., 2018. Effect of boron coated with ammonium perchlorate on the underwater explosion performance of RDX-based explosive. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 352-356
- Xu, Z., Liu, Y. & Huang, F., 2018. Experimental study on counterintuitive behavior of thin aluminium plates under free airblast loading. *EPJ Web Conferences* 183, 02059
- Xue, Q., Jiang, S., Wang, Z., Wang, F., Zhao, X. & Ding, Y., 2018. Laser pulse shape design for laser-indirect-driven quasi-isentropic compression experiments. *AIP Advances* 8, 025202
- Xue, S.J., Liu, H.J., Zhou, L.X., Yang, W.D., Hu, H.B. & Yan, Y., 2018. Experimental research on rotating detonation with liquid hypergolic propellants. *Chinese J. Aeronautics* 31, 2199-2205
- Xue, Q.X., Jiang, S.E., Wang, Z.B., Wang, F., Zhao, X.Q., Yi, A.P., Ding, Y.K. & Liu, J.R., 2018. Progress of laser-driven quasi-isentropic compression study performed on SHENGUANG III prototype laser facility (in Chinese). *Acta Phys. Sinica* 67, 045202
- Yakushev, V.V., Ananov, S.Y., Utkin, A.V., Zhukov, A.N. & Dolgoborodov, A.Y., 2018. Shock compressibility of mixtures of micro- and nano-sized nickel and aluminum powders. *Combust. Explos. Shock Waves* 54, 552-557
- Yamamoto, H., Takayama, K. & Shimokawa, H., 2018. Equation of state of pure water, aqueous solutions of sodium chloride, gelatin gel, and glucose syrup. In: *Shock Wave Interactions*, edited by Kontis, K., Berlin, Springer, pp. 83-93
- Yan, X.R., Li, X.J., Wang, W.H. & Yan, H.H., 2018. Synthesis of alumina-bonded polycrystalline diamond by detonation. *Ceram. Int.* 44, 2635-2642
- Yang, S.Y. & Bao, J.W., 2018. Microstructure and properties of 5083 Al/1060 Al/AZ31 composite plate fabricated by explosive welding. *J. Mater. Engng Perform.* 27, 1177-1184
- Yang, X., Zeng, X.G., Pu, C.J., Chen, W.J., Chen, H.Y. & Wang, F., 2018. Molecular dynamics modeling of the Hugoniot states of aluminum. *AIP Advances* 8, 105212
- Yang, Y., Wang, C., Chen, X.Z., Hu, H.B., Chen, K.G. & Fu, Y.N., 2018. Effects of the phase interface on spallation damage nucleation and evolution in multiphase alloy. *J. Alloys Compounds* 740, 321-329
- Yang, W.W., Cao, X.Q., Wang, L.F., Chen, Z.Q., Wang, W.X. & Wang, D.Y., 2018. Microstructure and mechanical properties of AA6061/AZ31B/AA6061

- composite plates fabricated by vertical explosive welding and subsequent hot rolling. *Amer. J. Materials* 21, doi: 10.1590/1980-5373-MR-2018-0350
- Yang, X., Shi, C.G., Ge, Y.H. & Sabuj, M.N.H., 2018. Comparison of microstructure and mechanical properties of titanium/steel composite plates by two manufacturing processes. *J. Iron Steel Res. Int.* 25, 347-356
- Yang, X.R., Ma, L.F., Liu, G.M., Zhao, G.H. & Jiang, Z.Y., 2018. Influence of hot rolling on microstructure and mechanical characteristics of explosive-welded FSS/CS laminate. *J. Iron Steel Res. Int.* 25, 572-579
- Yang, M., Ma, H.H. & Shen, Z.W., 2018. Study on self-restrained explosive welding with high energy efficiency. *Int. J. Advanced Manufacturing Technology* 99, 3123-3132
- Yanuka, D., Rososhek, A., Theocharous, S., Bland, S.N., Krasik, Y.E., Olbinado, M.P. & Rack, A., 2018. Multi frame synchrotron radiography of pulsed power driven underwater single wire explosions. *J. Appl. Phys.* 124, 153301
- Yao, Z., Wang, Z., Wang, C. & Lv, J., 2018. A fast estimation of shock wave pressure based on trend identification. *Meas. Sci. Technol.* 29, 045001
- Yao, Y., Chai, H.W., Li, C., Bie, B.X., Xiao, X.H., Huang, J.Y., Qi, M.L. & Luo, S.N., 2018. Deformation and damage of sintered low-porosity aluminum under planar impact: Microstructures and mechanisms. *J. Mater. Sci.* 53, 4582-4597
- Yao, Z., Wang, Z., Wang, C. & Lv, J., 2018. A fast estimation of shock wave pressure based on trend identification. *Meas. Sci. Technol.* 29, 045001
- Yarrington, C.D., Tappan, A.S., Specht, P.E. & Knepper, R., 2018. Quasi-isentropic compression of vapor-deposited hexanitroazobenzene (HNAB): Experiments and analysis. *AIP Conf. Proc.* 1979, 150042
- Yarrington, C.D., Wixom, R.R. & Damm, D.L., 2018. Shock interactions with heterogeneous energetic materials. *J. Appl. Phys.* 123, 105901
- Yoo, S. & Stewart, D.S., 2018. DSD-informed calibration of constitutive models for hydrodynamic simulation of explosives. *AIP Conf. Proc.* 1979, 100047
- Yorke, C.E., Howard, A.D., Burnett, S.C., Honnell, K.G., Ramsey, S.D. & Singleton Jr., R.L., 2018. Extension of the planar Noh problem to aluminum, iron, copper, and tungsten. *AIP Conf. Proc.* 1979, 140006
- Young, G., Liu, X., Leng, C., Yang, J. & Huang, H., 2018. Refractive index of [100] lithium fluoride under shock pressures up to 151 GPa. *AIP Advances* 8, 125310
- Yu, Y., Li, C., Ma, H.H., Qi, M.L. & Luo, S.N., 2018. Deformation and spallation of explosive welded steels under gas gun shock loading. *Chinese Phys. Letts* 35, 018101
- Yunoshev, A.S., Plastinin, A.V., Rafeichik, S.I. & Voronin, M.S., 2018. Acceleration ability of emulsion explosives. *Combust. Explos. Shock Waves* 54, 496-501

- Zaghloul, M.R., 2018. Critical parameters, thermodynamic functions, and shock Hugoniot of aluminum fluid at high energy density. *High Energy Density Phys.* 26, 8-15
- Zakuskin, A.S., Popov, A.M., Zorov, N.B. & Labutin, T.A., 2018. Confinement of laser plasma by shock waves for increasing signal intensity in spectrochemical determination of trace elements in ores. *Tech. Phys. Letts* 44, 73-76
- Zaretsky, E.B. & Kanel, G.I., 2018. Abnormal temperature effects on the dynamic yield stress of alpha-brass. *J. Appl. Phys.* 124, 045902
- Zaretsky, E.B., 2018. Comment on 'The α - γ - ϵ triple point and phase boundaries of iron under shock compression'. *J. Appl. Phys.* 123, 126101
- Zaug, J.M., Austin, R.A., Armstrong, M.R., Crowhurst, J.C., Goldman, N., Ferranti, L., Saw, C.K., Swan, R.A., Gross, R. & Fried, L.E., 2018. Ultrafast dynamic response of single-crystal β -HMX. *J. Appl. Phys.* 123, 205902
- Zhan, D., Li, Z., Yang, J., Zhu, Y. & Yang, J., 2018. A contraction channel design for planar shock wave enhancement. *Rev. Sci. Instrum.* 89, 056104
- Zhang, X., Wang, K., Zhu, W., Chen, J., Cai, M., Xiao, S., Deng, H. & Hu, W., 2018. Effect of grain boundaries on shock-induced phase transformation in iron bicrystals. *J. Appl. Phys.* 123, 045105
- Zhang, Z., Nian, Q., Dumanidis, C.C. & Liao, Y., 2018. First-principles modeling of laser-matter interaction and plasma dynamics in nanosecond pulsed laser shock processing. *J. Appl. Phys.* 123, 054901
- Zhang, T.T., Wang, W.X., Zhou, J., Cao, X.Q., Yan, Z.F., Wei, Y. & Zhang, W., 2018. Investigation of interface bonding mechanism of an explosively welded tri-metal titanium/aluminum/magnesium plate by nanoindentation. *JOM* 70, 504-509
- Zhang, X., Luo, B., Wu, G., Wang, G., Tan, F., Tan, F., Zhao, J. & Sun, C., 2018. Yield behavior of polystyrene at strain rate 10^6 s^{-1} under quasi-isentropic compression. *Mech. Mater.* 124, 1-6
- Zhang, F., Liu, Y., He, H. & Feng, N., 2018. Electrical response of KNN lead-free ferroelectric ceramics under shock compression. *AIP Conf. Proc.* 1979, 060012
- Zhang, N.B., Cai, Y., Yao, X.H., Zhou, X.M., Li, Y.Y., Song, C.J., Qin, X.Y. & Luo, S.N., 2018. Spin transition of ferropicriase under shock compression. *AIP Advances* 8, 075028
- Zhang, X., Wang, G., Luo, B., Tan, F., Bland, S.N., Zhao, J., Sun, C. & Liu, C., 2018. Refractive index and polarizability of polystyrene under shock compression. *J. Mater. Sci.* 53, 12628-12640
- Zhang, T.T., Wang, W.X., Zhang, W., Wei, Y., Cao, X.Q., Yan, Z.F. & Zhou, J., 2018. Microstructure evolution and mechanical properties of an AA6061/AZ31B alloy plate fabricated by explosive welding. *J. Alloys Compounds* 735, 1759-1768

- Zhang, Y., Xue, C., Ding, N., Liu, H.F., Song, H.F., Zhang, Z.H., Wang, G.L., Sun, S.K., Ning, C., Dai, Z.H. & Shi, X.J., 2018. One-dimensional magneto-hydrodynamic simulation of the magnetic drive isentropic compression experiments on primary test stand (in Chinese). *Acta Phys. Sinica* 67, 030702
- Zhang, J.Z., Vogel, S., Brown, D., Clausen, B. & Hackenberg, R., 2018. Equation of state, phase stability, and phase transformations of uranium-6 wt. % niobium under high pressure and temperature. *J. Appl. Phys.* 123, 175103
- Zhang, S., Militzer, B., Gregor, M.C., Caspersen, K., Yang, L.H., Gaffney, J., Ogitsu, T., Swift, D., Lazicki, A., Erskine, D., London, R.A., Celliers, P.M., Nilsen, J., Sterne, P.A. & Whitley, H.D., 2018. Theoretical and experimental investigation of the equation of state of boron plasmas. *Phys. Rev. E* 98, 023205
- Zhang, T., Zhao, J.B., Gao, Z.P., Wu, X., He, H.L. & Gu, Y., 2018. Shock initiation of the TATB-based explosive JBO-9021 measured with a photon Doppler velocimeter. *Propell. Explos. Pyrotech.* 43, 1227-1235
- Zhang, K., Tang, W.H. & Fu, K.K., 2018. Modeling of dynamic behavior of carbon fiber-reinforced polymer (CFRP) composite under X-ray radiation. *Materials* 11, doi: 10.3390/ma11010143
- Zhang, Q.M., Gong, L.F., Ma, Y.F., Long, R.R. & Gong, Z.Z., 2018. The electromagnetic properties of plasma produced by hypervelocity impact. *Phys. Plasmas* 25, 022906
- Zhang, Y.J., Sekine, T., Lin, J.F., He, H.L., Liu, F.S., Zhang, M.J., Sato, T., Zhu, W.J. & Yu, Y., 2018. Shock compression and melting of an Fe-Ni-Si alloy: Implications for the temperature profile of the Earth's core and the heat flux across the core-mantle boundary. *J. Geophys. Res.: Solid Earth* 123, 1314-1327
- Zhang, X.Q., Chen, X.R., Kaliampurthi, S., Selvaraj, G., Ji, G.F. & Wei, D.Q., 2018. Initial decomposition of the co-crystal of CL-20/TNT: Sensitivity decrease under shock loading. *J. Phys. Chem. C* 122, 24270-24278
- Zhang, W., Wu, Q., Zou, L., Zheng, X., Li, X., Luo, X. & Ding, J., 2018. Mach number effect on the instability of a planar interface subjected to a rippled shock. *Phys. Rev. E* 98, 043105
- Zhang, F., Ren, Y., Ning, S.C., Tian, Y., Hu, W.W., Tan, C.W., Fujita, T., Hirata, A. & Chen, M.W., 2018. Deformation behaviour of 18R long-period stacking ordered structure in an Mg-Zn-Y alloy under shock loading. *Intermetallics* 102, 21-25
- Zhang, G.D., Zhao, Y.L., Zhao, Y., Wang, X.C., Wei, X.Y., Ren, W., Li, H. & Zhao, Y., 2018. A manganin thin film ultra-high pressure sensor for microscale detonation pressure measurement. *Sensors* 18, doi: 10.3390/s18030736
- Zhang, H., Jiao, K.X., Zhang, J.L. & Li, J.P., 2018. Microstructure and mechanical properties investigations of copper-steel composite fabricated by explosive welding. *Mater. Sci. Engng A* 731, 278-287

- Zhang, H., Jiao, K.X., Zhang, J.L. & Liu, J.P., 2018. Experimental and numerical investigations of interface characteristics of copper/steel composite prepared by explosive welding. *Mater. Design* 154, 140-152
- Zhang, Z.L., Feng, D.L. & Liu, M.B., 2018. Investigation of explosive welding through whole process modeling using a density adaptive SPH method. *J. Manuf. Process.* 35, 169-189
- Zhao, X., 2018. Experimental studies on vertical detonation characteristic of strip-shaped transfer charge. In: *Proc. 21st Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 382-390
- Zhao, S., Kad, B., Hahn, E., Chen, L., Opachi, Y., More, K., Remington, B., Wehrenberg, C., LaSalvia, J., Yang, W., Quan, H. & Meyers, M., 2018. Shock-induced amorphization in covalently-bonded solids. *EPJ Web Conferences* 183, 03027
- Zhernokletov, M.V., Raevskii, V.A., Manachkin, S.F., Davydov, N.B., Panov, K.N., Ryzhkov, A.V., Arinin, V.A., Tkachenko, B.I., Logvinov, A.I., Komrakov, V.A., Davydov, A.I. & Anashkin, N.N., 2018. Experiments on quasi-isentropic compression of deuterium and helium to extreme pressures of ≈ 3000 GPa. *Combust. Explos. Shock Waves* 54, 522-526
- Zhou, X., Miao, Y.-R., Banlusan, K., Shaw, W.L., Strachan, A.H., Suslick, K.S. & Dlott, D.D., 2018. Shock wave dissipation by metal organic framework. *AIP Conf. Proc.* 1979, 150043
- Zhou, N., Wang, J.X., Tang, S.Z., Tao, Q.C. & Wang, M.X., 2018. Study on the failure and energy absorption mechanism of multilayer explosively-welded plates impacted by spherical fragments. *Mech. Compos. Mater.* 53, 809-820
- Zhou, Y., Ji, C., Long, Y., Yu, Y., Li, Y. & Wang, T., 2018. Experimental studies on the deformation and damage of steel cylindrical shells subjected to double-explosion loadings. *Thin-Walled Structures* 127, 469-482
- Zhou, X., Li, L.Q., Dlott, D.D. & Prezhdov, O.V., 2018. Molecular photophysics under shock compression: Ab initio nonadiabatic molecular dynamics of rhodamine dye. *J. Phys. Chem. C* 122, 13600-13607
- Zhou, T.T., Zybin, S.V., Goddard, W.A., Cheng, T., Naserifar, S., Jaramillo-Botero, A. & Huang, F.L., 2018. Predicted detonation properties at the Chapman-Jouguet state for proposed energetic materials (MTO and MTO3N) from combined ReaxFF and quantum mechanics reactive dynamics. *Phys. Chem. Chem. Phys.* 20, 3953-3969
- Zhou, Y., Irifune, T., Ohfuji, H. & Kuribayashi, T., 2018. New high-pressure forms of Al_2SiO_5 . *Geophys. Res. Letts* 45, 8167-8172
- Zhou, G., Ma, H.H., Shen, Z.W. & Li, L., 2018. Application of a new cleaner emulsion-explosive formula: Copper/aluminum parallel plates explosive welding. *Propell. Explos. Pyrotech.* 43, 1041-1047

- Zhou, F., Liu, N. & Zhang, X.Y., 2018. Numerical study of hydrogen-oxygen flame acceleration and deflagration to detonation transition in combustion light gas gun. *Int. J. Hydrogen Energy* 43, 5405-5414
- Zhu, P., Chen, K., Xu, C., Zhao, S.F., Shen, R.Q. & Ye, Y.H., 2018. Development of a monolithic micro chip exploding foil initiator based on low temperature co-fired ceramic. *Sensors Actuators A* 276, 278-283
- Zhukov, A.N., Yakushev, V.A., Ananov, S.Y., Dobrygin, V.V. & Dolgoborodov, A.Y., 2018. Investigation of nickel aluminide formed due to shock loading of aluminum-nickel mixtures in flat recovery ampoules. *Combust. Explos. Shock Waves* 54, 64-71
- Zlobin, B.S., Kiselev, V.V., Shterzer, A.A. & Plastinin, A.V., 2018. Use of emulsion explosives in experimental studies of flows in the bonding zone in explosive welding. *Combust. Explos. Shock Waves* 54, 231-237
- Zuanetti, B., McGrane, S.D., Bolme, C.A. & Prakash, V., 2018. Measurement of elastic precursor decay in pre-heated aluminum films under ultra-fast laser generated shocks. *J. Appl. Phys.* 123, 195104
- Zubareva, A.N., Utkin, A.V. & Lavrov, V.V., 2018. Shock wave properties of inert and chemically active porous media. *Combust. Explos. Shock Waves* 54, 541-551
- Zubelewicz, A., 2018. Metal behavior in the extreme of dynamics. *Scientific Reports* 8, doi: 10.1038/s41598-018-23566-1
- Zylstra, A.B., Yi, S.A., MacLaren, S., Kline, J., Kyrala, G., Ralph, J.E., Bae, J., Batha, S., Callahan, D., Flippo, K., Huang, H., Hurricane, O., Khan, S.F., Kabadi, N., Kong, C., Kot, L.B., Lahmann, B., Loomis, E.N., Masse, L.P., Millot, M., Moore, A., Nikroo, A., Perry, T.S., Rice, N., Salmonson, J., Shah, R., Sio, H., Stadermann, M., Strozzi, D.J., Tipton, R. & Xu, H., 2018. Beryllium capsule implosions at a case-to-capsule ratio of 3.7 on the National Ignition Facility. *Phys. Plasmas* 25, 102704