

Shock Physics Papers 2019

- Agu, H.O., Hameed, A., Appleby-Thomas, G.J. & Wood, D.C., 2019. The dynamic response of dense three-dimensionally printed polylactic acid. *J. Dyn. Behav. Mater.* 5, 377-386
- Agu, H.O., Hameed, A. & Appleby-Thomas, G.J., 2019. Comparison of the microstructure of machined and laser sintered shaped charge liner in the hydrodynamic regime. *J. Dyn. Behav. Mater.* 5, 484-494
- Akin, M.C., Crum, R.S., Forien, J.-B. & Chau, R., 2019. Estimating sample heterogeneity and expected scatter due to cracking in packed powder samples using a two-phase model. *J. Dyn. Behav. Mater.* 5, 8-12
- Akin, M.C., Nguyen, J.H., Beckwith, M.A., Chau, R., Ambrose, W.P., Fatyanov, O.V., Asimow, P.D. & Holmes, N.C., 2019. Tantalum sound velocity under shock compression. *J. Appl. Phys.* 125, 145903
- Anastacio, A.C., Selesovsky, J., Kunzel, M., Kucera, J. & Pachman, J., 2019. Detonation parameters of PISEM plastic explosive. *Central Eur. J. Energ. Mater.* 16, 487-503
- Andriyakhina, Y.S., Karzova, M.M., Yuldashev, P.V. & Khokhlova, V.A., 2019. Accelerated thermal ablation of biological tissue volumes using HIFU beams with shock fronts. *Acoust. Phys.* 65, 141-150
- Andriyash, A.V., Arinin, V.A., Dyachkov, S.A., Karpenko, G.Y., Kovaldov, V.V., Korotaev, P.Y., Kuratov, S.E., Medin, S.A., Mikhailov, A.L., Murzov, S.A., Nefedov, A.V., Panov, K.N., Parshikov, A.N., Sogrin, S.Y., Yanilkin, A.V. & Zhakhovsky, V.V., 2019. Long-term evolution of spherical shell with boron carbide layer after explosive compression. *J. Appl. Phys.* 126, 085903
- Anfinogenova, Y. & Anfinogenov, J., 2019. Challenges of identifying putative planetary-origin meteorites of non-igneous material. *Geoscience Frontiers* 10, 1879-1890
- Anisimov, A.G. & Mali, V.I., 2019. Magnetic pulse welding of different metal sheets. *Materials Today Proceedings* 16, 151-155
- Antonelli, L., Barbato, F., Mancelli, D., Trela, J., Zeraouli, G., Boutoux, G., Neumayer, P., Atzeni, S., Schiavi, A., Volpe, L., Bagnoud, V., Brabetz, C., Zielbauer, B., Bradford, P., Woolsey, N., Borm, B. & Batani, D., 2019. X-ray phase-contrast imaging for laser-induced shock waves. *Europhys. Letts* 125, 35002
- Apazidis, N. & Eliasson, V., 2019. Shock Focusing Phenomena: High Energy Density Phenomena and Dynamics of Converging Shocks. New York, Springer
- Apazidis, N. & Eliasson, V., 2019. Shock waves and blast waves. In: Shock Focusing Phenomena: High Energy Density Phenomena and Dynamics of Converging Shocks, publ. New York, Springer, pp. 9-34

- Apazidis, N. & Eliasson, V., 2019. Converging shocks. In: Shock Focusing Phenomena: High Energy Density Phenomena and Dynamics of Converging Shocks, publ. New York, Springer, pp. 35-143
- Apazidis, N. & Eliasson, V., 2019. Shock focusing in nature and medicine. In: Shock Focusing Phenomena: High Energy Density Phenomena and Dynamics of Converging Shocks, publ. New York, Springer, pp. 145-158
- Apazidis, N. & Eliasson, V., 2019. Shock Focusing Phenomena: High Energy Density Phenomena and Dynamics of Converging Shocks. New York, Springer
- Araos, M. & Onederra, I., 2019. Preliminary detonation study of dry, wet and aluminised ANFO using high-speed video. *Central Eur. J. Energ. Mater.* 16, 228-244
- Astachov, A.M., Antishin, D.V. & Tamashkov, V.O., 2019. On the calculated detonation parameters of some oxygen-free explosives. In: Proc. 22nd Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 291-299
- Aubert, B., 2019. Comportement de matériaux carbonés sous sollicitations dynamiques intenses: Analogie entre irradiations laser et impacts hypervéloces. PhD thesis, Univ. of Arts et Métiers ParisTech
- Bai, Z.L., Duan, Z.P., Liu, H.Q., Cai, J.T., Ou, Z.C., Wang, G.J. & Huang, F.L., 2019. Initiation and detonation growth characteristics of polymer bonded explosives under ramp-wave loadings. *J. Appl. Phys.* 125, 155901
- Bai, Z.L., Duan, Z.P., Wen, L.J., Zhang, Z.Y., Ou, Z.C. & Huang, F.L., 2019. Shock initiation of multi-component insensitive PBX explosives: Experiments and MC-DZK mesoscopic reaction rate model. *J. Hazard. Mater.* 369, 62-69
- Balagansky, I.A., Bataev, A.A. & Bataev, I.A., 2019. Explosion Systems with Inert High-Modulus Components: Increasing the Efficiency of Blast Technologies and Their Applications. New York, Wiley
- Banerjee, B. & Brannon, R., 2019. Continuum modeling of partially saturated soils. In: Shock Phenomena in Granular and Porous Materials, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 63-100
- Barmore, L.M. & Knudson, M.D., 2019. Mechanical and optical response of polymethylpentene under dynamic compression. *J. Appl. Phys.* 126, 185901
- Bassett, W.P., Johnson, B.P. & Dlott, D.D., 2019. Dynamic absorption in optical pyrometry of hot spots in plastic-bonded TATB. *Appl. Phys. Letts* 114, 194101
- Bassett, W.P., Johnson, B.P., Salvati, L. & Dlott, D.D., 2019. Hot-spot generation and growth in shocked PBXs studied by optical pyrometry. *J. Appl. Phys.* 125, 215904

- Bataev, I.A., Tanaka, S., Zhou, Q., Lazurenko, D.V., Jorge, A.M., Bataev, A.A., Hokamoto, K., Mori, A. & Chen, P., 2019. Towards better understanding of explosive welding by combination of numerical simulation and experimental study. *Mater. Design* 169, 107649
- Batsanov, S.S., 2019. Determination of thermal expansion coefficients in shocked compounds. *J. Phys. D: Appl. Phys.* 52, 265301
- Beganovic, O., Hadzalic, M. & Kesic, S., 2019. Influence of warm rolling and heat treatment in the alpha-gamma area of a three-layer strip on the appearance of ears during cup deep drawing. *Materiali in Tehnologije* 53, 251-255
- Berryman, E.J., Winey, J.M., Gupta, Y.M. & Duffy, T.S., 2019. Sound velocities in shock-synthesized stishovite to 72 GPa. *Geophys. Res. Letts* 46, 13695-13703
- Bertin, N., Aubry, S., Arsenlis, A. & Cai, W., 2019. GPU-accelerated dislocation dynamics using subcycling time-integration. *Model. Simul. Mater. Sci. Engng* 27, 075014
- Biryukova, M.A., Petrov, D.V., Garmashev, A.Y., Muzyrya, A.K., Kovalev, Y.M., Smirnov, E.B. & Badretdinova, L.K., 2019. Equation of state of TATB based on static and dynamic experiments. *Combust. Explos. Shock Waves* 55, 418-425
- Bivol, G.Y., Volodin, V.V., Zhilin, Y.V. & Bocharnikov, V.M., 2019. Efficiency of the application of disperse materials to attenuate reflected shock waves. *High Temp.* 57, 130-132
- Blaj, G., Liang, M.N., Aquila, A.L., Willmott, P.R., Koglin, J.E., Sierra, R.G., Robinson, J.S., Boutet, S. & Stan, C.A., 2019. Generation of high-intensity ultrasound through shock propagation in liquid jets. *Phys. Rev. Fluids* 4, 043401
- Blinnikov, S.I., Ilkaev, R.I., Mochalov, M.A., Mikhailov, A.L., Iosilevskiy, I.L., Yudin, A.V., Glazyrin, S.I., Golubev, A.A., Gryaznov, V.K. & Fortova, S.V., 2019. Dynamics of supernova bounce in laboratory. *Phys. Rev. E* 99, 033102
- Bober, D.B., Lind, J. & Kumar, M., 2019. In situ observation of material flow in composite media under shock compression. *Phys. Rev. Mater.* 3, 073603
- Bolis, R., Hernandez, J.A., Recoules, V., Guarguaglini, M., Dorchies, F., Jourdain, N., Ravasio, A., Vinci, T., Brambrink, E., Ozaki, N., Bouchet, J., Remus, F., Musella, R., Mazevet, S., Hartley, N.J., Guyot, F. & Benuzzi-Mounaix, A., 2019. X-ray absorption near edge spectroscopy study of warm dense MgO. *Phys. Plasmas* 26, 112703
- Bouchet, J., Bottin, F., Recoules, V., Remus, F., Morard, G., Bolis, R.M. & Benuzzi-Mounaix, A., 2019. Ab initio calculations of the B1-B2 phase transition in MgO. *Phys. Rev. B* 99, 094113
- Bowlan, P., Powell, M., Perriot, R., Martinez, E., Kober, E.M., Cawkwell, M.J. & McGrane, S., 2019. Probing ultrafast shock-induced chemistry in liquids using broad-band mid-infrared absorption spectroscopy. *J. Chem. Phys.* 150, 204503

- Brailovsky, I., Kagan, L., Gordon, P. & Sivashinsky, G., 2019. An elementary model for fast detonations in tubular charges. *Combust. Theory Modelling* 23, 573-591
- Branch, B., Ionita, A., Patterson, B.M., Schmalzer, A., Clements, B., Mueller, A. & Dattelbaum, D.M., 2019. A comparison of shockwave dynamics in stochastic and periodic porous polymer architectures. *Polymer* 160, 325-337
- Briggs, R., Coppari, F., Gorman, M.G., Smith, R.F., Tracy, S.J., Coleman, A.L., Fernandez-Panella, A., Millot, M., Eggert, J.H. & Fratanduono, D.E., 2019. Measurement of bcc gold and melting under shock compression. *Phys. Rev. Letts* 123, 045701
- Briggs, R., Torchio, R., Sollier, A., Occelli, F., Videau, L., Kretschmar, N. & Wulff, M., 2019. Observation of the shock-induced β -tin to b.c.t.-tin transition using time-resolved X-ray diffraction. *J. Synchrotron Radiation* 26, 96-101
- Briggs, R., Gorman, M.G., Zhang, S., McGonegle, D., Coleman, A.L., Coppari, F., Morales-Silva, M.A., Smith, R.F., Wicks, J.K., Bolme, C.A., Gleason, A.E., Cunningham, E., Lee, H.J., Nagler, B., McMahon, M.I., Eggert, J.H. & Fratanduono, D.E., 2019. Coordination changes in liquid tin under shock compression determined using in situ femtosecond X-ray diffraction. *Appl. Phys. Letts* 115, 264101
- Broege, D., Fochs, S., Brent, G., Bromage, J., Dorrer, C., Earley, R.F., Guardalben, M.J., Marozas, J.A., Roides, R.G., Sethian, J., Wang, X., Weiner, D., Zweiback, J. & Zuegel, J.D., 2019. The dynamic compression sector laser: A 100-J UV laser for dynamic compression research. *Rev. Sci. Instrum.* 90, 053001
- Brown, J.L., Adams, D.P., Alexander, C.S., Wise, J.L. & Prime, M.B., 2019. Estimates of tantalum strength at ultrahigh pressures and strain rates using thin-film graded-density impactors. *Phys. Rev. B* 99, 214105
- Buelna, X., Gonzalez, D., Freund, A. & Eloranta, J., 2019. Study of shock waves and solitons in bulk superfluid helium-4. *Phys. Rev. B* 99, 144518
- Buelna, X., Gonzalez, D., Freund, A. & Eloranta, J., 2019. Study of shock waves and solitons in bulk superfluid helium-4. *Phys. Rev. B* 99, 144518
- Burakovsky, L., Luscher, D.J., Preston, D., Sjue, S. & Vaughan, D., 2019. Generalization of the unified analytic melt-shear model to multi-phase materials: Molybdenum as an example. *Crystals* 9, doi: 10.3390/cryst9020086
- Campanale, F., Mugnaioli, E., Folco, L., Gemmi, M., Lee, M.R., Daly, L. & Glass, B.P., 2019. Evidence for subsolidus quartz-coesite transformation in impact ejecta from the Australasian tektite strewn field. *Geochim. Cosmochim. Acta* 264, 105-117
- Cao, J.B., Zhang, Z.S., Guo, Y.F. & Gong, T., 2019. Inhomogeneous bonding state modeling for vibration analysis of explosive clad pipe. *Steel Composite Structures* 31, 233-242

- Cao, J.B., Zhang, Z.S. & Guo, Y.F., 2019. A finite element based state-space approach for vibration analysis of slender explosive clad pipe with partial contact defect. *Thin-Walled Structures* 145, 106359
- Cao, W., Song, Q.G., Gao, D.Y., Han, Y., Xu, S., Lu, X.J. & Guo, X.L., 2019. Detonation characteristics of an aluminized explosive added with boron and magnesium hydride. *Propell. Explos. Pyrotech.* 44, 1393-1399
- Capelle, G.A., Mance, J.G., Larson, E.D., La Lone, B.M., Stevens, G.D., Turley, W.D. & Veerer, L.R., 2019. Simultaneous Raman and pyrometric temperature measurements in shock-wave-compressed toluene. *J. Appl. Phys.* 125, 225106
- Carvalho, G.H.S.F.L., Galvao, I., Mendes, R., Leal, R.M. & Loureiro, A., 2019. Microstructure and mechanical behaviour of aluminium-carbon steel and aluminium-stainless steel clads produced with an aluminium interlayer. *Mater. Charact.* 155, 109819
- Carvalho, G.H.S.F.L., Galvao, I., Mendes, R., Leal, R.M. & Loureiro, A., 2019. Weldability of aluminium-copper in explosive welding. *Int. J. Advanced Manufacturing Technology* 103, 3211-3221
- Cawkwell, M.J. & Perriot, R., 2019. Transferable density functional tight binding for carbon, hydrogen, nitrogen, and oxygen: Application to shock compression. *J. Chem. Phys.* 150, 024107
- Chabrier, G., Mazevet, S. & Soubrian, F., 2019. A new equation of state for dense hydrogen-helium mixtures. *Astrophys. J.* 872, doi: 10.3847/1538-4357/aaf99f
- Chandrasekaran, N., Oommen, C., Kumar, V.R.S., Lukin, A.N., Abruikov, V.S. & Anufrieva, D.A., 2019. Prediction of detonation velocity and N–O composition of high energy C–H–N–O explosives by means of artificial neural networks. *Propell. Explos. Pyrotech.* 44, 579-587
- Chapman, T., Michel, P., Di Nicola, J.M.G., Berger, R.L., Whitman, P.K., Moody, J.D., Manes, K.R., Spaeth, M.I., Belyaev, M.A., Thomas, C.A. & MacGowan, B.J., 2019. Investigation and modeling of optics damage in high-power laser systems caused by light backscattered in plasma at the target. *J. Appl. Phys.* 125, 033101
- Charchuri, P., Kotegawa, S., Yamamoto, H., Ito, K., Mori, A. & Hokamoto, K., 2019. Benefits of intermediate-layer formation at the interface of niobium/copper and tantalum/copper explosive clads. *Mater. Design* 166, 107610
- Chen, Q.C., Li, Y. & Ma, T., 2019. Characterization of the super-short shock pulse generated by an exploding foil initiator. *Sensors Actuators A* 286, 91-97
- Chen, Q.C., Ma, T. & Li, Y., 2019. Parametric influences on the flyer velocity driven by electrical explosion. *Sci. Technol. Energ. Mater.* 80, 73-79
- Chen, X., Li, X.J., Wang, X.H., Yan, H.H., Li, K.B. & Zeng, X.Y., 2019. Bonding mechanism of explosive compaction-welding sintering. *J. Manuf. Process.* 46, 1-15

- Chen, J., Hahn, E.N., Dongare, A.M. & Fensin, S.J., 2019. Understanding and predicting damage and failure at grain boundaries in bcc tantalum. *J. Appl. Phys.* 126, 165902
- Chen, S., Li, Y.X., Zhang, N.B., Huang, J.W., Hou, H.M., Ye, S.J., Zhong, T., Zeng, X.L., Fan, D., Lu, L., Wang, L., Sun, T., Fezzaa, K., Zhang, Y.Y., Tang, M.X. & Luo, S.N., 2019. Capture deformation twinning in magnesium during shock compression with ultrafast synchrotron X-ray diffraction. *Phys. Rev. Letts* 123, 255501
- Chen, Q., Li, L., Zhang, Y.S. & Tian, B.L., 2019. Effects of the Atwood number on the Richtmyer-Meshkov instability in elastic-plastic media. *Phys. Rev. E* 99, 053102
- Chen, Q.C., Ma, T. & Li, Y., 2019. Sensitivity prediction of exploding foil initiator. *Propell. Explos. Pyrotech.* 44, 455-463
- Chi, L.Y., Zhang, Z.X., Aalberg, A., Yang, J. & Li, C.C., 2019. Measurement of shock pressure and shock-wave attenuation near a blast hole in rock. *Int. J. Impact Engng* 125, 27-38
- Chiao, M., 2019. A shocking ice structure. *Nature Astronomy* 3, 475
- Chitrakar, T.V., Noiseau, G.J.J., Keto, J.W., Becker, M.F. & Kovar, D., 2019. An experimental and computational study of high speed two-particle impacts of silver nanoparticles. *J. Appl. Phys.* 125, 195104
- Christopherson, A.R., Betti, R. & Lindl, J.D., 2019. Thermonuclear ignition and the onset of propagating burn in inertial fusion implosions. *Phys. Rev. E* 99, 021201
- Clay, R.C., Desjarlais, M.P. & Shulenburger, L., 2019. Deuterium Hugoniot: Pitfalls of thermodynamic sampling beyond density functional theory. *Phys. Rev. B* 100, 075103
- Clayton, J.D., 2019. *Nonlinear Elastic and Inelastic Models for Shock Compression of Crystalline Solids*. New York, Springer
- Cohen, T., 2019. Dynamic enlargement of a hole in a sheet: Crater formation and propagation of cylindrical shock waves. *J. Mech. Phys. Solids* 133, 103743
- Coleman, A.L., Gorman, M.G., Briggs, R., McGonegle, D., Bolme, C.A., Fratanduono, D.E., Smith, R.F., Galtier, E., Lee, H.J., Nagler, B., Granados, E., Collins, G.W., Eggert, J.H., Wark, J.S. & McMahon, M.I., 2019. Identification of phase transitions and metastability in dynamically compressed antimony using ultrafast X-ray diffraction. *Phys. Rev. Letts* 122, 255704
- Collins, G.S., Housen, K.R., Jutzi, M. & Nakamura, A.M., 2019. Planetary impact processes in porous materials. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 103-136
- Coppiari, F., Smith, R.F., Thorn, D.B., Rygg, J.R., Liedahl, D.A., Kraus, R.G., Lazicki, A., Millot, M. & Eggert, J.H., 2019. Optimized x-ray sources for X-ray diffraction measurements at the Omega Laser Facility. *Rev. Sci. Instrum.* 90, 125113

- Corigliano, P., Crupi, V. & Guglielmino, E., 2019. Mechanical buckling analysis of explosive welded joints used in shipbuilding. *International Shipbuilding Progress* 6, 17-34
- Cranch, G.A., Grun, J., Zulick, C., Weaver, J., Fournier, K.B., Compton, S., Dunlop, W., Walton, O., Gran, J.K. & Groethe, M., 2019. Scaled experiments on cavity confined explosions in limestone and PMMA. *J. Appl. Phys.* 126, 125901
- Crum, R.S., Homel, M.A., Pagan, D.C., Herbold, E.B., Miller, D., Lind, J., Jensen, D.J., Iverson, A.J. & Akin, M.C., 2019. In situ X-ray imaging of heterogeneity in dynamic compaction of granular media. *J. Appl. Phys.* 125, 025902
- Cui, J., Hao, H., Shi, Y.C., Zhang, X.H. & Huan, S., 2019. Volumetric properties of concrete under true triaxial dynamic compressive loadings. *ASCE J. Mater. Civil Engng* 31, 04019126
- Dattelbaum, D.M., Lang, J.M., Goodwin, P.M., Gibson, L.L., Gammel, W.P., Coe, J.D., Ticknor, C. & Leiding, J.A., 2019. Shockwave compression and dissociation of ammonia gas. *J. Chem. Phys.* 150, 024305
- Dattelbaum, D.M. & Coe, J.D., 2019. Shock-driven decomposition of polymers and polymeric foams. *Polymers* 11, doi: 10.3390/polym11030493
- Davydov, V.Y., Gubin, A.S., Tereshchenko, M.N. & Bodnaryuk, A.D., 2019. Acceleration abilities of combined explosive charges containing dispersed aluminum in a thin peripheral layer. *Combust. Explos. Shock Waves* 55, 478-482
- Deng, B.W. & Cheng, G.J., 2019. Pulsed laser modulated shock transition from liquid metal nanoparticles to mechanically and thermally robust solid-liquid patterns. *Adv. Mater.* 31, 1807811
- Derrick, J.G., Rutherford, M.E., Chapman, D.J., Davison, T.M., Duarte, J.P.P., Farbaniec, L., Bland, P.A., Eakins, D.E. & Collins, G.S., 2019. Investigating shock processes in bimodal powder compaction through modelling and experiment at the mesoscale. *Int. J. Solids Structures* 163, 211-219
- dos Santos, T., N'souglo, K.E. & Rodriguez-Martinez, J.A., 2019. Dynamic spherical cavity expansion in Gurson materials with uniform and non-uniform distributions of porosity. *Mech. Mater.* 134, 115-131
- Duchateau, G., Hu, S.X., Pineau, A., Kar, A., Chimier, B., Casner, A., Tikhonchuk, V., Goncharov, V.N., Radha, P.B. & Campbell, E.M., 2019. Modeling the solid-to-plasma transition for laser imprinting in direct-drive inertial confinement fusion. *Phys. Rev. E* 100, 033201
- Dudin, S.V., Sosikov, V.A. & Torunov, S.I., 2019. Laboratory explosive system for cylindrical compression. *Combust. Explos. Shock Waves* 55, 507-511
- Duffy, T.S. & Smith, R.F., 2019. Ultra-high pressure dynamic compression of geological materials. *Frontiers Earth Science* 7, doi: 10.3389/feart.2019.00023

- Edwards, R.J., Rothman, S.D., Vogler, T.J. & Furnish, M.D., 2019. Inferring the high-pressure strength of copper by measurement of longitudinal sound speed in a symmetric impact and release experiment. *J. Appl. Phys.* 125, 145901
- El Mir, C., Ramesh, K.T. & Richardson, D.C., 2019. A new hybrid framework for simulating hypervelocity asteroid impacts and gravitational reaccumulation. *Icarus* 321, 1013-1025
- El Rafei, M., Flaig, M., Youngs, D.L. & Thornber, B., 2019. Three-dimensional simulations of turbulent mixing in spherical implosions. *Phys. Fluids* 31, 114101
- El Ters, P. & Shehadeh, M.A., 2019. Modeling the temperature and high strain rate sensitivity in bcc iron: Atomistically informed multiscale dislocation dynamics simulations. *Int. J. Plast.* 112, 257-277
- Elango, E., Saravanan, S. & Raghukandan, K., 2019. Microstructural and mechanical properties of Al 5052-SS 316 explosive clads with different interlayer. *Mater. Res. Proc.* 13, 163-167
- Elling, V., 2019. Triple points and sign of circulation. *Phys. Fluids* 31, 126106
- Engbretsen, C., Palazotto, A. & Langer, K., 2019. Integrated finite element & optimization model for laser shock pressure impulse shape determination. *Engng Res. Express* 1, 015020
- Ermolaev, B.S., Shevchenko, A.A., Dolgoborodov, A.Y. & Maklashova, I.V., 2019. Estimating chemical conversion rates for composite explosives on the basis of experimental data on pseudo-ideal detonation. *Russ. J. Phys. Chem. B* 13, 145-155
- Errandonea, D., MacLeod, S.G., Burakovsky, L., Santamaria-Perez, D., Proctor, J.E., Cynn, H. & Mezouar, M., 2019. Melting curve and phase diagram of vanadium under high-pressure and high-temperature conditions. *Phys. Rev. B* 100, 094111
- Ershov, A.P. & Rubtsov, I.A., 2019. Detonation of low-density explosives. *Combust. Explos. Shock Waves* 55, 114-120
- Fallon, C. & McShane, G.J., 2019. Fluid-structure interactions for the air blast loading of elastomer-coated concrete. *Int. J. Solids Structures* 168, 138-152
- Fang, Z.H., Shi, C.G., Shi, H.S. & Sun, Z.R., 2019. Influence of explosive ratio on morphological and structural properties of titanium/aluminum clads. *Metals* 9, doi: 10.3390/met9020119
- Fang, Z.H., Shi, C.G., Sun, Z.R., Feng, K., Gao, L. & Shi, H., 2019. Influence of interlayer technique on microstructure and mechanical properties of titanium/aluminum cladding plate manufactured via explosive welding. *Mater. Res. Express* 6, 1065f9
- Feldgun, V.R. & Yankelevsky, D.Z., 2019. Retrieving the constitutive properties of a concrete target from a single instrumented penetration test. *Int. J. Protective Struct.* 10, 486-509

- Feng, J.R., Dai, K.D., Zhou, Q., Xie, J., Yang, R.J., Bataev, I.A. & Chen, P.W., 2019. Formation of bonding interface in explosive welding: A molecular dynamics approach. *J. Phys.: Condens. Matter* 31, 415403
- Fernández, J.C., Barnes, C.W., Mocko, M.J. & Zavorka, L., 2019. Requirements and sensitivity analysis for temporally- and spatially-resolved thermometry using neutron resonance spectroscopy. *Rev. Sci. Instrum.* 90, 094901
- Fernandez-Panella, A., Millot, M., Fratanduono, D.E., Desjarlais, M.P., Hamel, S., Marshall, M.C., Erskine, D.J., Sterne, P.A., Haan, S., Boehly, T.R., Collins, G.W., Eggert, J.H. & Celliers, P.M., 2019. Shock compression of liquid deuterium up to 1 TPa. *Phys. Rev. Letts* 122, 255702
- Fernando, P.L.N., Mohotti, D. & Remennikov, A., 2019. An innovative approach of using continuous impedance-graded metallic composite system for attenuation of stress waves. *Trans. ASME: J. Appl. Mech.* 86, 061002
- Fernando, P.L.N., Mohotti, D. & Remennikov, A., 2019. Behaviour of explosively welded impedance-graded multi-metal composite plates under near-field blast loads. *Int. J. Mech. Sci.* 163, 105124
- Fernando, P.L.N., Mohotti, D. & Remennikov, A., 2019. An innovative approach of using continuous impedance-graded metallic composite system for attenuation of stress waves. *Trans. ASME: J. Appl. Mech.* 86, 061002
- Fernando, P.L.N. & Mohotti, D., 2019. Design of an impedance-graded metallic composite system as a protective mechanism for concrete structure. *Trans. ASME: J. Appl. Mech.* 86, 094501
- Firdaouss, M., Diez, M. & Samaille, F., 2019. Manufacturing and characterization of stainless steel/CuCrZr and stainless steel/copper junction ring by explosive welding method. *Fusion Engng Design* 146, 1157-1161
- Fomin, V.M., Zvegintsev, V.I. & Braguntsov, E.Y., 2019. Analysis of energy capabilities of acceleration of massive projectiles by gas-dynamic methods. *J. Appl. Mech. Tech. Phys.* 60, 411-423
- Fraile, A., Smyth, M., Kohanoff, J. & Solovyov, A.V., 2019. First principles simulation of damage to solvated nucleotides due to shock waves. *J. Chem. Phys.* 150, 015101
- Fratanduono, D.E., Millot, M., Panella, A.F., Sterne, P.A., Collins, G.W., Hicks, D.G., Eggert, J.H., Boehly, T.R. & Celliers, P.M., 2019. Measurement of the sound speed in dense fluid deuterium along the cryogenic liquid Hugoniot. *Phys. Plasmas* 26, 012710
- Fredenburg, D.A. & Vogler, T.J., 2019. Low-pressure dynamic compression response of porous materials. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 29-62
- Fu, Y.S. & Shi, M.Z., 2019. Mechanism of nonequilibrium formation of novel interface structures in explosive welding. *J. Mater. Engng Perform.* 28, 3341-3348

- Fu, Z.J., Chen, Q.F., Li, Z.G., Tang, J., Zhang, W., Quan, W.L., Li, J.T., Zheng, J. & Gu, Y.J., 2019. Ab initio study of the structures and transport properties of warm dense nitrogen. *High Energy Density Phys.* 31, 52-58
- Fujisawa, K., Jackson, T.L. & Balachandar, S., 2019. Influence of baroclinic vorticity production on unsteady drag coefficient in shock-particle interaction. *J. Appl. Phys.* 125, 084901
- Gaffney, J.A., Brandon, S.T., Humbird, K.D., Kruse, M.K.G., Nora, R.C., Peterson, J.L. & Spears, B.K., 2019. Making inertial confinement fusion models more predictive. *Phys. Plasmas* 26, 082704
- Gañán-Calvo, A.M., 2019. Scaling laws of an exploding liquid column under an intense ultrashort X-ray pulse. *Phys. Rev. Letts* 123, 064501
- Ganino, C., Libourel, G. & Nakamura, A.M., 2019. Are hypervelocity impacts able to produce chondrule-like ejecta? *Planet. Space Sci.* 177, 104684
- Gao, Z., Peng, W., Chen, B., Redfern, S.A.T., Wang, K., Chu, B., He, Q., Sun, Y., Chen, X., Nie, H., Deng, W., Zhang, L., He, H., Wang, G. & Dong, X., 2019. Giant power output in lead-free ferroelectrics by shock-induced phase transition. *Phys. Rev. Mater.* 3, 035401
- Gao, Y.B., Yi, C.H., Zhang, W. & Deng, Y.J., 2019. Effect of TiB₂ on dynamic response of TiB₂-B₄C composites under shock wave loading. *Int. J. Appl. Ceram. Technol.* 16, 59-68
- Gao, Y.B., Yi, C.H. & Zhang, W., 2019. Experimental and analytical study of failure behavior in TiB₂-B₄C composite under shock loading. *Results in Physics* 13, 102143
- Gao, Y.B., Li, D.C., Zhang, W., Guo, Z.T., Yi, C.H. & Deng, Y.J., 2019. Constitutive modelling of the TiB₂-B₄C composite by experiments, simulation and neural network. *Int. J. Impact Engng* 132, 103310
- Gao, Z.P., Xiong, Z.W., Li, J., Lu, C.J., Zhang, G.H., Zeng, T., Ma, Y.J., Ma, G.H., Zhang, R.Z., Chen, K., Zhang, T., Liu, Y., Yang, J., Cao, L.H. & Jin, K., 2019. Enhanced thermoelectric performance of higher manganese silicides by shock-induced high-density dislocations. *J. Mater. Chem. A* 7, 3384-3390
- Gao, X., Yin, H., Chen, P.W. & Liu, J.J., 2019. Shock-induced phase transition of g-C₃N₄ to a new C₃N₄ phase. *J. Appl. Phys.* 126, 155901
- Garkushin, G.V., Savinykh, A.S., Kanel, G.I. & Razorenov, S.V., 2019. Dynamic strength of a eutectic bismuth-lead alloy in the solid and liquid states. *J. Exper. Theor. Phys.* 128, 268-273
- Garkushin, G.V., Savinykh, A.S., Razorenov, S.V. & Kanel, G.I., 2019. Influence of high-temperature annealing on the resistance to high strain rate and fracture of tantalum at temperatures of 20 and 500 °C. *Tech. Phys.* 64, 674-679

- Gerasimov, A.V., Igumnov, L.A. & Bragov, A.M., 2019. Use of advanced materials in protection against high-velocity impact and explosion. *Mater. Phys. Mech.* 42, 711-716
- Ghasemabadian, M.A., Kadkhodayan, M., Altenhof, W., Bondy, M. & Magliaro, J., 2019. An experimental study on the energy absorption characteristics of single- and bi-layer cups under quasistatic loading. *Int. J. Crashworthiness* 24, 272-285
- Gheysarian, A. & Honarpisheh, M., 2019. Process parameters optimization of the explosive-welded aluminum/copper bimetal in the incremental sheet metal forming process. *Iranian J. Sci. Technol. Trans. Mech. Engng* 43, 945-956
- Gilev, S.D., 2019. Electrical resistance of copper at high pressures and temperatures: Equilibrium model and generation of defects of the crystal structure under shock compression. *Combust. Explos. Shock Waves* 55, 620-628
- Gimaltdinov, I.K. & Kochanova, E.Y., 2019. Propagation of detonation waves in bubbly liquids in suddenly widening channels. *Acoust. Phys.* 65, 246-252
- Gladkovsky, S.V., Kuteneva, S.V. & Sergeev, S.N., 2019. Microstructure and mechanical properties of sandwich copper/steel composites produced by explosive welding. *Mater. Charact.* 154, 294-303
- Goldman, N., ed. 2019. *Computational Approaches for Chemistry Under Extreme Conditions*. New York, Springer
- Golubev, V.K. & Künzel, M., 2019. Solving the problems of detonation and combustion of different energetic materials using the Explo5 program. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 402-409
- Gorai, S. & Bhattacharya, C., 2019. Shock induced phase transition in SiC polytypes. *J. Appl. Phys.* 125, 185903
- Gorecki, M., 2019. Amélioration de la description physico-numérique de l'endommagement et de la rupture de la matière sous choc. PhD thesis, Univ. of Bretagne Loire
- Gorman, M.G., Coleman, A.L., Briggs, R., McWilliams, R.S., Hermann, A., McGonegle, D., Bolme, C.A., Gleason, A.E., Galtier, E., Lee, H.J., Granados, E., McBride, E.E., Rothman, S., Fratanduono, D.E., Smith, R.F., Collins, G.W., Eggert, J.H., Wark, J.S. & McMahon, M.I., 2019. Recovery of metastable dense bismuth synthesized by shock compression. *Appl. Phys. Letts* 114, 120601
- Grant, S. & Ao, T., 2019. The effects of surface roughness on specular diagnostics in shocked experiments. *Rev. Sci. Instrum.* 90, 096105
- Greenberg, B.A., Ivanov, M.A., Kuzmin, S.V. & Lysak, V.I., 2019. *Explosive Welding: Processes and Structures*. Boca Raton, FL, CRC Press
- Grilli, N. & Koslowski, M., 2019. The effect of crystal anisotropy and plastic response on the dynamic fracture of energetic materials. *J. Appl. Phys.* 126, 155101

- Guarguaglini, M., Hernandez, J.A., Okuchi, T., Barroso, P., Benuzzi-Mounaix, A., Bethkenhagen, M., Bolis, R., Brambrink, E., French, M., Fujimoto, Y., Kodama, R., Koenig, M., Lefevre, F., Miyanishi, K., Ozaki, N., Redmer, R., Sano, T., Umeda, Y. & Ravasio, A., 2019. Laser-driven shock compression of 'synthetic planetary mixtures' of water, ethanol, and ammonia. *Scientific Reports* 9, doi: 10.1038/s41598-019-46561-6
- Guarguaglini, M., Hernandez, J.A., Benuzzi-Mounaix, A., Bolis, R., Brambrink, E., Vinci, T. & Ravasio, A., 2019. Characterizing equation of state and optical properties of dynamically pre-compressed materials. *Phys. Plasmas* 26, 042704
- Guo, X.L., Wang, J., Ran, J.L., Zhao, L.L., Han, Y. & Cao, W., 2019. Shock initiation of nano-TATB explosives under short-duration pulses. *Propell. Explos. Pyrotech.* 44, 138-143
- Guo, X.L., Han, Y., Wen, Y.S., Tan, K.Y. & Cao, W., 2019. Experimental study on head-on collisions of detonation waves in insensitive high explosive. *Sci. Technol. Energ. Mater.* 80, 46-49
- Guo, J.F., Zeng, Q.X., Qin, G.S. & Li, M.Y., 2019. Initiation and overdriven detonation of high explosives using multipoint initiation. *Propell. Explos. Pyrotech.* 44, 423-428
- Gurevich, L.M., Shmorgun, V.G., Bogdanov, A.I., Taube, A.O. & Storozheva, E.I., 2019. Kinetics of the diffusion interaction on the 'melt - solid body' boundary in explosive welded aluminum-nickel composite. *Materials Today Proceedings* 19, 1904-1907
- Guskov, A.V., Zubashevskii, K.M., Milevskii, K.E. & Samoilenko, V.V., 2019. Effect of explosion on the mechanical properties of 110G13L steel. *Combust. Explos. Shock Waves* 55, 744-749
- Guskov, A.V., Zubashevskii, K.M., Milevskii, K.E. & Samoilenko, V.V., 2019. Effect of explosion on the mechanical properties of 110G13L steel. *Combust. Explos. Shock Waves* 55, 744-749
- Hahn, E.N. & Fensin, S.J., 2019. Influence of defects on the shock Hugoniot of tantalum. *J. Appl. Phys.* 125, 215902
- Hallajisany, M., Zamani, J., Salehi, M.S. & Vitoria, J.A., 2019. A new model for the time delay between elastic and plastic wave fronts for shock waves propagating in solids. *Shock Waves* 29, 451-469
- Hamilton, B.W., Kroonblawd, M.P., Islam, M.M. & Strachan, A., 2019. Sensitivity of the shock initiation threshold of TATB to nuclear quantum effects. *J. Phys. Chem. C* 123, 21969-21981

- Hammons, J.A., Nielsen, M.H., Bagge-Hansen, M., Bastea, S., Shaw, W.L., Lee, J.R.I., Ilaysky, J., Sinclair, N., Fezzaa, K., Lauderbach, L.M., Hodgins, R.L., Orlikowski, D.A., Fried, L.E. & Willey, T.M., 2019. Resolving detonation nanodiamond size evolution and morphology at sub-microsecond timescales during high-explosive detonations. *J. Phys. Chem. C* 123, 19153-19164
- Han, R.Y., Wu, J.W., Zhou, H.B., Zhang, Y.M. & Qiu, A.C., 2019. Parameter regulation of underwater shock waves based on exploding-wire-ignited energetic materials. *J. Appl. Phys.* 125, 153302
- Hansen, P.M., Gaathaug, A.V., Bjerketvedt, D. & Vaagsaether, K., 2019. Rapid depressurization and phase transition of CO₂ in vertical ducts: Small-scale experiments and Rankine-Hugoniot analyses. *J. Hazard. Mater.* 365, 16-25
- Hatta, A., Miyazaki, M. & Kajiro, Y., 2019. Collision behavior in magnetic pressure parallel seam welding of aluminum sheets. *Mater. Res. Proc.* 13, 47-52
- Hazell, P.J., 2019. Impact on ceramic materials. In: *Encyclopedia of Continuum Mechanics*, edited by Altenbach, H. & Öchsner, A., Berlin, Springer, pp. doi: 10.1007/978-3-662-53605-6_201-1
- He, W.H., Xi, T., Shui, M., Yu, M.H., Zhao, Y.Q., Wu, Y.C., Gu, Y.Q., Chu, G.B. & Xin, J.T., 2019. High-energy X-ray radiography investigation on the ejecta physics of laser shock-loaded tin. *AIP Advances* 9, 085002
- Heider, N., Denefeld, V. & Aurich, H., 2019. Analysis of global momentum transfer due to buried mine detonation. *Defence Technol.* 15, 821-827
- Heighway, P.G., McGonegle, D., Park, N., Higginbotham, A. & Wark, J.S., 2019. Molecular dynamics simulations of grain interactions in shock-compressed highly textured columnar nanocrystals. *Phys. Rev. Mater.* 3, 083602
- Heighway, P.G., Silwa, M., McGonegle, D., Wehrenberg, C., Bolme, C.A., Eggert, J., Higginbotham, A., Lazicki, A., Lee, H.J., Nagler, B., Park, H.-S., Rudd, R.E., Smith, R.F., Suggit, M.J., Swift, D., Tavella, F., Remington, B.A. & Wark, J.S., 2019. Nonisentropic release of a shocked solid. *Phys. Rev. Letts* 123, 245501
- Henis, Z., Eliezer, S. & Raicher, E., 2019. Collisional shock waves induced by laser radiation pressure. *Laser Particle Beams* 37, 268-275
- Hu, J.Q., Ye, X., Liu, X.M. & Chen, Z., 2019. The effects of initial void and dislocation on the onset of plasticity in copper single crystals. *J. Appl. Phys.* 126, 165104
- Hu, Q., Zhang, L. & Joshi, R.P., 2019. Numerical evaluations of membrane poration by shockwave induced multiple nanobubble collapse in presence of electric fields for transport through cells. *AIP Advances* 9, 045006
- Hu, X.J., Fei, Y.W., Yang, J., Cai, Y., Ye, S.J., Qi, M.L., Liu, F.S. & Zhang, M.L., 2019. Phase stability and thermal equation of state of iron carbide Fe₃C to 245 GPa. *Geophys. Res. Letts* 46, 11018-11024

- Hu, S.X., Epstein, R., Theobald, W., Xu, H., Huang, H., Goncharov, V.N., Regan, S.P., McKenty, P.W., Betti, R., Campbell, E.M. & Montgomery, D.S., 2019. Direct-drive double-shell implosion: A platform for burning-plasma physics studies. *Phys. Rev. E* 100, 063204
- Huang, H.J., Leng, C.W., Wang, Q.S., Young, G., Liu, X., Wu, Y., Xu, F. & Fei, T.W., 2019. Equation of state for shocked Fe-8.6 wt% Si up to 240 GPa and 4,670 K. *J. Geophys. Res.: Solid Earth* 124, 8300-8312
- Huang, X.N., Qiao, Z.Q., Dai, X.G., Zhang, K.L., Li, M., Pei, G. & Wen, Y.S., 2019. Effects of different types of defects on ignition mechanisms in shocked β -HMX crystals: A molecular dynamics study based on ReaxFF-Ig force field. *J. Appl. Phys.* 125, 195101
- Huang, Y.F., Xiong, Y.N., Li, P., Li, X.F., Xiao, S.F., Deng, H.Q., Zhu, W.J. & Hu, W.Y., 2019. Atomistic studies of shock-induced plasticity and phase transition in iron-based single crystal with edge dislocation. *Int. J. Plast.* 114, 215-226
- Hubert, S. & Boubault, F., 2019. X-ray intensity, stability, and source size characterizations for the 10 kV/5 mA water cooled upgraded Manson source at the Atomic Energy Commission for Laser MégaJoule Facility. *Rev. Sci. Instrum.* 90, 115110
- Huneault, J., Pepper, J.E., Rahmat, M., Ashrafi, B. & Petel, O.E., 2019. Spall characterization of EPON 828 epoxy with embedded carbon nanotubes. *J. Dyn. Behav. Mater.* 5, 13-23
- Huneault, J. & Higgins, A.J., 2019. Shock wave induced cavitation of silicone oils. *J. Appl. Phys.* 125, 245903
- Ichino, H. & Williamson, E.B., 2019. Use of a polyarylate-glass fiber composite textile to reduce localized blast damage in concrete plates. *Sci. Technol. Energ. Mater.* 80, 194-197
- Ichiyangi, K., Takagi, S., Kawai, N., Fukaya, R., Nozawa, S., Nakamura, K.G., Liss, K.D., Kimura, M. & Adachi, S., 2019. Microstructural deformation process of shock-compressed polycrystalline aluminum. *Scientific Reports* 9, doi: 10.1038/s41598-019-43876-2
- Iglesias, C.A., 2019. Enhanced photon ionization cross-section of shock-heated materials. *High Energy Density Phys.* 32, 14-17
- Ishii, K. & Watanabe, N., 2019. Shock wave generation by collapse of an explosive bubble in water. *Proc. Combust. Inst.* 37, 3653-3660
- Iskhakov, A.S., Melikhov, V.I., Melikhov, O.I., Yakush, S.E. & Chung, L.T., 2019. Hugoniot analysis of experimental data on steam explosion in stratified melt-coolant configuration. *Nuclear Engng Des.* 347, 151-157
- Iskhakov, A.S., Melikhov, V.I. & Melikhov, O.I., 2019. Hugoniot analysis of energetic molten lead-water interaction. *Annals Nuclear Energy* 129, 437-449

- Islam, M.M. & Strachan, A., 2019. Reactive molecular dynamics simulations to investigate the shock response of liquid nitromethane. *J. Phys. Chem. C* 123, 2613-2626
- Ivashchenko, A., Kochuev, D. & Chkalov, R., 2019. Laser-induced-electro-explosion synthesis of powder materials. *Materials Today Proceedings* 11, 465-470
- Jakubowska, K., Batani, D., Clerouin, J. & Suberchicot, B., 2019. Theoretical and experimental refraction index of shock compressed and pre-compressed water in the megabar pressure range. *Europhys. Letts* 126, 56001
- James, S.F., Allan, P., Brown, C.R.D., Hill, M.P., Hobbs, L.M.R., Kemshall, P.A. & Hoarty, D.J., 2019. A streaked parabolic crystal imaging diagnostic at the Orion laser. *Rev. Sci. Instrum.* 90, 033506
- Jana, K., Lad, A.D., Shaikh, M., Kumar, V.R., Sarkar, D., Ved, Y.M., Pasley, J., Robinson, A.P.L. & Kumar, G.R., 2019. Generation of a strong reverse shock wave in the interaction of a high-contrast high-intensity femtosecond laser pulse with a silicon target. *Appl. Phys. Letts* 114, 254103
- Javier, C., Smith, T., LeBlanc, J. & Shukla, A., 2019. Effect of prolonged ultraviolet radiation exposure on the blast response of fiber reinforced composite plates. *J. Mater. Engng Perform.* 28, 3174-3185
- Jensen, B.J., Branch, B., Cherne, F.J., Mandal, A., Montgomery, D.S., Iverson, A.J. & Carlson, C., 2019. Examining material response using X-ray phase contrast imaging. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 89-93
- Jensen, B.J., Montgomery, D.S., Iverson, A.J., Carlson, C.A., Clements, B., Short, M. & Fredenburg, D.A., 2019. X-ray phase contrast imaging of granular systems. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 195-230
- Jia, S., Liu, Q.C., Li, J., Li, J.B., Zhou, X.M., Xiang, S.K. & Wu, Q., 2019. Refractive indices of shock-induced polymorphic $Gd_3Ga_5O_{12}$ single crystals. *J. Appl. Phys.* 126, 205902
- Jiang, W., Cheng, X.W., Xiong, Z.P., Ma, Z.L., Ali, T., Cai, H.N. & Zhang, J., 2019. Static and dynamic mechanical properties of yttrium aluminum garnet (YAG). *Ceram. Int.* 45, 12256-12263
- Jiang, W., Cheng, X.W., Xiong, Z.P., Ali, T., Cai, H.N. & Zhang, J., 2019. Bimodal grain structure effect on the static and dynamic mechanical properties of transparent polycrystalline magnesium aluminate (spinel). *Ceram. Int.* 45, 20362-20367
- Johnson, W.R. & Nilsen, J., 2019. Opacity of shock-heated boron plasmas. *High Energy Density Phys.* 31, 92-98

- Jordan, J.L. & Casem, D., 2019. Error analysis for shock equation of state measurements in polymers using manganin gauges. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 1-7
- Jordan, J.L., Casem, D. & Zellner, M., 2019. Correction to 'Shock response of PMMA'. *J. Dyn. Behav. Mater.* 5, 115
- Joshi, T.R., Hsu, S.C., Hakel, P., Hoffman, N.M., Sio, H. & Mancini, R.C., 2019. Progress on observations of interspecies ion separation in inertial-confinement-fusion implosions via imaging X-ray spectroscopy. *Phys. Plasmas* 26, 062702
- Kanel, G.I., Savinykh, A.S., Garkushin, G.V. & Razorenov, S.V., 2019. Stepwise shock compression of aluminum at room and elevated temperatures. *J. Appl. Phys.* 126, 075901
- Kar, A., Boehly, T.R., Radha, P.B., Edgell, D.H., Hu, S.X., Nilson, P.M., Shvydky, A., Theobald, W., Cao, D., Anderson, K.S., Goncharov, V.N. & Regan, S.P., 2019. Simulated refraction-enhanced X-ray radiography of laser-driven shocks. *Phys. Plasmas* 26, 032705
- Karasiev, V.V., Hu, S.X., Zaghoo, M. & Boehly, T.R., 2019. Exchange-correlation thermal effects in shocked deuterium: Softening the principal Hugoniot and thermophysical properties. *Phys. Rev. B* 99, 214110
- Karkhanis, V. & Ramaprabhu, P., 2019. Ejecta velocities in twice-shocked liquid metals under extreme conditions: A hydrodynamic approach. *Matter Radiation Extremes* 4, 044402
- Kaya, Y. & Eser, G., 2019. Production of ship steel-titanium bimetallic composites through explosive cladding. *Welding World* 63, 1547-1560
- Kelly, J.P., Nguyen, J.H., Lind, J., Akin, M.C., Fix, B.J., Saw, C.K., White, E.R., Greene, W.O., Asimow, P.D. & Haslam, J.J., 2019. Application of Al-Cu-W-Ta graded density impactors in dynamic ramp compression experiments. *J. Appl. Phys.* 125, 145902
- Kerschen, N.E., Sorensen, C.J., Guo, Z.R., Mares, J.O., Fezzaa, K., Sun, T., Son, S.F. & Chen, W.W., 2019. X-ray phase contrast imaging of the impact of a single HMX particle in a polymeric matrix. *Propell. Explos. Pyrotech.* 44, 447-454
- Keshavarz, M.H. & Bagheri, V., 2019. A simple correlation for assessment of the shock wave energy in underwater detonation. *Z. anorg. allgem. Chem.* 645, 1146-1152
- Keshavarz, M.H., Bagheri, V. & Damiri, S., 2019. A simple method for reliable estimation of the bubble energy in the underwater explosion. *Z. anorg. allgem. Chem.* 645, 1402-1407

- Kettenbell, C., Mello, M., Jiao, T., Clifton, R.J. & Ravichandran, G., 2019. Pressure-shear plate impact experiments on sodalime glass at pressures beyond 20 GPa. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 163-165
- Kfoury, R., Marzban, B., Makki, E., Greenfield, M.L. & Yuan, H.Y., 2019. Effect of pressure profile of shock waves on lipid membrane deformation. *Plos One* 14, e0212566
- Khazanov, E.A., Mironov, S.Y. & Mourou, G., 2019. Nonlinear compression of high-power laser pulses: Compression after compressor approach. *Phys. Uspekhi* 62, 1096-1124
- Kim, B., Choi, S. & Yoh, J.J., 2019. Modeling the shock-induced multiple reactions in a random bed of metallic granules in an energetic material. *Combust. Flame* 210, 54-70
- Kimberley, J., Lamberson, L.E. & Mates, S., eds, 2019. *Dynamic Behavior of Materials*. New York, Springer
- Kirsch, L.E., Ali, S.J., Fratanduono, D.E., Kraus, R.G., Braun, D.G., Fernandez-Panella, A., Smith, R.F., McNaney, J.M. & Eggert, J.H., 2019. Refractive index of lithium fluoride to 900 GPa and implications for dynamic equation of state measurements. *J. Appl. Phys.* 125, 175901
- Koch, B.M.L., Jannotti, P., Mallick, D., Schuster, B., Sano, T. & Hogan, J.D., 2019. Influence of microstructure on the impact failure of alumina. *Mater. Sci. Engng A* 770, 138549
- Kohga, M., Shigi, D. & Beppu, M., 2019. Detonation properties of ammonium nitrate/nitramine-based composite propellants. *J. Energ. Mater.* 37, 309-319
- Kositski, R. & Mordehai, D., 2019. On the origin of the stress spike decay in the elastic precursor in shocked metals. *J. Appl. Phys.* 126, 085901
- Kosturek, R., Wachowski, M., Sniezek, L., Kruk, A., Torzewski, J., Grzelak, K. & Mierzynski, J., 2019. Research on the microstructure of a Ti6Al4V-AA1050 explosive-welded bimetallic joint. *Materiali in Tehnologije* 53, 109-113
- Kosturek, R., Wachowski, M., Sniezek, L. & Gloc, M., 2019. The influence of the post-weld heat treatment on the microstructure of Inconel 625/carbon steel bimetal joint obtained by explosive welding. *Metals* 9, doi: 10.3390/met9020246
- Koval, A.V., Shirinkina, I.G., Petrova, A.N., Brodova, I.G., Smirnov, E.B. & Shorokhov, E.V., 2019. Structural transformations in aluminum cylindrical shells under dynamic loading. *Combust. Explos. Shock Waves* 55, 447-455
- Kravets, V., Zakusylo, R., Sydorenko, Y., Shukurov, A., Salacinski, T. & Zakusylo, D., 2019. Regularities of the energy of formation field in the explosion of a conical charge. *Central Eur. J. Energ. Mater.* 16, 533-546

- Krokhalev, A.V., Kharlamov, V.O., Kuzmin, S.V., Lysak, V.I. & Pai, V.V., 2019. Explosive compaction of chromium carbide powders with a metallic binder. *Combust. Explos. Shock Waves* 55, 491-499
- Krygier, A., Powell, P.D., McNaney, J.M., Huntington, C.M., Prisbrey, S.T., Remington, B.A., Rudd, R.E., Swift, D.C., Wehrenberg, C.E., Arsenlis, A., Park, H.-S., Graham, P., Gumbrell, E., Hill, M.P., Comley, A.J. & Rothman, S.D., 2019. Extreme hardening of lead at high pressure and strain rate. *Phys. Rev. Letts* 123, 205701
- Kucera, J., Anastacio, A.C., Kubat, K., Kunzel, M., Selesovsky, J. & Pachman, J., 2019. Planarity of shock wave from explosive plane wave generator. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 487-494
- Kuhinek, D., Stimac, B., Hanic, A. & Cancar, L., 2019. Improvement of the method for measuring the shock tubes velocity of detonation by using a CNC machined base and oscilloscopes. In: *Proceedings of the 12th International Conference on Measurement*, edited by Manka, J., Svehlikova, J., Witkovsky, V. & Frollo, I., New York, IEEE, pp. 79-82
- Künzel, M., Vodochodsky, O., Kucera, J. & Pachman, J., 2019. Simultaneous measurement of detonation velocity and detonation front curvature using fiber optic probe. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 503-508
- Kurosawa, K., Moriwaki, R., Komatsu, G., Okamoto, T., Sakuma, H., Yabuta, H. & Matsui, T., 2019. Shock vaporization/devolatilization of evaporitic minerals, halite and gypsum, in an open system investigated by a two-stage light gas gun. *Geophys. Res. Letts* 46, 7258-7267
- Kuzmin, E.V., Lysak, V.I., Kuzmin, S.V. & Korolev, M.P., 2019. Effect of parameters of high-velocity collision on the structure and properties of joints upon explosive welding with simultaneous ultrasonication. *Phys. Metals Metallography* 120, 197-203
- La Lone, B.M., Asimow, P.D., Fatyanov, O.V., Hixson, R.S., Stevens, G.D., Turley, W.D. & Veaser, L.R., 2019. High-pressure melt curve of shock-compressed tin measured using pyrometry and reflectance techniques. *J. Appl. Phys.* 126, 225103
- Lafourcade, P., Denoual, C. & Maillet, J.B., 2019. Mesoscopic constitutive law with nonlinear elasticity and phase transformation for the twinning-buckling of TATB under dynamic loading. *Phys. Rev. Mater.* 3, 053610

- Lane, J.M.D., 2019. Shock compression of porous materials and foams using classical molecular dynamics. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 231-254
- Lanzerotti, M., Brakke, K., Allen, K. & Hartke, J., 2019. Bursting of molten steel thick films in a steel plate illuminated by a high energy laser. *Appl. Phys. Letts* 115, 043702
- Lea, L.J. & Walley, S.M., 2019. High strain rate metal plasticity. In: *Encyclopedia of Continuum Mechanics*, edited by Altenbach, H. & Öchsner, A., Berlin, Springer, pp. doi: 10.1007/978-3-662-53605-6_219-1
- LeBlanc, J., Bartyczak, S. & Edgerton, L., 2019. Mechanical characterization and numerical material modeling of polyurea. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 105-107
- Lee, S., Sen, O., Rai, N.K., Gaul, N.J., Choi, K.K. & Udaykumar, H.S., 2019. Effects of parametric uncertainty on multi-scale model predictions of shock response of a pressed energetic material. *J. Appl. Phys.* 125, 235104
- Lei, H., Li, J., Li, X., Lin, W. & Wang, K., 2019. Microscopic evolution of solid-hydrogen shells under the ultrafast dynamic compression. *Appl. Phys. Letts* 114, 101601
- Leversee, R.A., Zaug, J.M., Sain, J.D., Weir, S.T., Bastea, A., Fried, L.E. & Stavrou, E., 2019. High-pressure isothermal equation of state of composite materials: A case study of LX-17 PBX. *Appl. Phys. Letts* 115, 051902
- Li, Z., Jiang, Y., Qiu, R., Meng, J., Hu, Y., Zhang, C., Zhang, X., Cao, J., Zhao, Y. & Lü, T., 2019. Multilayer structure of ablation plume of standard geological sample irradiated by Nd:YAG nanosecond laser using shadowgraph technology. *J. Appl. Phys.* 125, 023102
- Li, Y., Zhao, Q. & Lv, Z., 2019. Fragment velocity formula for reverse detonation driving in opposite initiation. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 537-543
- Li, L., Hab, B., He, S.Y., Zhao, Z.Y., Zhang, R., Zhang, Q.C. & Lu, T.J., 2019. Shock loading simulation using density-graded metallic foam projectiles. *Mater. Design* 164, 107546
- Li, F.B., Wang, Y., Li, Z.L., Men, Z.W. & Sun, C.L., 2019. Enhanced stimulated Raman scattering by a pressure-controlled shock wave in liquid water. *J. Phys. Chem. Letts* 10, 4812-4816
- Li, H.Y., Zhao, G.H., Li, J., Ma, L.F., Huang, Q.X. & Li, Y.G., 2019. Microstructure evolution and fracture analysis of hot-rolled explosive-welded 06Cr13/Q345R composites. *Materiali in Tehnologije* 53, 297-303

- Li, X.J., Chen, X., Li, K.B., Yan, H.H. & Wang, X.H., 2019. Fabrication of tungsten-tin alloy powder and its explosive consolidation. *Rare Metal Mater. Engng* 48, 782-787
- Li, S.Y., Li, Q.S., Chen, Z.G. & Wen, J.X., 2019. Microstructure and mechanical properties of explosively welded R60702/TA2 composite plate. *Rare Metal Mater. Engng* 48, 1734-1741
- Li, G.M., Wang, Y.B., Wang, K., Xiang, M.Z. & Chen, J., 2019. Shock induced plasticity and phase transition in single crystal lead by molecular dynamics simulations. *J. Appl. Phys.* 126, 075902
- Liang, H.L., Luo, N., Li, X.J., Sun, X., Shen, T. & Ma, Z.G., 2019. Joining of $Zr_{60}Ti_{17}Cu_{12}Ni_{11}$ bulk metallic glass and aluminum 1060 by underwater explosive welding method. *J. Manuf. Process.* 45, 115-122
- Liang, X. & Wang, R.-L., 2019. Verification and validation of detonation modeling. *Defence Technol.* 15, 398-408
- Lind, J., Jensen, B.J., Barham, M. & Kumar, M., 2019. In situ dynamic compression wave behavior in additively manufactured lattice materials. *J. Mater. Res.* 34, 2-19
- Liu, H., He, Y., Li, J., Zhou, Z., Ma, Z., Liu, S. & Dong, X., 2019. ReaxFF molecular dynamics simulations of shock induced reaction initiation in TNT. *AIP Advances* 9, 015202
- Liu, Q., 2019. Mesoscale simulation of shock ignition in PBX explosives. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 152-162
- Liu, M., Du, A., Li, T., Zhang, T., Zhang, Z., Cao, G., Li, H., Chen, J. & Zhou, B., 2019. Simple deceleration mechanism confirmed in the terminal hypervelocity impacted tracks in SiO_2 aerogel. *Icarus* 317, 365-372
- Liu, B.C., Palazotto, A.N., Nassiri, A., Vivek, A. & Daehn, G.S., 2019. Experimental and numerical investigation of interfacial microstructure in fully age-hardened 15-5 PH stainless steel during impact welding. *J. Mater. Sci.* 54, 9824-9842
- Liu, H., He, Y.H., Li, J.L., Zhou, Z.X., Ma, Z.X., Liu, S. & Dong, X., 2019. ReaxFF molecular dynamics simulations of shock induced reaction initiation in TNT. *AIP Advances* 9, 015202
- Liu, H., Li, Y., Ma, Z.X., Zhou, Z.X., Li, J.L. & He, Y.H., 2019. Study on the initial decomposition mechanism of energetic co-crystal CL-20/HMX under a steady shock wave (in Chinese). *Acta Physico-Chimica Sinica* 35, 858-867
- Liu, Q.Y., Zhou, J., Zhao, Y.W., Xiong, L.C., Shi, T.L. & Long, Y.H., 2019. On the dynamic behaviors of silicon single crystal under nanosecond laser irradiation. *Comput. Mater. Sci.* 160, 420-429

- Liu, T., Zeng, Z.X., Zhang, X.H., Qiu, X.M., Cai, J. & Li, L., 2019. Performance of polyimide film under hypervelocity impact of micro flyer: Numerical and analytical modeling. *Acta Astronaut.* 160, 138-146
- Liu, D.Y., Chen, L., Geng, D.S., Lu, J.Y. & Wu, J.Y., 2019. Correlation between chemical bond cleavage and detonation of epsilon-2,4,6,8,10,12-hexanitrohexaazaisowurtzitane. *J. Phys. Chem. C* 123, 9756-9763
- Liu, Q.J., Yao, W.B., Zhang, Y.M., Wang, Y., Tang, J.P., Zhao, Z. & Qiu, A.C., 2019. Study on ignition mechanism and shockwave characteristics of nitramine powders ignited by microsecond exploding wire plasma. *IEEE Trans. Plasma Sci.* 47, 4500-4505
- Liu, Y.B., Li, C., Hu, X.Y., Yin, C.F. & Liu, T.S., 2019. Explosive welding of copper to high nitrogen austenitic stainless steel. *Metals* 9, doi: 10.3390/met9030339
- Liu, R.Q., Nie, J.X., Song, H.T., Jiao, Q.J. & Wen, Y.Q., 2019. Detonation wave propagation in micro-scale groove charges. *AIP Advances* 9, 095011
- Liu, L., Chen, Q.-F., Gu, Y.-J., Zhang, W., Li, Z.-G., Li, C.-J., Wang, Z.-Q., Li, G.-J., Lan, Y.S. & Chen, X.-R., 2019. Measurement of multiple physical parameters of dense gaseous hydrogen-deuterium mixture under double-shock compression: Evaluating theoretical models from multiple views. *Appl. Phys. Letts* 115, 231905
- Liu, Y.K., Yin, J.P. & Wang, Z.J., 2019. Study on the overdriven detonation wave propagation in double-layer shaped charge. *Phys. Fluids* 31, 092110
- Liu, R., Han, Y., Li, M., Liang, Z.H. & He, S.W., 2019. Shock ignition and growth of HMX-based PBXs under different temperature conditions. *Central Eur. J. Energ. Mater.* 16, 21-32
- Liu, H.Q., Duan, Z.P., Li, S.R., Ou, Z.C., Bai, Z.L. & Huang, F.L., 2019. Numerical research on initiation of PBXC03 explosives under quasi-isentropic loadings. *Propell. Explos. Pyrotech.* 44, 144-152
- Liu, Y., Wang, H.-F., Bai, F., Huang, F.-L. & Hussain, T., 2019. A new equation of state for detonation products of RDX-based aluminized explosives. *Propell. Explos. Pyrotech.* 44, 1293-1301
- Liu, Y.K., Yin, J.P. & Wang, Z.J., 2019. Study on overdriven detonation of double-layer shaped charge. *Propell. Explos. Pyrotech.* 44, 1410-1422
- Long, Y. & Chen, J., 2019. Theoretical study of the defect evolution for molecular crystal under shock loading. *J. Appl. Phys.* 125, 065107
- Lovinger, Z., Kettenbell, C., Mello, M. & Ravichandran, G., 2019. Inelastic behavior of tungsten carbide in pressure-shear impact shock experiments beyond 20 GPa. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 65-67
- Luu, H.T. & Gunkelmann, N., 2019. Pressure-induced phase transformations in Fe-C: Molecular dynamics approach. *Comput. Mater. Sci.* 162, 295-303

- Ma, L., Liu, J.Y., Li, C., Zhong, Z.Y., Lu, L. & Luo, S.N., 2019. Effects of alloying element segregation bands on impact response of a 304 stainless steel. *Mater. Charact.* 153, 294-303
- Ma, Z.Z., Wang, G.P., Rui, X.T., Yang, F.F. & Wang, Y., 2019. Temperature compensation of a PVDF stress sensor and its application in the test of gun propellant charge compression stress. *Smart Mater. Struct.* 28, 025018
- Maerzke, K.A., Coe, J.D., Ticknor, C., Leiding, J.A., Gammel, J.T. & Welch, C.F., 2019. Equations of state for polyethylene and its shock-driven decomposition products. *J. Appl. Phys.* 126, 045902
- Maevskii, K.K. & Kinelovskii, S.A., 2019. Modeling of high-porosity copper-based mixtures under shock loading. *J. Appl. Mech. Tech. Phys.* 60, 612-619
- Mahmood, Y., Dai, K., Chen, P.W., Zhou, Q., Bhatti, A.A. & Arab, A., 2019. Experimental and numerical study on microstructure and mechanical properties of Ti6Al4V/Al-1060 explosive welding. *Metals* 9, doi: 10.3390/met9111189
- Malek, M., Wachowski, M. & Kosturek, R., 2019. Research on microstructure and mechanical properties of explosively welded stainless steel/commercially pure titanium plate. *Manufacturing Review* 6, doi: 10.1051/mfreview/2019028
- Mamalis, A.G., 2019. Advanced manufacturing under impact/shock loading: Principles and industrial sustainable applications. *Mater. Res. Proc.* 13, 13-24
- Mandal, A. & Gupta, Y.M., 2019. Elastic-plastic deformation of molybdenum single crystals shocked to 12.5 GPa: Crystal anisotropy effects. *J. Appl. Phys.* 125, 055903
- Marinin, M.A., Khokhlov, S.V. & Isheyskiy, V.A., 2019. Modeling of the welding process of flat sheet parts by an explosion. *J. Mining Institute* 237, 275-280
- Markidonov, A.V., Starostenkov, M.D., Zakharov, P.V., Lubyanoi, D.A. & Lipunov, V.N., 2019. Emission of dislocation loops from nanovoids in an fcc crystal subjected to shear deformation under post-cascade shock waves. *J. Exper. Theor. Phys.* 129, 985-989
- Marshall, M.C., Lazicki, A.E., Erskine, D., London, R.A., Fratanduono, D.E., Celliers, P.M., Eggert, J.H., Coppari, F., Swift, D.C., Sterne, P.A., Whitley, H.D. & Nilsen, J., 2019. Developing quartz and molybdenum as impedance-matching standards in the 100 Mbar regime. *Phys. Rev. B* 99, 174101
- Marston, J.O. & Pacheco-Vázquez, F., 2019. Millimetric granular craters from pulsed laser ablation. *Phys. Rev. E* 99, 030901
- Martinez, E., Perriot, R., Kober, E.M., Bowlan, P., Powell, M., McGrane, S. & Cawkwell, M.J., 2019. Parallel replica dynamics simulations of reactions in shock compressed liquid benzene. *J. Chem. Phys.* 150, 244108
- Masaitis, V.L., ed. 2019. *Popigai Impact Structure and its Diamond-Bearing Rocks.* Berlin, Springer

- Masaitis, V.L., Mashchak, M.S. & Naumov, M.V., 2019. Main geological features of the impact structure. In: Popigai Impact Structure and its Diamond-Bearing Rocks, edited by Masaitis, V.L., New York, Springer, pp. 1-17
- Masaitis, V.L., Raikhlin, A.I., Selivanovskaya, T.V., Mashchak, M.S. & Naumov, M.V., 2019. Petrography of shock-metamorphosed crystalline rocks and in its surroundings. In: Popigai Impact Structure and its Diamond-Bearing Rocks, edited by Masaitis, V.L., New York, Springer, pp. 77-126
- Masaitis, V.L., Selivanovskaya, T.V., Raikhlin, A.I. & Kirichenko, V.T., 2019. General patterns of impact diamond distribution. In: Popigai Impact Structure and its Diamond-Bearing Rocks, edited by Masaitis, V.L., New York, Springer, pp. 157-180
- Masaitis, V.L., 2019. Origin of diamond-bearing impactites. In: Popigai Impact Structure and its Diamond-Bearing Rocks, edited by Masaitis, V.L., New York, Springer, pp. 181-201
- Mashchak, M.S., Masaitis, V.L., Raikhlin, A.I., Selivanovskaya, T.V. & Naumov, M.V., 2019. Concentric structural zones and lithology of distributed impact rocks. In: Popigai Impact Structure and its Diamond-Bearing Rocks, edited by Masaitis, V.L., New York, Springer, pp. 19-65
- McCoy, C.A., Marshall, M.C., Polsin, D.N., Fratanduono, D.E., Celliers, P.M., Meyerhofer, D.D. & Boehly, T.R., 2019. Hugoniot, sound velocity, and shock temperature of MgO to 2300 GPa. *Phys. Rev. B* 100, 014106
- McCoy, C.A., Knudson, M.D. & Desjarlais, M.P., 2019. Sound velocity, shear modulus, and shock melting of beryllium along the Hugoniot. *Phys. Rev. B* 100, 054107
- McNab, I.R., 2019. Brief history of the electromagnetic launch symposia 1980-2018. *IEEE Trans. Plasma Sci.* 47, 2136-2142
- Mello, M., Kettenbell, C., Bischann, M., Lovinger, Z. & Ravichandran, G., 2019. Heterodyne diffracted beam photonic Doppler velocimeter (DPDV) for pressure-shear shock experiments. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 73-76
- Meng, X.L., Zhang, Y.M., Long, Q.L., Wang, Y., He, J.Y. & Liu, Q.J., 2019. Oil shale fracturing effect of shock waves generated by plasma-ignited energetic materials explosion. *Fresenius Environmental Bulletin* 28, 9584-9592
- Menon, S.V.G. & Nayak, B., 2019. An equation of state for metals at high temperature and pressure in compressed and expanded volume regions. *Condensed Matter* 4, doi: 10.3390/condmat4030071
- Mertuszka, P., Fulawka, K., Pytlik, M., Wincenciak, J. & Wawryszewicz, A., 2019. The influence of time on the density and detonation velocity of bulk emulsion explosives: A case study from Polish copper mines. *Central Eur. J. Energ. Mater.* 16, 245-258

- Mi, X.C., Michael, L., Ioannou, E., Nikofarakis, N., Higgins, A.J. & Ng, H.D., 2019. Meso-resolved simulations of shock-to-detonation transition in nitromethane with air-filled cavities. *J. Appl. Phys.* 125, 245901
- Miao, F.C., Zhang, X.R., Zhou, L., Wu, X.X., Jiang, T. & Xing, R.T., 2019. Hugoniot and Mie-Grüneisen equation of state of unreacted DNAN. *Int. J. Impact Engng* 134, 103369
- Miller, D.J., Crum, R.S., Homel, M.A., Eakins, D.E., Chapman, D.J., Jonsson, J.C.Z., Rutherford, M.E., Escariza, E.M., Smith, L.C., Herbold, E.B., Lind, J. & Akin, M.C., 2019. Hugoniot measurements utilizing in situ synchrotron X-ray radiation. *J. Dyn. Behav. Mater.* 5, 93-104, 194
- Miller, C., Kim, S., Horie, Y. & Zhou, M., 2019. Ignition thresholds of aluminized HMX-based PBXs. *AIP Advances* 9, 045103
- Millett, J.C.F., Whiteman, G., Park, N.T., Case, S. & Appleby-Thomas, G., 2019. The effects of heat treatment upon the shock response of a copper-beryllium alloy. *Acta mater.* 165, 678-685
- Millot, M., Coppari, F., Rygg, J.R., Barrios, A.C., Hamel, S., Swift, D.C. & Eggert, J.H., 2019. Nanosecond X-ray diffraction of shock-compressed superionic water ice. *Nature* 569, 251-255
- Mochalova, V., Utkin, A., Astachov, A., Rykova, V. & Torunov, S., 2019. Investigation of detonation properties of tetranitromethane/methanol mixture. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 169-176
- Mochalova, V.M., Utkin, A.V., Pavlenko, A.V., Malyugina, S.N. & Mokrushin, S.S., 2019. Pulse compression and tension of epoxy resin under shock-wave action. *Tech. Phys.* 64, 100-105
- Mochalova, V.M., Utkin, A.V., Rykova, V.E., Endres, M. & Hoffmann, D.H.H., 2019. Shock compressibility and spall strength of textolite depending on fiber orientation. *Arch. Mech.* 71, 417-431
- Montalvo, S.D., Reddy, S.M., Saxey, D.W., Rickard, W.D.A., Fougereuse, D., Quadir, Z. & Johnson, T.E., 2019. Nanoscale constraints on the shock-induced transformation of zircon to reidite. *Chemical Geology* 507, 85-95
- Monteux, J. & Arkani-Hamed, J., 2019. Shock wave propagation in layered planetary interiors: Revisited. *Icarus* 331, 238-256
- Moreau, J.-G., Kohout, T., Wünnemann, K., Halodova, P. & Haloda, J., 2019. Shock physics mesoscale modeling of shock stage 5 and 6 in ordinary and enstatite chondrites. *Icarus* 332, 50-65
- Mori, A., Tanaka, S. & Hokamoto, K., 2019. Observation for the high-speed oblique collision of metals. *Mater. Res. Proc.* 13, 74-78

- Motlag, M., Kumar, P., Hu, K.Y., Jin, S.Y., Li, J., Shao, J.Y., Yi, X., Lin, Y.H., Walrath, J.C., Tong, L., Huang, X.Y., Goldman, R.S. & Cheng, G.J., 2019. Asymmetric 3D elastic-plastic strain-modulated electron energy structure in monolayer graphene by laser shocking. *Adv. Mater.* 31, 1900597
- Mroz, S., Stefanik, A. & Szota, P., 2019. Groove rolling process of magnesium/aluminum bimetallic bars. *Arch. Metall. Mater.* 64, 1067-1072
- Mroz, S., Stefanik, A., Szota, P., Kwapisz, M., Wachowski, M., Sniezek, L., Galka, A. & Szulc, Z., 2019. Numerical and experimental modeling of plastic deformation the multilayer Ti/Al/Mg materials. *Arch. Metall. Mater.* 64, 1361-1368
- Murugan, G., Saravanan, S. & Raghukandan, K., 2019. Development of weldability window for aluminum-steel explosive cladding. *Mater. Res. Proc.* 13, 154-158
- Myint, P.C., Shi, E.L., Hamel, S., Cynn, H., Jenei, Z., Lipp, M.J., Evans, W.J. & Akin, M.C., 2019. Two-phase equation of state for lithium fluoride. *J. Chem. Phys.* 150, 074506
- Najjar, M. & Khanbabaei, B., 2019. Effects of carbon impurity on the ignition of deuterium-tritium targets under the relativistic shock waves. *Phys. Plasmas* 26, 032709
- Nakamura, E., Kunihiro, T., Ota, T., Sakaguchi, C., Tanaka, R., Kitagawa, H., Kobayashi, K., Yamanaka, M., Shimaka, Y., Bebout, G.E., Miura, H., Yamamoto, T., Malkovets, V., Grokhovsky, V., Koroleva, O. & Litasov, K., 2019. Hypervelocity collision and water-rock interaction in space preserved in the Chelyabinsk ordinary chondrite. *Proc. Japan Acad. Ser. B: Phys. Biol Sci.* 95, 165-177
- Nandlall, D., 2019. Determination of a measure of sensitivity to shock detonate an explosive as a function of its shock parameters. *Propell. Explos. Pyrotech.* 44, 1423-1431
- Naumov, M.V., 2019. Post-impact geological evolution within the crater and in its surroundings. In: *Popigai Impact Structure and its Diamond-Bearing Rocks*, edited by Masaitis, V.L., New York, Springer, pp. 67-75
- Navarro, P.F., Chiu, P.-H., Benson, D.J., Higgins, A.J. & Nesterenko, V.F., 2019. Cavity collapse in highly heterogeneous granular mixtures with different grain size and porosity. *J. Appl. Phys.* 126, 024303
- Nayak, B. & Menon, S.V.G., 2019. Numerical solution of Euler equations employing enthalpy-based equation of state for simulating shock wave propagation in porous materials. *Mater. Res. Express* 6, 055514
- Nellis, W.J., 2019. Dense quantum hydrogen. *Low Temp. Phys.* 45, 294-296
- Neogi, A., He, L.J. & Abdolrahim, N., 2019. Atomistic simulations of shock compression of single crystal and core-shell Cu@Ni nanoporous metals. *J. Appl. Phys.* 126, 015901

- Nikolczuk, K., Maranda, A., Mertuszka, I., Fulawka, K., Wilk, Z. & Koslik, P., 2019. Measurements of the VOD of selected mining explosives and novel 'green explosives' using the continuous method. *Central Eur. J. Energ. Mater.* 16, 468-481
- Nissen, E.J. & Dolan, D.H., 2019. Temperature and rate effects in ramp-wave compression freezing of liquid water. *J. Appl. Phys.* 126, 015903
- O'Grady, C., Knepper, R., Marquez, M. & Tappan, A.S., 2019. Microsandwich test for equation of state (EOS) data of vapor-deposited hexanitroazobenzene (HNAB). *Propell. Explos. Pyrotech.* 44, 572-578
- Olles, J.D., Wixom, R.R., Knepper, R. & Tappan, A.S., 2019. Observations of shock-induced chemistry with subnanosecond resolution. *Appl. Phys. Letts* 114, 214102
- Oreshkin, V.I., Zhigalin, A.S., Rousskikh, A.G. & Baksht, R.B., 2019. Foil explosion and decay of metastable state. *Phys. Plasmas* 26, 062710
- Orlov, N.Y., Kadatsky, M.A., Denisov, O.B. & Khishchenko, K.V., 2019. Application of quantum-statistical methods to studies of thermodynamic and radiative processes in hot dense plasmas. *Matter Radiation Extremes* 4, 054403
- Ota, T.A., Amott, R., Carlson, C.A., Chapman, D.J., Collinson, M.A., Corrow, R.B., Eakins, D.E., Graves, T.E., Hartsfield, T.M., Holtkamp, D.B., Iverson, A.J., Richley, J.C. & Stone, J.B., 2019. Comparison of simultaneous shock temperature measurements from three different pyrometry systems. *J. Dyn. Behav. Mater.* 5, 396-408
- Pal, A. & Picu, C.R., 2019. Non-Schmid effect of pressure on plastic deformation in molecular crystal HMX. *J. Appl. Phys.* 125, 215111
- Pamuk, O. & Durgutlu, A., 2019. The effect of explosive ratio on microstructure, hardness and fatigue properties of AISI 430-S325JR materials joined by explosive welding method (in Turkish). *J. Faculty Engineering Architecture Gazi Univ.* 34, 906-914
- Paplinski, A. & Maranda, A., 2019. Research on the detonation process of explosives containing sodium azide. *Central Eur. J. Energ. Mater.* 16, 520-532
- Pasquali, M., Bertarelli, A., Accettura, C., Berthome, E., Bianchi, L., Bolz, P., Carra, F., Fichera, C., Frankl, M.I., Furness, T., Gobbi, G., Grosclaude, P., Guardia-Valenzuela, J., Guinchard, M., Jedrychowsky, M.D., Harden, F.J., Lechner, A., Mollicone, P., Pastuszak, P.D., Portelli, M., Redaelli, S., Rugutto, E., de Frutos, O.S. & Simon, P., 2019. Dynamic response of advanced materials impacted by particle beams: The MultiMat experiment. *J. Dyn. Behav. Mater.* 5, 266-295
- Patel, V.K., Kant, R., Choudhary, A., Painuly, M. & Bhattacharya, S., 2019. Performance characterization of Bi₂O₃/Al nanoenergetics blasted micro-forming system. *Defence Technol.* 15, 98-105

- Paul, R., Hu, S.X. & Karasiev, V.V., 2019. Anharmonic and anomalous trends in the high-pressure phase diagram of silicon. *Phys. Rev. Letts* 122, 125701
- Paul, H., Misczyk, M.M., Galka, A., Chulist, R. & Szulc, Z., 2019. Microstructural and chemical composition changes in the bonding zone of explosively welded sheets. *Arch. Metall. Mater.* 64, 683-694
- Peebles, J.L., Hu, S.X., Theobald, W., Goncharov, V.N., Whiting, N., Celliers, P.M., Ali, S.J., Duchateau, G., Campbell, E.M., Boehly, T.R. & Regan, S.P., 2019. Direct-drive measurements of laser-imprint-induced shock velocity nonuniformities. *Phys. Rev. E* 99, 063208
- Pei, H., Huang, W., Zhang, X. & Zheng, X., 2019. Measuring detonation wave profiles in PBXs using PDV. *AIP Advances* 9, 015206
- Peiris, S.M. & Bolden-Frazier, N., 2019. Applications of reactive materials in munitions. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 165-191
- Pépin, C.M., Sollier, A., Marizy, A., Occelli, F., Sander, M., Torchio, R. & Loubeyre, P., 2019. Kinetics and structural changes in dynamically compressed bismuth. *Phys. Rev. B* 100, 060101
- Petrov, E., 2019. Achievements and actual tasks of the development of detonation synthesis of nanodiamonds. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 588-594
- Petrova, E.V., Grokhovsky, V.I., Kohout, T., Muftakhetdinova, R.F. & Yakovlev, G.A., 2019. Shock-wave experiment with the Chelyabinsk LL5 meteorite: Experimental parameters and the texture of the shock-affected material. *Geochem. Int.* 57, 923-930
- Petrzak, P., Mania, I., Paul, H., Maj, L. & Galka, A., 2019. The kinetics of Al₃Ti phase growth in explosively-welded multilayered aluminum/titanium clads during annealing under load conditions. *Arch. Metall. Mater.* 64, 1549-1554
- Ping, Y., Whitley, H.D., McKelvey, A., Kemp, G.E., Sterne, P.A., Shepherd, R., Marinak, M., Hua, R., Beg, F.N. & Eggert, J.H., 2019. Heat-release equation of state and thermal conductivity of warm dense carbon by proton differential heating. *Phys. Rev. E* 100, 043204
- Politzer, P. & Murray, J.S., 2019. The Kamlet-Jacobs parameter ϕ : A measure of intrinsic detonation potential. *Propell. Explos. Pyrotech.* 44, 844-849
- Poludnenko, A.Y., Chambers, J., Ahmed, K., Gamezo, V.N. & Taylor, B.D., 2019. A unified mechanism for unconfined deflagration-to-detonation transition in terrestrial chemical systems and type Ia supernovae. *Science* 366, doi: 10.1126/science.aau7365

- Pooley, J., Price, E., Ferguson, J.W. & Ibsen, M., 2019. Detonation velocity measurements using rare earth doped fibres. *Sensors* 19, doi: 10.3390/s19071697
- Powell, M.S., Bowlan, P.R., Son, S.F., Bolme, C.A., Brown, K.E., Moore, D.S. & McGrane, S.D., 2019. A benchtop shock physics laboratory: Ultrafast laser driven shock spectroscopy and interferometry methods. *Rev. Sci. Instrum.* 90, 063001
- Prakash, C., Gunduz, I.E. & Tomar, V., 2019. The effect of interface shock viscosity on the strain rate induced temperature rise in an energetic material analyzed using the cohesive finite element method. *Model. Simul. Mater. Sci. Engng* 27, 065008
- Prakash, C., Gunduz, I.E. & Tomar, V., 2019. Simulation guided experimental interface shock viscosity measurement in an energetic material. *Model. Simul. Mater. Sci. Engng* 27, 085003
- Preston, T.R., Appel, K., Brambrink, E., Chen, B., Fletcher, L.B., Fortmann-Grote, C., Glenzer, S.H., Granados, E., Göde, S., Konopkova, Z., Lee, H.J., Marquardt, H., McBride, E.E., Nagler, B., Nakatsutsumi, M., Sperling, P., White, B.B.L. & Zastra, U., 2019. Measurements of the momentum-dependence of plasmonic excitations in matter around 1 Mbar using an X-ray free electron laser. *Appl. Phys. Letts* 114, 014101
- Prime, M.B., Buttler, W.T., Fensin, S.J., Jones, D.R., Manzanares, R., Martinez, D.T., Martinez, J.I., Schmidt, D.W. & Trujillo, C.P., 2019. Improved Richtmyer-Meshkov instability experiments for very-high-rate strength and application to tantalum. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 101-104
- Prime, M.B., Buttler, W.T., Fensin, S.J., Jones, D.R., Brown, J.L., King, R.S., Manzanares, R., Martinez, D.T., Martinez, J.I., Payton, J.R. & Schmidt, D.W., 2019. Tantalum strength at extreme strain rates from impact-driven Richtmyer-Meshkov instabilities. *Phys. Rev. E* 100, 053002
- Promakhov, V.V., Savinykh, A.S., Dubkova, Y.A., Shults, N.A., Zhukov, A.S. & Razorenov, S.V., 2019. The dynamic strength of ZrO₂-based ceramic materials manufactured by additive technology. *Tech. Phys. Letts* 45, 984-988
- Prunty, S., 2019. *Introduction to Simple Shock Waves in Air with Numerical Solutions Using Artificial Viscosity*. Berlin, Springer
- Prut, V.V., 2019. Modeling and simulation of Grüneisen parameter for a shock wave. *Russ. Phys. J.* 62, 339-345
- Qin, S., Zhang, X., Liu, J.M., Yu, Z., Zhao, F., Zhang, R. & Zhong, B., 2019. Use of a reverberation technique to determine Grüneisen parameter of unreacted PBX. *Propell. Explos. Pyrotech.* 44, 166-174

- Qiu, Y.N., Yao, C.J., Yao, C.B., Gan, J., Zhang, W., Xu, N., Sun, J. & Wu, J.D., 2019. Spatial confinement of laser-induced plasma by laser-induced and obstacle-reflected shock wave and its effect on optical emission of laser-induced plasma. *AIP Advances* 9, 095021
- Quaresma, J., Deimling, L., Campos, J. & Mendes, R., 2019. Optical fiber metrology for detonation velocity measurements. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 595-606
- Rae, P.J. & Dickson, P.M., 2019. A review of the mechanism by which exploding bridge-wire detonators function. *Proc. R. Soc. A* 475, 20190120
- Rae, P., 2019. Determining velocity of detonation using high-resolution time domain reflectometry. *Rev. Sci. Instrum.* 90, 085005
- Raevskiy, V.A., Ignatova, O.N., Desyatnikova, M.A. & Zocher, M.A., 2019. Numerical simulation of spall in lead accounting for its occurrence in solid as well as liquid phases. *J. Appl. Phys.* 126, 225902
- Raffestin, D., Boutoux, G., Blanchot, N., Batani, D., D'Humières, E., Moreno, Q., Longhi, T., Coïc, H., Granet, F., Rault, J.R., Liberatore, C., Jakubowska, K. & Tikhonchuk, V., 2019. Application of harmonics imaging to focal spot measurements of the 'PETAL' laser. *J. Appl. Phys.* 126, 245902
- Rai, N.K. & Udaykumar, H.S., 2019. Void collapse generated meso-scale energy localization in shocked energetic materials: Non-dimensional parameters, regimes, and criticality of hotspots. *Phys. Fluids* 31, 016103
- Raikhlin, A.I. & Masaitis, V.L., 2019. Petrochemistry and geochemistry of impactites and target crystalline rocks. In: *Popigai Impact Structure and its Diamond-Bearing Rocks*, edited by Masaitis, V.L., New York, Springer, pp. 127-135
- Ramis, R., Canaud, B., Temporal, M., Garbett, W.J. & Philippe, F., 2019. Analysis of three-dimensional effects in laser driven thin-shell capsule implosions. *Matter Radiation Extremes* 4, 055402
- Rapet, J., Tagawa, Y. & Ohl, C.D., 2019. Shear-wave generation from cavitation in soft solids. *Appl. Phys. Letts* 114, 123702
- Ravindran, S., Tessema, A. & Kidane, A., 2019. On the response of PBXs at different impact velocities. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 219-224
- Reddy, K.V., Deng, C. & Pal, S., 2019. Intensification of shock damage through heterogeneous phase transition and dislocation loop formation due to presence of pre-existing line defects in single crystal copper. *J. Appl. Phys.* 126, 174302
- Ren, Y., Yu, X.D., Tan, C.W. & Li, X.S., 2019. Dynamic mechanical properties and adiabatic shearing behavior of the shock prestrained Ti6Al4V alloy having bimodal microstructure. *J. Alloys Compounds* 773, 1054-1063

- Ren, B.X., Tao, G., Wen, P. & Du, C.X., 2019. Study on weldability window and interface morphology of steel tube and tungsten alloy rod welded by explosive welding. *Int. J. Refract. Met. Hard Mater.* 84, 105005
- Ren, Y.H., Wu, L., Fan, Z.N., Wang, Y.G., Liu, F.S., Chen, J.Y., Zhang, M.J. & Sun, Y.Y., 2019. Development of a real-time transmittance monitoring system for a transparent sample in a shock compression experiment. *Europhys. Letts* 128, 20003
- Ren, H.L., Chu, Z.X. & Li, J.Q., 2019. Study on electromagnetic radiation generated during detonation. *Propell. Explos. Pyrotech.* 44, 1541-1553
- Renald, J.T. & Somasundaram, P., 2019. Microstructural evaluation and study of shock wave as an energetic source for synthesis of nanomaterials. *Polymer Bulletin* 76, 4841-4858
- Renganathan, P., Turneure, S.J., Sharma, S.M. & Gupta, Y.M., 2019. Structural transformations including melting and recrystallization during shock compression and release of germanium up to 45 GPa. *Phys. Rev. B* 99, 134101
- Renganathan, P. & Gupta, Y.M., 2019. Shock compression/release of magnesium single crystals along a low-symmetry orientation: Role of basal slip. *J. Appl. Phys.* 126, 115902
- Renner, O. & Rosmej, F.B., 2019. Challenges of X-ray spectroscopy in investigations of matter under extreme conditions. *Matter Radiation Extremes* 4, 024201
- Roberts, S.E., Sheffer, A.A., McCanta, M.C., Dyar, M.D. & Sklute, E.C., 2019. Oxidation state of iron in fulgurites and Trinitite: Implications for redox changes during abrupt high-temperature and pressure events. *Geochimica Cosmochimica Acta* 266, 332-350
- Rohky, H. & Soury, H., 2019. Fluid structure interaction with a finite rate chemistry model for simulation of gaseous detonation metal-forming. *Int. J. Hydrogen Energy* 44, 23289-23302
- Root, S., Townsend, J.P. & Knudson, M.D., 2019. Shock compression of fused silica: An impedance matching standard. *J. Appl. Phys.* 126, 165901
- Rososhek, A., Efimov, S., Virozub, A., Maier, D. & Krasik, Y.E., 2019. Particularities of shocks generated by underwater electrical explosions of a single wire and wire arrays. *Appl. Phys. Letts* 115, 074101
- Rososhek, A., Efimov, S., Gurovich, V., Virozub, A. & Krasik, Y.E., 2019. Evolution of a shock wave generated by underwater electrical explosion of a single wire. *Phys. Plasmas* 26, 042302
- Rougier, B., Lefrançois, A., Chuzeville, V., Poeuf, S. & Aubert, H., 2019. Static and dynamic permittivity measurement of high explosives in the W band to investigate shock and detonation phenomena. *Propell. Explos. Pyrotech.* 44, 154-159

- Rozumek, D. & Kwiatkowski, G., 2019. The influence of heat treatment parameters on the cracks growth under cyclic bending in steel-titanium clad obtained by explosive welding. *Metals* 9, doi: 10.3390/met9030338
- Ruby, J.J., Rygg, J.R., Gaffney, J.A., Bachmann, B. & Collins, G.W., 2019. A boundary condition for Guderley's converging shock problem. *Phys. Fluids* 31, 126104
- Rutherford, M.E., Derrick, J.G., Chapman, D.J., Collins, G.S. & Eakins, D.E., 2019. Insights into local shockwave behavior and thermodynamics in granular materials from tomography-initialized mesoscale simulations. *J. Appl. Phys.* 125, 015902
- Rykov, A.A. & Titorenko, V.P., 2019. High-speed electromagnetic drives of shock systems. *Russ. Engng Res.* 39, 370-373
- Sahul, M., Sahul, M., Lokaj, J., Caplovic, L., Nesvadba, P. & Odokienová, B., 2019. The effect of annealing on the properties of AW5754 aluminum alloy-AZ31B magnesium alloy explosively welded bimetals. *J. Mater. Engng Perform.* 28, 6192-6208
- Salhi, M. & Roudane, M., 2019. Numerical investigation of the thermal-caloric imperfections on entropy enhancement across normal shock waves. *High Temp. High Press.* 48, 285-308
- Saravanan, S., Raghukandan, K. & Murugan, G., 2019. Effect of silicon carbide particles in explosive clad aluminum hybrid composites. *Mater. Res. Proc.* 13, 159-162
- Satonkina, N.P., Ershov, A.P., Plastinin, A.V. & Yunoshev, A.S., 2019. Chemical reaction zone and electrical conductivity profile in detonating high explosives. *Combust. Flame* 206, 249-251
- Satyanarayan, Tanaka, S. & Hokamoto, K., 2019. Underwater explosive welding of tin and aluminium plates. *Mater. Res. Proc.* 13, 149-153
- Satyanarayan, Mori, A., Nishi, M. & Hokamoto, K., 2019. Underwater shock wave weldability window for tin-copper plates. *J. Mater. Process. Technol.* 267, 152-158
- Savinykh, A.S., Cherepanov, I.A., Razorenov, S.V., Mandel, K. & Kruger, L., 2019. Elastic precursor decay and spallation in nonporous tungsten carbide ceramics. *Tech. Phys.* 64, 356-360
- Schenke, S., Melissaris, T. & van Terwisga, T.J.C., 2019. On the relevance of kinematics for cavitation implosion loads. *Phys. Fluids* 31, 052102
- Sekine, T., Zhou, Q., Chen, P.W., Tan, Z., Ran, H.T. & Liu, J.J., 2019. Shock synthesis of Gd₂Zr₂O₇. *Mater. Res. Proc.* 13, 31-34
- Shafranovsky, G.I., 2019. Impact diamonds from shocked crystalline rocks and impactites. In: *Popigai Impact Structure and its Diamond-Bearing Rocks*, edited by Masaitis, V.L., New York, Springer, pp. 137-156
- Shang, C., Long, R. & Zhang, Q., 2019. A 3D measuring method of magnetic properties of impact-generated plasmas. *J. Phys. D: Appl. Phys.* 52, 165601

- Sharipov, F. & Dias, F.C., 2019. Temperature dependence of shock wave structure in helium and neon. *Phys. Fluids* 31, 037109
- Sharma, S.M., Turneare, S.J., Winey, J.M., Li, Y.L., Rigg, P., Schuman, A., Sinclair, N., Toyoda, Y., Wang, X.M., Weir, N., Zhang, J. & Gupta, Y.M., 2019. Structural transformation and melting in gold shock compressed to 355 GPa. *Phys. Rev. Letts* 123, 045702
- Sharp, T.G., Walton, E.L., Hu, J.P. & Agee, C., 2019. Shock conditions recorded in NWA 8159 Martian augite basalt with implications for the impact cratering history on Mars. *Geochim. Cosmochim. Acta* 246, 197-212
- Shen, X., Chang, Y., Feng, G.Y., Han, J.H., Gu, Q.Q., Luo, J. & Jiang, Y., 2019. Study on damage characteristics of fused silica glass induced by plasma shock wave with finite element method. *J. Phys. D: Appl. Phys.* 52, 435302
- Shen, X., Feng, G.Y., Jing, S., Han, J.H., Li, Y.G. & Liu, K., 2019. Damage characteristics of laser plasma shock wave on rear surface of fused silica glass. *Chinese Phys. B* 28, 085202
- Sherpa, B.B., Kumar, P.D., Upadhyay, A., Kumar, S., Aggarwal, A. & Tyagi, S., 2019. Explosive welding of Al-MS plates and its interface characterization. *Mater. Res. Proc.* 13, 128-133
- Shi, H.T., Yin, G.F., Fan, Y.F., Wu, J., Li, X.W. & Murphy, A.B., 2019. Multilayer weak shocks generated by restrike during underwater electrical explosion of copper wires. *Appl. Phys. Letts* 115, 084101
- Shimajima, K., Higa, Y., Higa, O., Takemoto, A., Kawai, H., Hokamoto, K., Iyama, H., Watanabe, T. & Itoh, S., 2019. Experimental study for the tenderness of meat using underwater shock waves generation by wire electrical discharges. *Mater. Res. Proc.* 13, 35-40
- Shishkov, P.K. & Stoycheva, N.K., 2019. Application of long term stored single and double based propellants in advanced blasting methods for dimension stone extraction. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 619-629
- Shitikova, M.V., 2019. Wave theory of impact and Professor Yury Rossikhin contribution in the field: A memorial survey. *J. Mater. Engng Perform.* 28, 3161-3173
- Shkuratov, S.I., Baird, J., Antipov, V.G. & Chase, J.B., 2019. Fundamental limits to the transfer of energy harvested from ferroelectric materials under shock loading. *Appl. Phys. Letts* 115, 262903
- Shoiev, G. & Ogawa, H., 2019. Numerical study of viscous effects on centreline shock reflection in axisymmetric flow. *Phys. Fluids* 31, 026105

- Shomali, A. & Mahnama, M., 2019. Effect of recovery process on the efficiency of nano-diamond synthesis by shock compression. *Comput. Mater. Sci.* 160, 137-148
- Shui, M., Yu, M.H., Chu, G.B., Xi, T., Fan, W., Zhao, Y.Q., Xin, J.T., He, W.H. & Gu, Y.Q., 2019. Observation of ejecta tin particles into polymer foam through high-energy X-ray radiography using high-intensity short-pulse laser (in Chinese). *Acta Phys. Sinica* 68, 076201
- Sielicki, P.W. & Lodygowski, T., 2019. Masonry wall behaviour under explosive loading. *Engng Failure Anal.* 104, 274-291
- Signetti, S., Kang, K., Pugno, N.M. & Ryu, S., 2019. Atomistic modelling of the hypervelocity dynamics of shock-compressed graphite and impacted graphene armours. *Comput. Mater. Sci.* 170, 109152
- Sinibaldi, G., Occhicone, A., Pereira, F.A., Caprini, D., Marino, L., Michelotti, F. & Casciola, C.M., 2019. Laser induced cavitation: Plasma generation and breakdown shockwave. *Phys. Fluids* 31, 103302
- Singh, S.S. & Kitey, R., 2019. Measuring spallation strength of epoxy by laser spallation technique. In: *Advancement of Optical Methods & Digital Image Correlation in Experimental Mechanics*, edited by Lamberti, L., Lin, M.-T., Furlong, C., Sciammarella, C., Reu, P.L. & Sutton, M.A., New York, Springer, pp. 53-57
- Sio, H., Frenje, J.A., Le, A., Atzeni, S., Kwan, T.J.T., Johnson, M.G., Kagan, G., Stoeckl, C., Li, C.K., Parker, C.E., Forrest, C.J., Glebov, V., Kabadi, N.V., Bose, A., Rinderknecht, H.G., Amendt, P., Casey, D.T., Mancini, R., Taitano, W.T., Keenan, B., Simakov, A.N., Chacón, L., Regan, S.P., Sangster, T.C., Campbell, E.M., Seguin, F.H. & Petrasso, R.D., 2019. Observations of multiple nuclear reaction histories and fuel-ion species dynamics in shock-driven inertial confinement fusion implosions. *Phys. Rev. Letts* 122, 035001
- Sio, H., Li, C.K., Parker, C.E., Lahmann, B., Le, A., Atzeni, S. & Petrasso, R.D., 2019. Fuel-ion diffusion in shock-driven inertial confinement fusion implosions. *Matter Radiation Extremes* 4, 055401
- Sitkiewicz-Wolodko, R., Maranda, A. & Paszula, J.M., 2019. Modification of ANFO detonation parameters by addition of ground of ammonium nitrate(V) and aluminium powder. *Central Eur. J. Energ. Mater.* 16, 122-134
- Sjostrom, T., 2019. Equation of state modeling for porous materials. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 3-28
- Smilowitz, L., Remelius, D., Suvorova, N., Bowlan, P., Oschwald, D. & Henson, B.F., 2019. Finding the 'lost-time' in detonator function. *Appl. Phys. Letts* 114, 104102

- Sokol, M., Kalabukhov, S., Zaretsky, E. & Barsoum, M.W., 2019. Abnormal response of Ti_3SiC_2 to high strain-rate loading. *Phys. Rev. Mater.* 3, 063610
- Song, T., Sun, X.W., Wei, X.P., Ouyang, Y.H., Zhang, C.L., Guo, P. & Zhao, W., 2019. High-pressure structure prediction and high-temperature structural stability of periclase (in Chinese). *Acta Phys. Sinica* 68, 126201
- Song, B., Sanborn, B. & Lu, W.-Y., 2019. Experimental measurement and analysis of stress/shock wave propagation speed through pre-strained silicone foam pads under lateral confinement. *J. Dyn. Behav. Mater.* 5, 170-179
- Spernjak, D., Valdiviez, R., Fehlmann, K., Hill, D., Gibson, J., Bustos, G., Tafoya, J., Yost, N., Cardon, D., Bernardin, J., Megias, A.L. & McNeil, W.V., 2019. Development of the containment and confinement system for hazardous material shock physics experiments at Los Alamos National Laboratory. In: *Proc. ASME Pressure Vessels and Piping Conference*. Vol. 5, edited by Agarwal, V., Becht, C., Dugan, S., Scarth, D.A., Simpson, K., Tipple, C. & Younan, M.Y.A., New York, American Society of Mechanical Engineers, pp. V005T05A024
- Sterbentz, D.M., Myint, P.C., Delplanque, J.-P. & Belof, J.L., 2019. Numerical modeling of solid-cluster evolution applied to the nanosecond solidification of water near the metastable limit. *J. Chem. Phys.* 151, 164501
- Stimac, B., Künzel, M., Suceška, M., Stankovic, S. & Kucera, J., 2019. Detonation reaction zone in nitromethane: Experimental and numerical studies. In: *Proc. 22nd Seminar of the New Trends in Research of Energetic Materials*, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 216-228
- Stoffel, M., Barner, F. & Markert, B., 2019. Stability of feed forward artificial neural networks versus nonlinear structural models in high speed deformations: A critical comparison. *Arch. Mech.* 71, 95-111
- Su, S., Chen, S.J., Mao, Y., Xiao, J., Vivek, A. & Daehn, G., 2019. Joining aluminium alloy 5A06 to stainless steel 321 by vaporizing foil actuators welding with an interlayer. *Metals* 9, doi: 10.3390/met9010043
- Suceška, M., Braithwaite, M., Klapötke, T.M. & Stimac, B., 2019. Equation of state of detonation products based on exponential-6 potential model and analytical representation of the excess Helmholtz free energy. *Propell. Explos. Pyrotech.* 44, 564-571
- Sun, W., Zhang, W., Guo, J. & Jiang, S.Z., 2019. Cracking behavior in tensile and bending test of underwater explosive-welded AZ31/Cu laminated composite. *Theor. Appl. Fract. Mech.* 103, 102256
- Swift, D.C., Lockard, T., Kraus, R.G., Benedict, L.X., Sterne, P.A., Bethkenhagen, M., Hamel, S. & Bennett, B.I., 2019. Atom-in-jellium equations of state in the high-energy-density regime. *Phys. Rev. E* 99, 063210

- Swift, D.C., Fratanduono, D.E., Kraus, R.G. & Dowling, E.A., 2019. Non-iterative characteristics analysis for high-pressure ramp loading. *Rev. Sci. Instrum.* 90, 093903
- Szachogluchowicz, I., Sniezek, L., Grzelak, K., Sulym, H., Turchyn, I. & Pasternak, I., 2019. The analytical model of stress zone formation of Ti6Al4V/AA1050/AA2519 laminate produced by explosive bonding. *Metals* 9, doi: 10.3390/met9070779
- Szota, P., Mroz, S., Gontarz, A. & Stefanik, A., 2019. Theoretical and experimental analysis of magnesium/aluminum bimetallic handle forging process. *Arch. Metall. Mater.* 64, 1503-1512
- Takao, A., Tomoshige, R. & Kira, A., 2019. Joining of dissimilar metals using low pressure difference. *Mater. Res. Proc.* 13, 69-73
- Takayama, K., 2019. *Visualization of Shock Wave Phenomena*. Berlin, Springer
- Tan, J., Lu, L., Li, H.Y., Xiao, X.H., Li, Z. & Luo, S.N., 2019. Anisotropic deformation and damage of dual-phase Ti6Al4V under high strain rate loading. *Mater. Sci. Engng A* 742, 532-539
- Tan, K.Y., Han, Y., Luo, G., Yin, M., Wen, S.G. & Huang, F.L., 2019. Study on the detonation reaction-zone and energy release characteristics of a cast HMX-based PBX. *Central Eur. J. Energ. Mater.* 16, 380-398
- Theocharous, S.P., Bland, S.N., Yanuka, D., Rososhek, A., Olbinado, M.P., Rack, A. & Krasik, Y.E., 2019. Use of synchrotron-based radiography to diagnose pulsed power driven wire explosion experiments. *Rev. Sci. Instrum.* 90, 013504
- Thombre, R.S., Shivakarhik, E., Sivaraman, B., Vaishampayan, P.A., Seuylemezian, A., Meka, J.K., Vijayan, S., Kulkarni, P.P., Pataskar, T. & Patil, B.S., 2019. Survival of extremotolerant bacteria from the Mukundpura Meteorite Impact Crater. *Astrobiology* 19, 785-796
- Thurston, B.P., Vivek, A., Nirudhoddi, b.S.L. & Daehn, G.S., 2019. Vaporizing foil actuator welding. *MRS Bull.* 44, 637-642
- Tikhonchuk, V., Gu, Y.J., Klimo, O., Limpouch, J. & Weber, S., 2019. Studies of laser-plasma interaction physics with low-density targets for direct-drive inertial confinement schemes. *Matter Radiation Extremes* 4, 045402
- Torkaman, M., Danesh-Manesh, H. & Moshksar, M.M., 2019. Microstructure, mechanical properties and formability of CP-Ti/low carbon steel bimetallic sheet fabricated by explosive welding. *Mater. Res. Express* 6, 076542
- Tracy, S.J., Smith, R.F., Wicks, J.K., Fratanduono, D.E., Gleason, A.E., Bolme, C.A., Prakapenka, V.B., Speziale, S., Appel, K., Fernandez-Panella, A., Lee, H.J., MacKinnon, A., Tavella, I.F., Eggert, J.H. & Duffy, T.S., 2019. In situ observation of a phase transition in silicon carbide under shock compression using pulsed X-ray diffraction. *Phys. Rev. B* 99, 214106

- Trzcinski, W.A., Szymanczyk, L. & Kramarczyk, B., 2019. Determination of the equation of state for the detonation products of emulsion explosives. *Central Eur. J. Energ. Mater.* 16, 49-64
- Upadhyay, A., Sherpa, B.B., Kumar, S., Kumar, P.D., Srivastava, N. & Agarwal, A., 2019. Phased array-based ultrasonic testing of explosively welded aluminium and stainless steel plates. *Trans. Indian Inst. Metals* 72, 1521-1525
- Valisetty, R., Dongare, A. & Ianni, J., 2019. High performance computing simulations of spall phenomenon in a submicron thick nanocrystalline aluminum. *Model. Simul. Mater. Sci. Engng* 27, 065015
- Velasco, R.M. & Uribe, F.J., 2019. Shock-wave structure according to a linear irreversible thermodynamic model. *Phys. Rev. E* 99, 023114
- Veness, T. & Glazman, L.I., 2019. Fate of quantum shock waves at late times. *Phys. Rev. B* 100, 235125
- Veretennikova, I.A., Konovalov, D.A., Smirnov, S.V., Zadvorkin, S.M., Putilova, E.A. & Kamantsev, I.S., 2019. Effect of steplike plastic deformation on the mechanical properties and the fracture of the bimetal produced by explosion welding. *Russian Metallurgy* 556-564
- Visser, W. & Ghonem, H., 2019. Dynamic flow stress of shock loaded low carbon steel. *Mater. Sci. Engng A* 753, 317-330
- Vlasov, A.N., Zhuravlev, A.V., Pashentsev, V.A., Smirnov, V.N., Smirnov, E.B., Stolbikov, M.Y., Cheremazov, V.E., Ten, K.A., Prueel, E.R., Kashkarov, A.O., Rubtsov, I.A. & Kremenko, S.I., 2019. X-ray diffraction investigation of the evolution of dust-laden jets from the metal surface. *Combust. Explos. Shock Waves* 55, 409-417
- Vogler, T.J. & Fredenburg, D.A., eds, 2019. *Shock Phenomena in Granular and Porous Materials*. New York, Springer
- Volz, T.J. & Gupta, Y.M., 2019. Graphite to diamond transformation under shock compression: Role of orientational order. *J. Appl. Phys.* 125, 245902
- Vuppuluri, V.S., Bennion, J.C., Wiscons, R.A., Gunduz, I.E., Matzger, A.J. & Son, S.F., 2019. Detonation velocity measurement of a hydrogen peroxide solvate of CL-20. *Propell. Explos. Pyrotech.* 44, 313-318
- Wachowski, M., Frasz, T., Kosturek, R., Sniezek, L., Szachogluchowicz, I. & Grzelak, K., 2019. The effect of hypervelocity impact loading on explosively welded Ti/Al/Al plate. *MATEC Web Conferences* 253, doi: 10.1051/mateccconf/201925301007
- Wachowski, M., Kosturek, R., Sniezek, L., Mroz, S., Gloc, M., Krawczynska, A. & Malek, M., 2019. Analysis of the microstructure of an AZ31/AA1050/AA2519 laminate produced using the explosive welding method. *Materiali in Tehnologije* 53, 239-243

- Wakita, S., Genda, H., Kurosawa, K. & Davison, T.M., 2019. Enhancement of impact heating in pressure-strengthened rocks in oblique impacts. *Geophys. Res. Letts* 46, 13678-13686
- Walton, E.L., Timms, N.E., Hauck, T.E., MacLagan, E.A. & Herd, C.D.K., 2019. Evidence of impact melting and post-impact decomposition of sedimentary target rocks from the Steen River impact structure, Alberta, Canada. *Earth Planet Sci. Letts* 515, 173-186
- Wang, X., Dai, C., Wang, Q., Hao, L., Bai, J., Yu, Y., Wu, Q., Tan, H., Hu, J., Luo, G., Shen, Q. & Zhang, L., 2019. Development of a three-stage gas gun launcher for ultrahigh-pressure Hugoniot measurements. *Rev. Sci. Instrum.* 90, 013903
- Wang, K., Zhu, W., Xiang, M., Xu, Y., Li, G. & Chen, J., 2019. Improved embedded-atom model potentials of lead at high pressure: Application to investigations of plasticity and phase transition under extreme conditions. *Model. Simul. Mater. Sci. Engng* 27, 015001
- Wang, X.P., Wu, Y.-Q., Huang, F.-L., Hu, W. & Liu, Y.-C., 2019. An anisotropic elastoviscoplasticity model of thermomechanical responses of shocked β -HMX and α -RDX single crystals. *Propell. Explos. Pyrotech.* 44, 870-888
- Wang, S.G. & Han, X.M., 2019. Investigation on microstructure and mechanical properties of TA10-Q245R composite plate formed by explosive welding. *J. Mater. Engng Perform.* 28, 4241-4251
- Wang, K., Zhang, D., Shi, Z.Q., Shi, Y.J., Wang, T.H. & Zhang, Y., 2019. Equation of state for aluminum in warm dense matter regime. *Chinese Phys. B* 28, 016401
- Wang, Z.J. & Zhang, Q., 2019. Finite time emergence of a shock wave for scalar conservation laws via Lax-Oleinik formula. *Acta Mathematica Scientia* 39, 83-93
- Wang, Z.Q., Li, Z.G., Wang, Y.F., Liu, L., Gu, Y.J., Chen, Q.F. & Chen, X.R., 2019. Equation of state, ionic structure, and phase diagram of warm dense krypton. *Phys. Rev. E* 100, 033214
- Wang, F.P., Chen, L., Geng, D.S., Lu, J.Y. & Wu, J.Y., 2019. Molecular dynamics simulations of an initial chemical reaction mechanism of shocked CL-20 crystals containing nanovoids. *J. Phys. Chem. C* 123, 23845-23852
- Wang, H.H., Shi, Z.M., Yaer, X. & Tong, Z., 2019. Enhancement of mechanical properties of AISI304 stainless thin plate by low-pressure, repeated explosive hardening. *ISIJ Int.* 59, 2105-2112
- Wang, H.M. & Wang, Y.L., 2019. High-velocity impact welding process: A review. *Metals* 9, doi: 10.3390/met9020144
- Wang, B., Jiang, M.Y., Xu, M., Cui, C.W., Wang, J. & Cheng, W.Q., 2019. Influence of heat treatment on corrosion resistance of explosive welding 316L stainless steel composite plate. *Mater. Res. Express* 6, 106575

- Wang, R.X., He, Y., Tan, T., Guo, X.P., Song, J., Ren, J.S., Zhang, S.H. & Zhang, X.Y., 2019. Niobium-316L stainless steel transition joints for superconducting radiofrequency cavities by explosive welding. *Rare Metal Mater. Engng* 48, 3876-3882
- Wang, K., Zhang, F.G., He, A.M. & Wang, P., 2019. An atomic view on spall responses of release melted lead induced by decaying shock loading. *J. Appl. Phys.* 125, 155107
- Wang, S.T., Pan, H., Wang, P. & Zhang, F.G., 2019. Microstructural evolution of single-crystal magnesium under elevated temperature and ultra-high strain rate. *J. Appl. Phys.* 125, 215102
- Wang, F., Ma, D.J., Wang, P., Liu, J. & Jiang, J.W., 2019. Experimental and numerical study on the mesoscopic characteristics of metal composites jets by a shaped charge. *J. Appl. Phys.* 126, 095901
- Wang, X.M., Rigg, P., Sethian, J., Sinclair, N., Weir, N., Williams, B., Zhang, J., Hawreliak, J., Toyoda, Y., Gupta, Y., Li, Y.L., Broege, D., Bromage, J., Earley, R., Guy, D. & Zuegel, J., 2019. The laser shock station in the dynamic compression sector. 1. *Rev. Sci. Instrum.* 90, 053901
- Wang, X.C., Jarnac, A., Ekström, J.C., Bengtsson, A.U.J., Dorchies, F., Enquist, H., Jurgilaitis, A., Pedersen, M.N., Tu, C.-M., Wulff, M. & Larsson, J., 2019. Generation of a large compressive strain wave in graphite by ultrashort-pulse laser irradiation. *Structural Dynamics* 6, 024501
- Wang, L., Li, B., Deng, X.L., Jian, W.R., Shang, M., Deng, L., Zhang, X.M., Tang, J.F. & Hu, W.Y., 2019. Orientation and grain-boundary dependence of shock-induced plasticity and transformation in nanocrystalline titanium. *Phys. Rev. B* 99, 174103
- Wang, S.T., Pan, H., He, A.M., Wang, P. & Zhang, F.G., 2019. Amorphous structure in single-crystal magnesium under compression along the c-axis with ultrahigh strain rate. *Phys. Rev. B* 100, 214106
- Wang, Z.-Q., Li, Z.-G., Wang, Y.-F., Liu, L., Gu, Y.-J., Chen, Q.-F. & Chen, X.-R., 2019. Equation of state, ionic structure, and phase diagram of warm dense krypton. *Phys. Rev. E* 100, 033214
- Weck, P.F., Townsend, J.P., Cochran, K.R., Crockett, S.D. & Moore, N.W., 2019. Shock compression of niobium from first-principles. *J. Appl. Phys.* 125, 245905
- Wei, Y.C., Ranjan, R., Roy, U., Shin, J.H., Menon, S. & Zhou, M., 2019. Integrated Lagrangian and Eulerian 3D microstructure-explicit simulations for predicting macroscopic probabilistic SDT thresholds of energetic materials. *Comput. Mech.* 64, 547-561

- Wei, Y.N., Li, H., Sun, F. & Zou, J.T., 2019. The interfacial characterization and performance of copper/aluminum-conductive heads processed by explosion welding, cold pressure welding, and solid-liquid casting. *Metals* 9, doi: 10.3390/met9020237
- Wen, P., Demaske, B., Phillpot, S.R., Spearot, D.E., Tao, G. & Yuan, S.Q., 2019. Void collapse and subsequent spallation in $\text{Cu}_{50}\text{Zr}_{50}$ metallic glass under shock loading by molecular dynamics simulations. *J. Appl. Phys.* 125, 215903
- Wen, K., Chen, X.W. & Di, D.N., 2019. Modeling on the shock wave in spheres hypervelocity impact on flat plates. *Defence Technol.* 15, 457-466
- Wen, X.Q. & Xue, X.D., 2019. Shock wave release behavior of a pulsed positive streamer discharge in water. *AIP Advances* 9, 075310
- Wetta, N. & Pain, J.C., 2019. Thermal electronic properties of aluminum under pressure: The role of sp to 3d electron transfer. *Phys. Rev. B* 100, 205127
- Willert, E., 2019. Stoßprobleme in Physik, Technik und Medizin: Grundlagen und Anwendungen. Berlin, Springer
- Willey, T., 2019. New frontiers in experimentally observing detonation properties. *Propell. Explos. Pyrotech.* 44, 259-261
- Winter, R. & McShane, G., 2019. Additively manufactured cellular materials. In: *Shock Phenomena in Granular and Porous Materials*, edited by Vogler, T.J. & Fredenburg, D.A., New York, Springer, pp. 255-294
- Wu, Y.J., Wang, F., Wang, Q.P., Li, Y.L. & Jiang, S.E., 2019. A high temporal resolution numerical algorithm for shock wave velocity diagnosis. *Scientific Reports* 9, doi: 10.1038/s41598-019-45112-3
- Wu, F.C., Zhu, Y.B., Li, X.Z., Wang, P., Wu, Q. & Wu, H.A., 2019. Peculiarities in breakup and transport process of shock-induced ejecta with surrounding gas. *J. Appl. Phys.* 125, 185901
- Xi, T., Chu, G., Zhu, B., Shui, M., Zhao, Y.Q., Fan, W., Gu, Y.Q., Xin, J.T. & He, W.H., 2019. Investigation of dynamic fragmentation of laser shock-loaded tin at different phases with the integrated diagnostic techniques. *AIP Advances* 9, 075220
- Xiao, Y.C., Li, Y.F., Wang, Z.J., Zhao, H.P. & Sun, Y., 2019. A constitutive model for the shock ignition of PBXs. *Combust. Sci. Technol.* 191, 590-604
- Xiao, J., Li, Z.J., Jiang, L., Ye, L.F., Yu, K., Liang, J.P., Chen, S.J. & Chen, Z.Z., 2019. Interface microstructure and thermal expansion mismatch in Alloy N/316H bimetallic plates. In: *Proc. ASME Pressure Vessels and Piping Conference*. Vol. 6B, edited by Uddin, M., Brongers, M. & Messner, M., New York, American Society of Mechanical Engineers, pp. V06BT06A019
- Xiao, D.W., Shu, H., Zhu, D.L., Lu, C. & He, L.F., 2019. Dynamic spallation in uranium under laser shock loading. *Chinese Phys. Letts* 36, 026201

- Xie, M.-X., Zhang, L., Zhang, G.-F., Zhang, J.-X., Bi, Z.-Y. & Li, P.-C., 2019. Microstructure and mechanical properties of CP-Ti/X65 bimetallic sheets fabricated by explosive welding and hot rolling. *Mater. Design* 87, 181-197
- Xing, X.L., Zhao, S.X., Wang, X.F., Zhang, W.P., Diao, X.Q., Fang, W. & Li, W.X., 2019. The detonation properties research on TKX-50 in high explosives. *Propell. Explos. Pyrotech.* 44, 408-412
- Xiong, W., Zhang, X.F., Zheng, L., Bao, K., Chen, H.H. & Guan, Z.W., 2019. The shock-induced chemical reaction behaviour of aluminium/nickel composites by cold rolling and powder compaction. *J. Mater. Sci.* 54, 6651-6667
- Xiong, Q.L., Kitamura, T. & Li, Z.H., 2019. Cylindrical voids induced deformation response of single crystal coppers during low-speed shock compressions: A molecular dynamics study. *Mech. Mater.* 138, 103167
- Xiong, Q.L., Kitamura, T. & Li, Z.H., 2019. Transient phase transitions in single-crystal coppers under ultrafast lasers induced shock compression: A molecular dynamics study. *J. Appl. Phys.* 125, 194302
- Xu, C., Zhu, P., Wang, K., Qin, X., Zhang, Q., Yang, Z. & Shen, R.Q., 2019. An electro-explosively actuated mini-flyer launcher. *Sensors Actuators A* 292, 17-23
- Xue, Q., Jiang, S., Wang, Z., Wang, F., Liu, Y., Zhao, Y. & Ding, Y., 2019. X-ray preheat shield in laser direct-drive ramp compression experiments. *AIP Advances* 9, 035007
- Yakushev, V.V., Utkin, A.V., Zhukov, A.N., Ananov, S.Y., Dolgoborodov, A.Y. & Moskovskikh, D.O., 2019. Shock compressibility of polycrystalline nickel aluminide. *High Press. Res.* 39, 471-479
- Yakushev, V.V., Ananov, S.Y., Utkin, A.V., Zhukov, A.N. & Dolgoborodov, A.Y., 2019. Sound velocity in shock-compressed samples from a mixture of micro- and nanodispersed nickel and aluminum powders. *Combust. Explos. Shock Waves* 55, 732-738
- Yamashita, M., Shibuya, T. & Nikawa, M., 2019. Impact joining of metallic sheets and evaluation of its performance. *Mater. Res. Proc.* 13, 91-96
- Yan, J., Zheng, J., Chen, Z.-J., Jiang, W., Zhang, X. & Jiang, S., 2019. Monte Carlo-based simulation of X-ray phase-contrast imaging for diagnosing cold fuel layer in cryogenic implosions. *AIP Advances* 9, 025311
- Yang, F., Kong, D., Wang, F. & Kong, L., 2019. A traceable dynamic calibration research of the measurement system based on quasistatic and dynamic calibration for accurate blast overpressure measurement. *Meas. Sci. Technol.* 30, 025005
- Yang, R. & Zuo, J., 2019. Experimental study on directional fracture blasting of cutting seam cartridge. *Shock & Vibration* doi: 10.1155/2019/1085921

- Yang, Y., Lian, X.L. & Wang, J.L., 2019. Effect of the grain boundary character distribution on the self-organization of adiabatic shear bands in 1Cr18Ni9Ti austenitic stainless steel. *J. Mater. Sci.* 54, 6256-7270
- Yang, G.D., Wang, G.H., Lu, W.B., Wu, L., Yan, P. & Chen, M., 2019. Experimental and numerical study of damage characteristics of reinforced concrete slabs subjected to air and underwater contact explosions. *Marine Struct.* 66, 242-257
- Yang, X., Zeng, X.G., Chen, H.Y., Wang, Y.T., He, L. & Wang, F., 2019. Molecular dynamics investigation on complete Mie-Gruneisen equation of state: Aluminum and lead as prototypes. *J. Alloys Compounds* 808, 151702
- Yang, X., Zeng, X.G., Wang, J., Wang, J.B., Wang, F. & Ding, J., 2019. Atomic-scale modeling of the void nucleation, growth, and coalescence in aluminum at high strain rates. *Mech. Mater.* 135, 98-113
- Yang, H., Zhao, J.B. & Wang, T.R., 2019. Research on a different method to reach the saturate limit of titanium aluminide alloy surface mechanical and fatigue properties by laser shock process. *Optik* 193, 162989
- Yang, M., Ma, H.H., Yao, D.M. & Shen, Z.W., 2019. Experimental study for manufacturing 316L/CuCrZr hollow structural component. *Fusion Engng Design* 144, 107-118
- Yang, X., Shi, C.G., Fang, Z.H. & Sabuj, M.N.H., 2019. Application countermeasures of the manufacturing processes of titanium-steel composite plates. *Mater. Res. Express* 6, 026519
- Yang, M., Ma, H.H., Shen, Z.W., Chen, D.G. & Deng, Y.X., 2019. Microstructure and mechanical properties of aluminum-iron meshing bonding interfaces manufactured by explosive welding. *Trans. NonFerrous Metals Soc. China* 29, 680-691
- Yang, M., Ma, H.H., Shen, Z.W. & Sun, Y.L., 2019. Study on explosive welding for manufacturing meshing bonding interface of CuCrZr to 316L stainless steel. *Fusion Engng Design* 143, 106-114
- Yang, M., Ma, H.H. & Shen, Z.W., 2019. Effect of RDX powders on detonation characteristics of emulsion explosives. *J. Energ. Mater.* 37, 459-474
- Yang, M., Ma, H.H. & Shen, Z.W., 2019. Study on explosive welding of Ta2 titanium to Q235 steel using colloid water as a covering for explosives. *J. Mater. Res. Technol.* 8, 5572-5580
- Yang, H. & Peng, J., 2019. Numerical study of the shear-thinning effect on the interaction between a normal shock wave and a cylindrical liquid column. *Phys. Fluids* 31, 043101
- Yang, M., Ma, H.-H. & Shen, Z.-W., 2019. Study on the effects of explosive covering on explosive welding of stainless steel to steel. *Propell. Explos. Pyrotech.* 44, 609-616

- Yanuka, D., Theocharous, S., Efimov, S., Bland, S.N., Rososhok, A., Krasik, Y.E., Olbinado, M.P. & Rack, A., 2019. Synchrotron based X-ray radiography of convergent shock waves driven by underwater electrical explosion of a cylindrical wire array. *J. Appl. Phys.* 125, 093301
- Yanuka, D., Rososhok, A., Theocharous, S., Bland, S.N., Krasik, Y.E., Olbinado, M.P., Rack, A. & Oreshkin, E.V., 2019. X-ray radiography of the overheating instability in underwater electrical explosions of wires. *Phys. Plasmas* 26, 050703
- Yanuka, D., Theocharous, S. & Bland, S.N., 2019. Pulsed power driven cylindrical wire array explosions in different media. *Phys. Plasmas* 26, 122704
- Yao, P.W., Yang, H.B. & Liu, H., 2019. Research status and development of explosive welded metal materials. *IOP Conf. Ser.: Mater. Sci. Engng* 493, 012108
- Yao, W.B., Zhou, H.B., Han, R.Y., Zhang, Y.M., Zhao, Z., Xu, Q.F. & Qiu, A.C., 2019. An empirical approach for parameters estimation of underwater electrical wire explosion. *Phys. Plasmas* 26, 093502
- Ye, S.J., Chai, H.W., Xiao, X.H., Cai, Y., Yao, X.H. & Luo, S.N., 2019. Spallation of polycarbonate under plate impact loading. *J. Appl. Phys.* 126, 085105
- Yeom, G.S. & Choi, J.I., 2019. Efficient exact solution procedure for quasi-one-dimensional nozzle flows with stiffened-gas equation of state. *Int. J. Heat Mass Transfer* 137, 523-533
- Yin, G.F., Shi, H.T., Fan, Y.F., Wu, J. & Li, X.W., 2019. Numerical investigation of shock wave characteristics at microsecond underwater electrical explosion of copper wires. *J. Phys. D: Appl. Phys.* 52, 374002
- Young, G., Lin, X., Leng, C.W. & Huang, H.J., 2019. Average models for calculating the shock equation of state of alloy and mixture. *Jpn. J. Appl. Phys.* 58, 066004
- Yu, Y., Xu, P.B., Li, K., Zhao, J., Dai, Y.T., Ma, H.H. & Yang, M., 2019. Study on modalities and microdefects of aluminum-copper bimetallic tube by underwater explosive cladding. *Arch. Civil Mech. Engng* 19, 1390-1398
- Yu, B., Yang, J.M., Huang, T.X., Wang, P., Shang, W.L., Qiao, X.M., Deng, X.W., Zhang, Z.W., Song, Z.F., Tang, Q., Peng, X.S., Chen, J.B., Li, Y.L., Jiang, W., Pu, Y.D., Yan, J., Chen, Z.J., Dong, Y.S., Zheng, W.D., Wang, F., Jiang, S.E., Ding, Y.K. & Zheng, J., 2019. First polar direct-drive exploding-pusher target experiments on the ShenGuang laser facility. *Chinese Phys. B* 28, 095203
- Yuan, X.X., Wu, C., An, F.-J., Liao, S., Zhou, M.X. & Xue, D.Y., 2019. A non-isentropic model and the method of characteristic line for the post-detonation expansion of aluminized explosives. *J. Appl. Phys.* 125, 064901
- Yunoshev, A.S., Bordzilovskii, S.A., Voronin, M.S., Karakhanov, S.M., Makarov, S.N. & Plastinin, A.V., 2019. Detonation pressure of an emulsion explosive sensitized by polymer microballoons. *Combust. Explos. Shock Waves* 55, 426-433

- Zaghloul, M.R. & Hassanein, A., 2019. Equation-of-state, critical constants, and thermodynamic properties of lithium at high energy density. *Phys. Plasmas* 26, 122702
- Zaghoo, M., Boehly, T.R., Rygg, J.R., Celliers, P.M., Hu, S.X. & Collins, G.W., 2019. Breakdown of Fermi degeneracy in the simplest liquid metal. *Phys. Rev. Letts* 122, 085001
- Zahedi, A., Dariani, B.M. & Mirnia, M.J., 2019. Experimental determination and numerical prediction of necking and fracture forming limit curves of laminated aluminum/copper sheets using a damage plasticity model. *Int. J. Mech. Sci.* 153, 341-358
- Zaretsky, E.B. & Kanel, G.I., 2019. Response of PMMA to shock-wave loading at elevated temperatures. *J. Appl. Phys.* 126, 085902
- Zeman, S., Liu, N. & Hussein, A.K., 2019. The role of crystal lattice free volume in nitramine detonation. *Defence Technol.* 15, 519-525
- Zeng, X.Y., Li, X.J., Chen, X., Wang, X.H. & Yan, H.H., 2019. Numerical and experimental studies on the explosive welding of plates with different initial strength. *Welding World* 63, 967-974
- Zeng, X.Y., Wang, Y.X., Li, X.Q., Li, X.J. & Zhao, T.J., 2019. Effect of inert gas-shielding on the interface and mechanical properties of magnesium/aluminum explosive welding composite plate. *J. Manuf. Process.* 45, 166-175
- Zeng, X.Y., Li, X.Q., Li, X.J., Mo, F. & Yan, H.H., 2019. Numerical study on the effect of thermal conduction on explosive welding interface. *Int. J. Advanced Manufacturing Technology* 104, 2607-2617
- Zeng, X.Y., Wang, Y.X., Li, X.Q., Li, X.J. & Zhao, T.J., 2019. Effects of gaseous media on interfacial microstructure and mechanical properties of titanium/steel explosive welded composite plate. *Fusion Engng Design* 148, 111292
- Zeng, Q.X., Wang, T., Li, M.Y. & Ren, Y.Y., 2019. Mechanism and characteristics on the electric explosion of aluminum/nickel reactive multilayer foils. *Appl. Phys. Letts* 115, 093102
- Zhang, Z., Meng, F., Cui, J., Wang, Z., Lu, Y., ul Hassan, H. & Guo, D., 2019. Deformation induced complete amorphization at nanoscale in a bulk silicon. *AIP Advances* 9, 025101
- Zhang, T.T., Wang, W.X., Zhang, W., Zhou, J. & Yan, Z.F., 2019. Interfacial microstructure evolution and deformation mechanism in an explosively welded aluminium/magnesium alloy plate. *J. Mater. Sci.* 54, 9155-9167
- Zhang, S., Lazicki, A., Miltzer, B., Yang, L.H., Caspersen, K., Gaffney, J.A., Dane, M.W., Pask, J.E., Johnson, W.R., Sharma, A., Suryanarayana, P., Johnson, D.D., Smirnov, A.V., Sterne, P.A., Erskine, D., London, R.A., Coppari, F., Swift, D., Nilsen, J., Nelson, A.J. & Whitley, H.D., 2019. Equation of state of boron nitride combining computation, modeling, and experiment. *Phys. Rev. B* 99, 165103

- Zhang, Y.P., Liu, H., Yang, Z., Li, Q.K. & He, Y.H., 2019. Shock-induced hot spot formation and spalling in RDX containing a cube void. *ACS Omega* 4, 8031-8038
- Zhang, L., Yu, Y. & Xiang, M.Z., 2019. A study of the shock sensitivity of energetic single crystals by large-scale ab initio molecular dynamics simulations. *Nanomaterials* 9, doi: 10.3390/nano9091251
- Zhang, H., Jiao, K.X., Zhang, J.I. & Liu, J.P., 2019. Comparisons of the microstructures and micromechanical properties of copper/steel explosive-bonded wave interfaces. *Mater. Sci. Engng A* 756, 430-441
- Zhang, B., Chen, H., Yu, B., He, M.S. & Liu, H., 2019. Molecular simulation on viscous effects for microscale combustion in reactive shock-bubble interaction. *Combust. Flame* 208, 351-363
- Zhang, T.T., Wang, W.X., Zhou, J., Yan, Z.F. & Zhang, J., 2019. Interfacial characteristics and nanomechanical properties of dissimilar 304 austenitic stainless steel/AZ31B Mg alloy welding joint. *J. Manuf. Process.* 42, 257-265
- Zhang, Z.L. & Liu, M.B., 2019. Numerical studies on explosive welding with ANFO by using a density adaptive SPH method. *J. Manuf. Process.* 41, 208-220
- Zhang, X.Y., Chen, J., Hu, W.Y., Zhu, W.J., Xiao, S.F., Deng, H.Q. & Cai, M.Q., 2019. Interactions of plasticity and phase transformation under shock in iron bicrystals. *J. Appl. Phys.* 126, 045901
- Zhang, J.Z., Hackenberg, R.E., Vogel, S.C. & Brown, D.W., 2019. Equation of state and phase evolution of uranium-7.7niobium with implications for the understanding of dynamic behavior of U-Nb alloys. *Appl. Phys. Letts* 114, 221901
- Zhang, C., Liu, H., Duan, X.X., Liu, Y.G., Zhang, H., Sun, L., Ye, Q., Yang, W.M., Wang, F., Yang, J.M., Jiang, S.E., Wang, Z.B. & Ding, Y.K., 2019. Study of M-band X-ray preheating effect on shock propagation via streaked optical pyrometer system at SG-III prototype lasers. *Phys. Plasmas* 26, 012708
- Zhang, Y., Yang, C., Qiang, H. & Zhong, P., 2019. Nanosecond shock wave-induced surface acoustic waves and dynamic fracture at fluid-solid boundaries. *Phys. Rev. Res.* 1, 033068
- Zhang, S.L., Liu, W., Wang, G.L., Zhang, Z.W., Sun, Q.Z., Zhang, Z.H., Li, J. & Chi, Y., 2019. Investigation of convergent Richtmyer-Meshkov instability at tin/xenon interface with pulsed magnetic driven imploding. *Chinese Phys. B* 28, 044702
- Zhang, X.Y., Wang, K., Chen, J., Hu, W.Y., Zhu, W.J., Xiao, S.F., Deng, H.Q. & Cai, M.Q., 2019. Shock-induced migration of asymmetry tilt grain boundary in iron bicrystal: A case study of $\Sigma 3$ [110]. *Chinese Phys. B* 28, 126201
- Zhang, K.F., Liang, M.Z., Lu, F.Y. & Li, X.Y., 2019. Mechanics of plate fracture from detonation wave interaction. *Propell. Explos. Pyrotech.* 44, 188-197

- Zhao, Q., Li, Y., Lv, Z. & Bo, C., 2019. Mechanical response of multi-layer corrugated structure to blast loading. In: Proc. 22nd Seminar of the New Trends in Research of Energetic Materials, edited by Pachmán, J. & Selesovsky, J., Pardubice, Czech Republic, University of Pardubice, pp. 820-827
- Zhao, B.L., Zhao, J.G., Cui, C.Y. & Wang, Y., 2019. Shock initiation of a satellite tank under debris hypervelocity impact. *Applied Sciences* 9, doi: 10.3390/app9193957
- Zhao, B.L., Zhao, J.G., Cui, C.Y. & Duan, Y.S., 2019. Hydrodynamic ram effect caused by debris hypervelocity impact on satellite tank. *Applied Sciences* 9, doi: 10.3390/app9204200
- Zhao, Q., Li, Y. & Chang, B., 2019. Numerical study on the explosive effect of RDX-based aluminized explosives on stiffened plates. *J. Korean Phys. Soc.* 74, 481-487
- Zhao, P., Chen, L., Yang, K., Geng, D.S., Lu, J.Y. & Wu, J.Y., 2019. Effect of temperature on shock initiation of RDX-based aluminized explosives. *Propell. Explos. Pyrotech.* 44, 1562-1569
- Zhou, T., Hu, J.H., Kuang, Y. & Huang, R.D., 2019. Improved rock engineering system (RES)-multidimensional cloud evaluation model and its application to the rock mass blastability. *IEEE Access* 7, 100305-100317
- Zhou, G., Li, Y.L., Li, J., Wu, Z.T., Wu, K., Jing, J.Y., Tan, S.S., Qian, B.W., Zhu, Y.R. & Zhang, X.R., 2019. Dynamic behavior of clay with different water content under planar shock conditions. *Int. J. Impact Engng* 129, 57-65
- Zhou, X., Miao, Y.R., Shaw, W.L., Suslick, K.S. & Dlott, D.D., 2019. Shock wave energy absorption in metal-organic framework. *J. Amer. Chem. Soc.* 141, 2220-2223
- Zhou, G.A., Xu, J.F., Shen, Z.W. & Ma, H.H., 2019. Microstructure and mechanical properties of simultaneously explosively-welded steel/copper pipes and aluminum/copper pipe/rod. *J. Manuf. Process.* 47, 244-253
- Zhou, Z.Q., Chen, J.G., Yuan, H.Y. & Nie, J.X., 2019. The role of aluminum reaction rate in the damage effect and energy output of RDX-based aluminized explosives in concrete. *Propell. Explos. Pyrotech.* 44, 319-326
- Zhou, P., Xu, S., Xiao, D.W., Jiang, C.L., Hu, Y. & Wang, J., 2019. Shock-induced {1121}→{1122} double twinning in titanium. *Int. J. Plast.* 112, 194-205
- Zhu, Y.J., Yang, Z.W., Luo, K.H., Pan, J.F. & Pan, Z.H., 2019. Numerical investigation of planar shock wave impinging on spherical gas bubble with different densities. *Phys. Fluids* 31, 056101
- Zlobin, B.S., Kiselev, V.V. & Shtertser, A.A., 2019. Effect of mechanical properties of materials on wave formation in explosive welding. *Combust. Explos. Shock Waves* 55, 439-446

Zuanetti, B., Wang, T. & Prakash, V., 2019. A novel approach for plate impact experiments to obtain properties of materials under extreme conditions. In: *Dynamic Behavior of Materials*, edited by Kimberley, J., Lamberson, L.E. & Mates, S., New York, Springer, pp. 19-26